

A photograph of a modern, two-story house with a light-colored facade and a red-tiled roof. A large, multi-paned glass extension runs along the front of the house, revealing a bright interior with white furniture. The house is set on a green lawn with tall grass in the foreground. A large, leafy tree stands to the left of the house. The sky is a clear, pale blue. Two thin white diagonal lines cross the image: one from the top left towards the middle right, and another from the middle left towards the bottom right.

Palmako

LENIEKS GROUP

2026

Bringing joy to the garden

Over 700 high-quality wooden
products by Palmako



Lumi 23,3 m² Slide Plus

Dear Customer,

At Palmako, we believe that the garden is more than just a space – it's a living extension of your home, a place where real life happens and meaningful moments are created. In our fast-paced world, finding balance and quality time with loved ones is more important than ever. That's why our mission is to bring joy to the gardens.

Our story is rooted in authenticity. We use renewable, natural material – wood. While growing, trees are binging remarkable volume of carbon, therefore, using wood as a building material is not only beautiful, but also good for the environment and has smaller footprint.

We help to create real spaces for real life. Whether one dreams of a cozy garden house, a modern pavilion, a playful space for children, or a peaceful sauna retreat, Palmako offers a wide range of high-quality wooden products to suit every need and every garden.

This year, we are excited to present a completely renewed product catalogue. We've reimaged every aspect – from the overall design to the way we share information – so that discovering your next garden inspiration is easier and more enjoyable than ever before. Our catalogue now features our finest product visuals, letting the beauty and quality of our products speak for themselves. Product details are presented simply and clearly, so you can quickly find what matters most to you and for more detailed product information one should scan QR codes next to each product and continue browsing on our homepage.

We invite you to explore, dream, and create with us! Let your garden become a place of joy, connection, and lasting memories – because at Palmako, we don't just make garden houses. We bring joy to the garden.

Wishing you an inspiring and joyful 2026!

Palmako Team



The joy of being in the garden

The garden – our connection with nature

We live our lives at crazy speeds amid droves of people and every day we become increasingly more alienated from nature. Going outdoors takes time and money and is an all around taxing experience. However, our ancient selves don't want to stop smelling the grass in the morning or seeing the light of the setting sun through tree branches. When we go back to the past along this line of heritage, we quickly reach our predecessors, who were peasants,

cattle breeders or hunters. Urbanisation is a new phenomenon in human history. A garden is often our last direct point of contact with nature, a reminder of the unity our predecessors felt with the surrounding environment. This feeling is deeply rooted in our subconscious and it makes the existence of a garden and time spent there so important for us.

The joy of being in the garden

We all strive to achieve ever-greater quality of life. Constantly juggling mountains of work and the need to spend time with our family forces us to look for balance between home and office, between reaping and sowing. It motivates us to emphasise our presence.

Our restless spirit and modern life force us out of our comfort zone – searching for greater value in life through social interaction and self-realisation.

Palmako doesn't build an artificial world with fake emotion and fake people. In the shape of the garden, Palmako extends quality living space, making it a special place in people's lives. Somewhere they live their real lives. A life which has meaning. Which is filled with quality time spent together, which we share with those closest to us. Somewhere we experience special moments.

We don't just make garden houses. We don't restrict ourselves to comprehensive garden solutions either.

We bring joy to the garden.

A garden is often our last direct point of contact with nature, a reminder of the unity our predecessors felt with the surrounding environment.



The many dimensions to garden life

The special moments in our lives are different and the roles gardens play in our lives are also different. A garden can be a place of relaxation where you hide from the world. Or it can be a meeting place where you discuss life with your loved ones. A garden can be the place where you devote yourself to your hobbies.

Every material has its character and soul. Wood is warm and beautiful and we understand its life cycle.

A beautiful garden can be our best feature for impressing neighbours and passers-by. It can also be a practical place for growing organic fruit and vegetables for our own use. We believe that quality time has many angles and colours, like an eventful life. We do not make decisions for garden owners; we simply do our best to turn their gardens into special places where moments are inspiring and different, just like people. The more varied our garden is the more joy it brings us.


Timeless garden wood

We have used wood to build our houses and gardens since ancient times and it has accompanied us throughout the centuries of our development. Every piece of wood has its own character and soul. Wood is warm and beautiful and we understand its life cycle. Like us, trees move in a circle of life, growing and living in the

time given to them. The constantly repeating cycle makes wood a renewable resource and using resources responsibly is increasingly more important in the context of growing environmental issues. Wood produced through correct and fair management is undoubtedly one of the best choices of our time. Wood is timeless – ancient and familiar on the one hand, and a building material with a clear future on the other.



About us



Palmako production plants



Head office of Lemeks Group



Palmako branch



Home delivery service

Principles that we follow in our everyday work:

- We are honest
- We are goal-oriented
- We are open to changes
- We are willing to take responsibility
- We respect our partners
- We assess our colleagues by their results, not by their words
- We share our knowledge and skills with each other
- We aim to do, rather than impress

We have invested over 50 million euros in modern, professional technology, which has enabled us to use the best machinery to make our products.

Leading manufacturer in Europe

Palmako produces and exports over 60,000 wooden houses per year, and 28 years of active operation have given us significant experience to become Northern Europe's leading manufacturer and distributor of square log garden houses.



Scan this QR-code to see a video how our products are made with utmost care!



In addition to log cabins, Palmako manufactures wide selection of garden products, glulam products and heating pellets.

Estonia is regarded as the biggest wooden house exporter in the Europe. Palmako plays a significant part in this. Our products are found in more than 30 countries around the world.



Look for FSC® certified products.

Social responsibility

Although wood is a sustainable and regenerative natural resource, forestry requires careful and responsible management. An uncaring and irresponsible attitude towards forestry management will inevitably harm our environment significantly. We all have heard stories about the loss of some rainforests, but this concern applies equally to our Nordic forests as well. Palmako is FSC® certified, ensuring that we use wood from responsibly managed forests. We care about the environment, which we share and in which we all live. We really do.

5-year warranty

Over the last 28 years we have produced over half a million wooden houses. We use only the latest technology to make no compromises on quality, and to make sure that the nature and its resources are handled in the best possible way. We really care about the environment that we all share. We hope that already offers a reason to trust us, but we also place a 5-year warranty on our buildings if they are treated according to recommendations. Playgrounds and swings have 2-year warranty for your complete peace of mind.

Excellent customer service

We keep stock of our re-sellers to ensure fast, precise deliveries throughout Europe, and we are ready to deliver our products directly to the end customer's if required. As a multilingual company, we can service our customers in 8 different languages – English, German, French, Spanish, Finnish, Swedish and Norwegian as well as Estonian.

Nordic spruce

Wood is an impressive, warm and living material. And nothing compares to the wonderful aroma of fresh timber. During the long, cold winters the trees grow slowly, which makes their timber especially thick and durable. You can feel it in all our products - comfortable garden and log houses, pavilions, carports, tool sheds, children's play houses, weekend and living houses, glue-laminated products, and wood pellets.

	PALMAKO CABINS WITH ALUMINIUM DOORS AND WINDOWS	8
	PALMAKO CABINS WITH ALUMINIUM SLIDING DOORS	18
	PALMAKO TINY HOUSES	MINI WEEKEND HOUSES 36
	PALMAKO TRADITIONAL CABINS WITH FLAT ROOF	FLAT ROOF CABINS 46
	PALMAKO TRADITIONAL CABINS WITH GABLE ROOF	GABLE ROOF CABINS 56
	PALMAKO GLASS HOUSES	GLASS HOUSES AND GREENHOUSES 74
	PALMAKO GLASS PAVILIONS	GLAZED PAVILIONS WITH ALUMINIUM SLIDING DOORS 86
	PALMAKO PERGOLAS	PERGOLAS AND GAZEBOs 108
	PALMAKO PAVILIONS	PAVILIONS AND GRILL KOTAS 124
	PALMAKO GARDEN SPA	BARREL AND OVAL SAUNAS, LOG SAUNAS 134
	PALMAKO STORAGE	TOOL SHEDS AND KIOSKS 146
	PALMAKO CARPORTS & GARAGES	CARPORTS & GARAGES 176
	PALMAKO FOR KIDS	CHILDREN'S SWINGS, PLAYGROUNDS AND PLAYHOUSES 194
	PALMAKO FENCE, FURNITURE & GARDENING	FENCE PANELS, TERRACE FENCES, GATES, HEAT PUMP COVER, WOODEN GARDEN FURNITURE, POSTS AND POLES 212
	PALMAKO OPTIONAL PRODUCTS	OPTIONAL PRODUCTS 244

All orders placed with Palmako AS based on this product catalogue are subject to, and the resulting contracts of sale governed by, the General Terms and Conditions of Sale of Palmako AS as are in force at the relevant time (hereinafter the "Terms"). The Terms are accessible on the website of Palmako AS: www.palmako.ee


PRODUCT INDEX

Alice 4,7 m ²	156	Bianca 8,3 m ² Set 103	115	Cecilia 30,0 m ²	33
Alice 9,0 m ²	156	Bianca 8,3 m ² Set 104	174	Cecilia 32,0 m ²	35
Amanda 11,2 m ² Slide / Slide Plus	26	Bianca 8,3 m ² Set 105	174	Cecilia 39,9 m ²	 34
Amanda 11,2+7,8 m ² Slide / Slide Plus	26	Bianca 8,3 m ² Set 106	174	Chick 6,7 m ²	169
Amanda 17,1 m ² Slide / Slide Plus	27	Bianca 8,3 m ² Set 201 / Set 501	99	Claudia 14,2 m ²	68
Amanda 17,1+7,8 m ² Slide / Slide Plus	27	Bianca 16,6 m ²	121	Claudia 19,4 m ²	68
Andre 28,5 m ²	192	Bianca 16,6 m ² Set 107	113	Claudia Pent 11,5 m ²	69
Andre 44,7 m ²	192	Bianca 16,6 m ² Set 108	117	Claudia Pent 19,4 m ²	69
Andrea 11,2 m ² Slide / Slide Plus	22	Bianca 16,6 m ² Set 109	115	Dan 4,5 m ²	162
Andrea 11,2+7,9 m ² Slide / Slide Plus	22	Bianca 16,6 m ² Set 110	117	Dan 7,5 m ²	162
Andrea 15,2 m ² Slide / Slide Plus	 23	Bianca 16,6 m ² Set 111	175	Dan 9,9 m ²	162
Andrea 15,2+7,9 m ² Slide / Slide Plus	 23	Bianca 16,6 m ² Set 112	175	Dan 14,7 m ²	163
Andrea 17,1 m ² Slide / Slide Plus	24	Bianca 16,6 m ² Set 202 / Set 502	99	Edwin	237
Andrea 17,1+7,9 m ² Slide / Slide Plus	24	Bianca 16,6 m ² Set 203 / Set 503	100	Elias 4,9 m ²	 161
Andrea 21,1 m ² Slide / Slide Plus	 25	Bianca 16,6 m ² Set 204 / Set 504	100	Elias 7,3 m ²	 161
Andrea 21,1+7,9 m ² Slide / Slide Plus	 25	Bianca 16,6 m ² Set 205 / Set 505	100	Elke	219
Andrea 7,5 m ² Slide Plus	21	Bianca 16,6 m ² Set 206 / Set 506	101	Ella 6,9 m ²	150
Anette 3,0+1,5 m ²	137	Bianca 16,6 m ² Set 207 / Set 507	101	Ella 6,9+8,2 m ²	150
Anita 0,9 m ²	138	Bianca 16,6 m ² Set 208 / Set 508	101	Ella 6,9+10,0 m ²	150
Anita 1,3+0,7 m ²	138	Bianca 24,9 m ²	121	Ella 8,7 m ²	151
Anita 1,3+0,7 m ² with glass wall	138	Bianca 24,9 m ² Set 209 / Set 509	102	Ella 8,7+8,2 m ²	151
Anita 1,6+0,7 m ²	139	Bianca 24,9 m ² Set 210 / Set 510	102	Ella 8,7+10,0 m ²	151
Anita 1,6+0,7 m ² with glass wall	139	Bianca 24,9 m ² Set 211 / Set 511	104	Ella 13,1 m ²	152
Anna 26,8 m ²	73	Bianca 24,9 m ² Set 212 / Set 512	102	Ella 13,1+3,9 m ²	 152
Anna 26,8+1,9 m ²	73	Bianca 24,9 m ² Set 213 / Set 513	104	Emilia 5,4 m ²	 82
Aron	241	Bianca 24,9 m ² Set 214 / Set 514	104	Emilia 8,2 m ²	 82
Arthur	240	Bianca 24,9 m ² Set 215 / Set 515	106	Emilia 13,8 m ²	 84
Aurelia 8,4 m ²	 12	Bianca 24,9 m ² Set 216 / Set 516	106	Emilia 19,1 m ²	 85
Aurelia 8,4+7,9 m ²	 12	Bianca 24,9 m ² Set 217 / Set 517	107	Emilia shed 4,0 m ²	 83
Aurelia 12,4 m ²	 13	Bianca 24,9 m ² Set 218 / Set 518	107	Emily 39,2 m ²	71
Aurelia 12,4+7,9 m ²	 13	Bianca 24,9 m ² Set 219 / Set 519	106	Emily 40,1+5,2 m ²	71
Aurelia 12,7 m ²	 14	Bianca 24,9 m ² Set 222 / Set 522	103	Emma 4,6 m ²	60
Aurelia 12,7+7,9 m ²	 14	Bianca 24,9 m ² Set 223 / Set 523	103	Emma 10,4 m ²	61
Aurelia 16,7 m ²	 15	Bianca 33,2 m ² Set 220 / Set 520	105	Emma 10,4+4,2 m ²	61
Aurelia 16,7+7,9 m ²	 15	Bianca 33,2 m ² Set 221 / Set 521	105	Emma 14,2 m ²	61
Aurelia 15,2 m ²	 16	Bianca Apex	122	Etta 13,6 m ²	45
Aurelia 15,2+7,9 m ²	 16	Bianca Extra roof	122	Eva 8,7 m ²	132
Aurelia 19,2 m ²	 17	Birgit	223	Eva 11,4 m ²	132
Aurelia 19,2+7,9 m ²	 17	Bosse	205	Felix 1,9 m ²	198
Betty 9,0 m ²	118	Brenda	205	Foundation frames	250
Betty 9,9 m ²	118	Britta 17,5 m ²	153	Grace 8,1+4,1 m ²	54
Betty 18,0 m ²	119	Britta 19,7 m ²	153	Grace 8,1+8,1 m ²	54
Betty 25,0 m ²	119	Cecilia 14,2 m ²	32	Grace 12,4+4,1 m ²	55
Bianca 8,3 m ²	121	Cecilia 21,8 m ²	32	Grace 14,5 m ²	55
Bianca 8,3 m ² Set 101	113	Cecilia 27,2 m ²	33	Grace 11,2 m ²	31
Bianca 8,3 m ² Set 102	115	Cecilia 27,3 m ²	 34	Grace 11,2+8,2 m ²	31

Grace 14,1 m ²	31	Lenna 8,3 m ² Set 302	114	Palmako Connect Louvre wall	123
Grace Sauna 5,3 m ²	143	Lenna 8,3 m ² Set 303	114	Palmako Connect Wall with hatch	123
Grace Sauna 8,2 m ²	143	Lenna 8,3 m ² Set 304	172	Postsaver posts	242
Grete 3,7 m ²	199	Lenna 8,3 m ² Set 305	172	Premium poles	243
Hanna 14,1 m ²	127	Lenna 8,3 m ² Set 306	172	Premium posts	242
Hanna 20,3 m ²	127	Lenna 8,3 m ² Set 401 / Set 701	89	Rasmus 19,0 m ²	184
Hedwig 13,6 m ²	45	Lenna 16,6 m ²	120	Reena	218
Heldi 11,7 m ²	52	Lenna 16,6 m ² Set 307	112	Rebekka 13,6 m ² Slide / Slide Plus	42
Heldi 19,7 m ²	52	Lenna 16,6 m ² Set 308	116	Rebekka 19,4 m ² Slide / Slide Plus	42
Heldi 22,8 m ²	53	Lenna 16,6 m ² Set 309	114	Rebekka 22,4 m ² Slide / Slide Plus	43
Helena 15,1 m ²	63	Lenna 16,6 m ² Set 310	116	Rebekka 31,8 m ² Slide / Slide Plus	43
Helena 18,6 m ²	63	Lenna 16,6 m ² Set 311	173	Robert 11,7 m ²	182
Helena 24,6 m ²	63	Lenna 16,6 m ² Set 312	173	Robert 20,6 m ²	183
Helis	220	Lenna 16,6 m ² Set 402 / Set 702	89	Robert 23,1 m ²	182
Henry	204	Lenna 16,6 m ² Set 403 / Set 703	90	Robert 40,6 m ²	183
Holger	204	Lenna 16,6 m ² Set 404 / Set 704	90	Robert 23,1 m ² with shed	182
Huck 3,3 m ²	201	Lenna 16,6 m ² Set 405 / Set 705	90	Robert 40,6 m ² with shed	183
Ines 11,1 m ²	51	Lenna 16,6 m ² Set 406 / Set 706	91	Roger 19,0 m ²	186
Ines 11,1 m ² Slide / Slide Plus	29	Lenna 16,6 m ² Set 407 / Set 707	91	Roger 19,0+16,2 m ²	190
Ines 13,7 m ²	51	Lenna 16,6 m ² Set 408 / Set 708	91	Roger 19,0+33,2 m ²	191
Ines 13,7 m ² Slide / Slide Plus	29	Lenna 24,9 m ²	120	Roger 23,9 m ²	187
Irene 19,0 m ²	64	Lenna 24,9 m ² Set 409 / Set 709	92	Roger 21,9+5,2 m ²	185
Irene 19,0+16,2 m ²	65	Lenna 24,9 m ² Set 410 / Set 710	92	Roger 27,7 m ²	188
Irene 19,0+33,2 m ²	65	Lenna 24,9 m ² Set 411 / Set 711	94	Roger 28,4 m ²	189
Irene 23,9 m ²	64	Lenna 24,9 m ² Set 412 / Set 712	92	Ruby 18	239
Irene 21,9+5,2 m ²	64	Lenna 24,9 m ² Set 413 / Set 713	94	Ruby 24	239
Irene 27,7 m ²	65	Lenna 24,9 m ² Set 414 / Set 714	94	Saga 11,6 m ² Slide / Slide Plus	80
Iris 9,6 m ²	66	Lenna 24,9 m ² Set 415 / Set 715	96	Saga 16,2 m ² Slide / Slide Plus	80
Iris 11,1 m ²	66	Lenna 24,9 m ² Set 416 / Set 716	96	Saga 16,6 m ² Slide / Slide Plus	81
Iris 19,1 m ²	66	Lenna 24,9 m ² Set 417 / Set 717	97	Saga 23,3 m ² Slide / Slide Plus	81
Isabella 10,9 m ²	77	Lenna 24,9 m ² Set 418 / Set 718	97	Sally 10,2 m ²	62
Isabella 14,7 m ²	77	Lenna 24,9 m ² Set 419 / Set 719	96	Sally 12,3 m ²	62
Isabella 22,2 m ²	77	Lenna 24,9 m ² Set 422 / Set 722	93	Sally 19,1 m ²	62
Janet	223	Lenna 24,9 m ² Set 423 / Set 723	93	Sandra 21,5+3,7 m ²	72
Jari 8,9 m ²	168	Lenna 33,2 m ² Set 420 / Set 720	95	Sandra 25,6+11,1 m ²	72
Jari 14,5 m ²	168	Lenna 33,2 m ² Set 421 / Set 721	95	Sandra 29,9 m ²	72
Jennie 3,6 m ²	36	Lenna extra roof	122	Sandy 14	210
Jesper Bridge	208	Leo	241	Sandy 16	210
Jesper Climbing wall	208	Line	216	Sanna 4,1 m ²	140
Jesper Set 1	209	Lisa 11,5 m ²	49	Sanna 4,1+5,9 m ²	140
Jesper Set 2	209	Lisa 14,2 m ²	49	Sanna 6,8 m ²	141
Jesper Set 3	209	Lisa 19,4 m ²	49	Sanna 6,8+5,9 m ²	141
Jesper Swing beam	208	Lisandra 14,2 m ²	11	Sanna 11,5 m ²	142
Jesper Tower with roof	208	Lisandra 19,4 m ²	11	Sanna 12,8 m ²	142
Johanna 13,6 m ² Slide / Slide Plus	40	Lisbet	210	Sanne 18	238
Johanna 19,4 m ² Slide / Slide Plus	40	Lotta 7,3 m ²	154	Sarah 3,8+2,1 m ²	144
Johanna 22,4 m ² Slide / Slide Plus	41	Lotta 13,9 m ²	154	Serena 12,6 m ² Set 1	30
Johanna 31,8 m ² Slide / Slide Plus	41	Lovisa 10	227	Serena 12,6 m ² Set 2	30
Jonas	207	Lovisa 10 gate	227	Sigrid	238
Kalev	206	Lucas 12,1 m ²	164	Siri 6 glass	233
Kalle 6,6 m ²	166	Luise 10	228	Siri 11	232
Kalle 13,5 m ²	166	Luise 10 gate	228	Siri 11 glass	233
Kalle 16,9 m ²	166	Lumi 11,6 m ² Slide / Slide Plus	78	Siri 17	232
Kamilla 10	229	Lumi 16,2 m ² Slide / Slide Plus	78	Stella 5,0 m ²	171
Kamilla 10 gate	229	Lumi 16,6 m ² Slide / Slide Plus	79	Stella 8,2 m ²	171
Karina	222	Lumi 23,3 m ² Slide / Slide Plus	79	Stig 8,2 m ²	164
Karl 11,7 m ²	180	Ly 13,6 m ²	45	Stina 3,1 m ²	200
Karl 20,6 m ²	181	Magnus	203	Susanna 12,4 m ²	67
Karl 23,1 m ²	180	Marian 6,2 m ² - Folding kiosk	170	Susanna 16,4 m ²	67
Karl 40,6 m ²	181	Marie 5,4 m ²	199	Toby 2,1 m ²	197
Karl 23,1 m ² with shed	180	Marit	221	Toby Set	197
Karl 40,6 m ² with shed	181	Martin 8,4 m ²	165	Toby Swing beam	197
Kasper	206	Martin 13,6 m ²	165	Tom 3,8 m ²	198
Kelda 8	230	Mathias	203	Valentine 4,7 m ²	157
Kelda 8 gate	230	Melanie 6,9 m ²	128	Valentine 9,0 m ²	157
Kelda 10	231	Melanie 7,0 m ²	128	Veronica 2 6,7 m ²	130
Kelda 10 gate	231	Melanie 9,9 m ²	129	Veronica 4 6,7 m ²	130
Kendra 18,4 m ²	70	Melanie 7,0+8,1 m ²	129	Veronica 4 9,2 m ²	131
Kira 7,7 m ²	170	Merit	23	Veronica 7 9,2 m ²	131
Klara 10,4 m ²	155	Mia 3,6 m ²	160	Vivian 3,8 m ²	60
Klara 17,0 m ²	155	Mia 5,4 m ²	160	Vivian 6,9 m ²	60
Laureen	234	Nils 5,4 m ²	163		
Lea 14,2 m ²	50	Nils 8,2 m ²	163		
Lea 14,2 m ² Slide / Slide Plus	28	Nina	217		
Lea 19,4 m ²	50	Olaf 13,5 m ²	167		
Lea 19,4 m ² Slide / Slide Plus	28	Olaf 16,9 m ²	167		
Leif 2,2 m ²	158	Oscar	240		
Leif 3,0 m ²	158	Otto 3,6 m ²	198		
Leif 3,0+2,9 m ²	159	Palmako Connect Fence	123		
Leif 4,5 m ²	158	Palmako Connect Floor (indoor)	123		
Leif 4,5+2,9 m ²	159	Palmako Connect Floor (outdoor)	123		
Lenna 8,3 m ²	120	Palmako Connect Full wall	123		
Lenna 8,3 m ² Set 301	112	Palmako Connect Half-wall corner	123		



Lisandra 19,4 m²



CABINS

with aluminium
doors and windows



NEW

PALMAKO CABIN
LISANDRA 14,2 m²



NEW

PALMAKO CABIN
LISANDRA 19,4 m²



NEW

PALMAKO CABIN
AURELIA 8,4 m²



NEW

PALMAKO CABIN
AURELIA 8,4+7,9 m²



NEW

PALMAKO CABIN
AURELIA 12,4 m²



NEW

PALMAKO CABIN
AURELIA 12,4+7,9 m²



NEW

PALMAKO CABIN
AURELIA 12,7 m²



NEW

PALMAKO CABIN
AURELIA 12,7+7,9 m²



NEW

PALMAKO CABIN
AURELIA 16,7 m²



NEW

PALMAKO CABIN
AURELIA 16,7+7,9 m²



NEW

PALMAKO CABIN
AURELIA 15,2 m²



NEW

PALMAKO CABIN
AURELIA 15,2+7,9 m²



NEW

PALMAKO CABIN
AURELIA 19,2 m²



NEW

PALMAKO CABIN
AURELIA 19,2+7,9 m²

NEW!

under 2,5m

FSC

PALMAKO CABIN LISANDRA



ALUMINIUM DOOR
Double glazed



ALUMINIUM WINDOW
Double glazed

CABINS WITH
ALUMINIUM D/W
8-17

SCAN FOR MORE INFO



MODEL:



LISANDRA 14,2 m²

LISANDRA 19,4 m²

Wall thickness	44 mm
Log measurements	470x350 cm
Gross ground area	14,9 m ²
Total/Wall height	244 cm / 211 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	19,2 m ² / 4,0°

Wall thickness	44 mm
Log measurements	550x400 cm
Gross ground area	20,1 m ²
Total/Wall height	249 cm / 200 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	25,4 m ² / 5,2°

Floor plan



Additional info

Aluminium doors and windows.

Aluminium doors and windows.

Treatments available

UNTREATED WOOD




DIPPED

Brown



Grey



Clear white



PAINTED

Light Grey + Anthracite


Walls



Dark Grey + Anthracite



White + Anthracite



Accent



PALMAKO CABIN AURELIA



NEW!

CABINS WITH
ALUMINIUM D/W

8-17

ALUMINIUM DOOR
Double glazedALUMINIUM WINDOW
Double glazed

SCAN FOR MORE INFO





MODEL:

AURELIA 8,4 m²AURELIA 8,4+7,9 m²

Wall thickness	44 mm
Wall measurements	296x300 cm
Gross ground area	8,9 m ²
Total/Wall height	264 cm / 228 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	13,4 m ² / 4,4°

Wall thickness	44 mm
Wall measurements	599x300 cm
Gross ground area	17,2 m ²
Total/Wall height	264 cm / 228 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	24,7 m ² / 4,4°

Floor plan



Additional info

Can be built in reverse.
Aluminium doors and windows.
Modern corner connection without notches.

Can be built in reverse.
Aluminium doors and windows.
Modern corner connection without notches.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

Light Grey + Anthracite

Walls




Accent

Dark Grey + Anthracite



White + Anthracite



NEW!



PALMAKO CABIN AURELIA



ALUMINIUM DOOR
Double glazed



ALUMINIUM WINDOW
Double glazed

CABINS WITH
ALUMINIUM D/W

8-17

SCAN FOR MORE INFO



MODEL:



AURELIA 12,4 m²

AURELIA 12,4+7,9 m²

Wall thickness	44 mm
Wall measurements	436x300 cm
Gross ground area	13,1 m ²
Total/Wall height	264 cm / 228 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	19,0 m ² / 4,4°

Wall thickness	44 mm
Wall measurements	739x300 cm
Gross ground area	21,4 m ²
Total/Wall height	264 cm / 228 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	30,3 m ² / 4,4°

Floor plan



Additional info

Aluminium doors and windows.
Modern corner connection without notches.

Can be built in reverse.
Aluminium doors and windows.
Modern corner connection without notches.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

Light Grey + Anthracite


Walls



Dark Grey + Anthracite



White + Anthracite



Accent

PALMAKO CABIN AURELIA



NEW!

CABINS WITH
ALUMINIUM D/W

8-17

ALUMINIUM DOOR
Double glazedALUMINIUM WINDOW
Double glazed

SCAN FOR MORE INFO





MODEL:

AURELIA 12,7 m²AURELIA 12,7+7,9 m²

Wall thickness	44 mm
Wall measurements	446x300 cm
Gross ground area	13,4 m ²
Total/Wall height	264 cm / 228 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	19,4 m ² / 4,4°

Wall thickness	44 mm
Wall measurements	749x300 cm
Gross ground area	21,7 m ²
Total/Wall height	264 cm / 228 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	30,7 m ² / 4,4°

Floor plan



Additional info

Aluminium doors and windows.
Modern corner connection without notches.
Strong purlins from laminated wood.

Can be built in reverse.
Aluminium doors and windows.
Modern corner connection without notches.
Strong purlins from laminated wood.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

Light Grey + Anthracite

Walls



Accent

Dark Grey + Anthracite



White + Anthracite





PALMAKO CABIN AURELIA



ALUMINIUM DOOR
Double glazed



ALUMINIUM WINDOW
Double glazed

CABINS WITH
ALUMINIUM D/W

8-17

SCAN FOR MORE INFO



MODEL:



AURELIA 16,7 m²

AURELIA 16,7+7,9 m²

Wall thickness	44 mm
Wall measurements	586x300 cm
Gross ground area	17,6 m ²
Total/Wall height	264 cm / 228 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	25,0 m ² / 4,4°

Wall thickness	44 mm
Wall measurements	889x300 cm
Gross ground area	25,6 m ²
Total/Wall height	264 cm / 228 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	36,3 m ² / 4,4°

Floor plan



Additional info

Can be built in reverse.
Aluminium doors and windows.
Modern corner connection without notches.
Strong purlins from laminated wood.

Can be built in reverse.
Aluminium doors and windows.
Modern corner connection without notches.
Strong purlins from laminated wood.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

Walls

Accent

Light Grey + Anthracite



Dark Grey + Anthracite



White + Anthracite



PALMAKO CABIN AURELIA



NEW!

CABINS WITH
ALUMINIUM D/W

8-17

ALUMINIUM DOOR
Double glazedALUMINIUM WINDOW
Double glazed

SCAN FOR MORE INFO





MODEL:

AURELIA 15,2 m²AURELIA 15,2+7,9 m²

Wall thickness	44 mm
Wall measurements	530x300 cm
Gross ground area	15,9 m ²
Total/Wall height	264 cm / 228 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	22,8 m ² / 4,4°

Wall thickness	44 mm
Wall measurements	833x300 cm
Gross ground area	24,2 m ²
Total/Wall height	264 cm / 228 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	34,0 m ² / 4,4°

Floor plan



Additional info

Can be built in reverse.
Aluminium doors and windows.
Modern corner connection without notches.
Strong purlins from laminated wood.

Can be built in reverse.
Aluminium doors and windows.
Modern corner connection without notches.
Strong purlins from laminated wood.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

Light Grey + Anthracite


Walls



Dark Grey + Anthracite



White + Anthracite



Accent



PALMAKO CABIN AURELIA



ALUMINIUM DOOR
Double glazed



ALUMINIUM WINDOW
Double glazed

CABINS WITH
ALUMINIUM D/W

8-17

SCAN FOR MORE INFO



MODEL:



AURELIA 19,2 m²

AURELIA 19,2+7,9 m²

Wall thickness	44 mm
Wall measurements	670x300 cm
Gross ground area	20,1 m ²
Total/Wall height	264 cm / 228 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	28,4 m ² / 4,4°

Wall thickness	44 mm
Wall measurements	973x300 cm
Gross ground area	28,4 m ²
Total/Wall height	264 cm / 228 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	39,6 m ² / 4,4°

Floor plan



Additional info

Can be built in reverse.
Aluminium doors and windows.
Modern corner connection without notches.
Strong purlins from laminated wood.

Can be built in reverse.
Aluminium doors and windows.
Modern corner connection without notches.
Strong purlins from laminated wood.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

Light Grey + Anthracite


Walls



Dark Grey + Anthracite



White + Anthracite



Accent



Amanda 11,2+7,8 m² Slide Plus



CABINS

with aluminium
sliding doors



PALMAKO CABIN
ANDREA 7,5 M² SLIDE PLUS



PALMAKO CABIN
ANDREA 11,2 M²
SLIDE / SLIDE PLUS



PALMAKO CABIN
ANDREA 11,2+7,9 M²
SLIDE / SLIDE PLUS



PALMAKO CABIN
ANDREA 15,2 M²
SLIDE / SLIDE PLUS



PALMAKO CABIN
ANDREA 15,2+7,9 M²
SLIDE / SLIDE PLUS

NEW

NEW



PALMAKO CABIN
ANDREA 17,1 M²
SLIDE / SLIDE PLUS



PALMAKO CABIN
ANDREA 17,1+7,9 M²
SLIDE / SLIDE PLUS



PALMAKO CABIN
ANDREA 21,1 M²
SLIDE / SLIDE PLUS



PALMAKO CABIN
ANDREA 21,1+7,9 M²
SLIDE / SLIDE PLUS

NEW

NEW



PALMAKO CABIN
AMANDA 11,2 M²
SLIDE / SLIDE PLUS



PALMAKO CABIN
AMANDA 11,2+7,8 M²
SLIDE / SLIDE PLUS



PALMAKO CABIN
AMANDA 17,1 M²
SLIDE / SLIDE PLUS



PALMAKO CABIN
AMANDA 17,1+7,8 M²
SLIDE / SLIDE PLUS



PALMAKO CABIN
LEA 14,2 M²
SLIDE / SLIDE PLUS



PALMAKO CABIN
LEA 19,4 M²
SLIDE / SLIDE PLUS



PALMAKO CABIN
INES 11,1 M²
SLIDE / SLIDE PLUS



PALMAKO CABIN
INES 13,7 M²
SLIDE / SLIDE PLUS

NEW

NEW



PALMAKO CABIN
SERENA 12,6 M² SET 1
SLIDE / SLIDE PLUS



PALMAKO CABIN
SERENA 12,6 M² SET 2
SLIDE / SLIDE PLUS



PALMAKO CABIN
GRACE 11,2 M²



PALMAKO CABIN
GRACE 11,2+8,2 M²



PALMAKO CABIN
GRACE 14,1 M²



PALMAKO CABIN
CECILIA 14,2 M²



PALMAKO CABIN
CECILIA 21,8 M²



PALMAKO CABIN
CECILIA 27,2 M²



PALMAKO CABIN
CECILIA 30,0 M²

NEW

NEW



PALMAKO CABIN
CECILIA 27,3 M²



PALMAKO CABIN
CECILIA 39,9 M²



PALMAKO CABIN
CECILIA 32,0 M²

under
2,5m

PALMAKO CABIN ANDREA



SLIDE PLUS
Double glazed

CABINS WITH
SLIDING DOORS


18-35

SCAN FOR MORE INFO



MODEL: **ANDREA 7,5 m² SLIDE PLUS**

Wall thickness	44 mm
Wall measurements	296x270 cm
Gross ground area	8,0 m ²
Total/Wall height	249 cm / 217 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	11,7 m ² / 4,9°

Floor plan**Additional info**

Can be built in reverse.
Sliding doors included.
Aluminium window.
Modern corner connection without notches.

Treatments available	UNTREATED WOOD	DIPPED	PAINTED	Walls	Accent
		Brown	Light Grey + Anthracite		
		Grey	Dark Grey + Anthracite		
		Clear white	White + Anthracite		

PALMAKO CABIN ANDREA



SLIDE
Single glazed



SLIDE PLUS
Double glazed





SCAN FOR MORE INFO

**MODEL:****ANDREA 11,2 m²****ANDREA 11,2+7,9 m²**

Wall thickness	44 mm
Wall measurements	390x300 cm
Gross ground area	11,7 m ²
Total/Wall height	264 cm / 228 cm
Glass type	Single/Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	17,2 m ² / 4,4°

Wall thickness	44 mm
Wall measurements	693x300 cm
Gross ground area	20,0 m ²
Total/Wall height	264 cm / 228 cm
Glass type	Single/Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	29,5 m ² / 4,4°

Floor plan**Additional info**

Can be built in reverse.
Sliding doors included.
Modern corner connection without notches.
Strong purlins from laminated wood.

Can be built in reverse.
Sliding doors included.
Modern corner connection without notches.
Strong purlins from laminated wood.

Treatments available**UNTREATED WOOD****DIPPED**

Brown



Grey



Clear white

**PAINTED**

Walls

Accent

Light Grey + Anthracite



Dark Grey + Anthracite



White + Anthracite





PALMAKO CABIN ANDREA



SLIDE
Single glazed



SLIDE PLUS
Double glazed

CABINS WITH
SLIDING DOORS

18-35

SCAN FOR MORE INFO





MODEL:

ANDREA 15,2 m²

ANDREA 15,2+7,9 m²

Wall thickness	44 mm
Wall measurements	530x300 cm
Gross ground area	15,9 m²
Total/Wall height	264 cm / 228 cm
Glass type	Single/Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	22,8 m² / 4,4°

Floor plan



Additional info

Can be built in reverse.
Sliding doors included.
Modern corner connection without notches.
Strong purlins from laminated wood.

Can be built in reverse.
Sliding doors included.
Modern corner connection without notches.
Strong purlins from laminated wood.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

Light Grey + Anthracite

Walls



Accent

Dark Grey + Anthracite



White + Anthracite



PALMAKO CABIN ANDREA



SLIDE
Single glazed



SLIDE PLUS
Double glazed



SCAN FOR MORE INFO



MODEL:



ANDREA 17,1 m²

ANDREA 17,1+7,9 m²

Wall thickness	44 mm
Wall measurements	595x300 cm
Gross ground area	17,9 m ²
Total/Wall height	264 cm / 228 cm
Glass type	Single/Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	25,4 m ² / 4,4°

Wall thickness	44 mm
Wall measurements	898x300 cm
Gross ground area	26,2 m ²
Total/Wall height	264 cm / 228 cm
Glass type	Single/Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	37,7 m ² / 4,4°

Floor plan



Additional info

Can be built in reverse.
Sliding doors included.
Modern corner connection without notches.
Strong purlins from laminated wood.

Can be built in reverse.
Sliding doors included.
Modern corner connection without notches.
Strong purlins from laminated wood.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

Light Grey + Anthracite

Walls



Dark Grey + Anthracite



White + Anthracite



Accent

NEW!

PALMAKO CABIN ANDREA



SLIDE
Single glazed



SLIDE PLUS
Double glazed

CABINS WITH
SLIDING DOORS

18-35

SCAN FOR MORE INFO



MODEL:



ANDREA 21,1 m²

ANDREA 21,1+7,9 m²

Wall thickness	44 mm
Wall measurements	735x300 cm
Gross ground area	22,1 m ²
Total/Wall height	264 cm / 228 cm
Glass type	Single/Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	31,0 m ² / 4,4°

Wall thickness	44 mm
Wall measurements	1038x300 cm
Gross ground area	30,4 m ²
Total/Wall height	264 cm / 228 cm
Glass type	Single/Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	41,6 m ² / 4,4°

Floor plan



Additional info

Can be built in reverse.
Sliding doors included.
Modern corner connection without notches.
Strong purlins from laminated wood.

Can be built in reverse.
Sliding doors included.
Modern corner connection without notches.
Strong purlins from laminated wood.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

Light Grey + Anthracite

Walls



Dark Grey + Anthracite



White + Anthracite



Accent

PALMAKO CABIN AMANDA



SLIDE
Single glazed



SLIDE PLUS
Double glazed



SCAN FOR MORE INFO



MODEL:



AMANDA 11,2 m²

AMANDA 11,2+7,8 m²

Wall thickness	44 mm
Wall measurements	390x300 cm
Gross ground area	11,7 m ²
Total/Wall height	280 cm / 228 cm
Glass type	Single/Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	15,1 m ² / 17,2°

Wall thickness	44 mm
Wall measurements	668x300 cm
Gross ground area	20,4 m ²
Total/Wall height	280 cm / 228 cm
Glass type	Single/Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	25,0 m ² / 17,2°

Floor plan



Additional info

Can be built in reverse.
Sliding doors included.
Modern corner connection without notches.

Can be built in reverse.
Sliding doors included.
Modern corner connection without notches.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

Light Grey + Anthracite

Walls



Accent

Dark Grey + Anthracite



White + Anthracite





PALMAKO CABIN AMANDA



SLIDE
Single glazed



SLIDE PLUS
Double glazed

CABINS WITH
SLIDING DOORS

18-35

SCAN FOR MORE INFO



MODEL:



AMANDA 17,1 m²

AMANDA 17,1+7,8 m²

Wall thickness	44 mm
Wall measurements	595x300 cm
Gross ground area	17,9 m ²
Total/Wall height	280 cm / 228 cm
Glass type	Single/Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	23,6 m ² / 17,2°

Wall thickness	44 mm
Wall measurements	873x300 cm
Gross ground area	26,2 m ²
Total/Wall height	280 cm / 228 cm
Glass type	Single/Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	32,2 m ² / 17,2°

Floor plan



Additional info

Can be built in reverse.
Sliding doors included.
Modern corner connection without notches.

Can be built in reverse.
Sliding doors included.
Modern corner connection without notches.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

Light Grey + Anthracite

Walls



Accent



Dark Grey + Anthracite



White + Anthracite



PALMAKO CABIN LEA

under
2,5m

SLIDE
Single glazed



SLIDE PLUS
Double glazed





SCAN FOR MORE INFO

**MODEL:****LEA 14,2 m²****LEA 19,4 m²**

Wall thickness	44 mm
Log measurements	470x350 cm
Gross ground area	14,9 m ²
Total/Wall height	244 cm / 211 cm
Glass type	Single/Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	19,2 m ² / 4,0°

44 mm
550x400 cm
20,1 m ²
249 cm / 200 cm
Single/Double glazed, toughened
19 mm / 19 mm
25,8 m ² / 5,2°

Floor plan**Additional info**

Sliding doors included.

Sliding doors included.

Treatments available**UNTREATED WOOD****DIPPED**

Brown



Grey



Clear white

**PAINTED**

Walls

Accent

Light Grey + Anthracite



Dark Grey + Anthracite



White + Anthracite



under
2,5m

PALMAKO CABIN INES



SLIDE
Single glazed



SLIDE PLUS
Double glazed



CABINS WITH
SLIDING DOORS

18-35

SCAN FOR MORE INFO

**MODEL:****INES 11,1 m²****INES 13,7 m²**

Wall thickness	44 mm
Log measurements	410x320 cm
Gross ground area	11,7 m ²
Total/Wall height	249 cm / 211 cm
Glass type	Single/Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	16,3 m ² / 8,0°

Floor plan**Additional info**

Sliding doors included.

Sliding doors included.

Treatments available**UNTREATED WOOD****DIPPED**

Brown



Grey



Clear white

**PAINTED**

Walls

Accent


Light Grey + Anthracite



Dark Grey + Anthracite



White + Anthracite



PALMAKO CABIN SERENA



NEW!



SLIDE
Single glazed





SLIDE PLUS
Double glazed



SCAN FOR MORE INFO

**MODEL:****SERENA 12,6 m² SET 1****SERENA 12,6 m² SET 2**

Wall thickness	44 mm	44 mm
Wall measurements	420x320 cm	420x320 cm
Gross ground area	13,4 m²	13,4 m²
Total/Wall height	250 cm / 233 cm	250 cm / 233 cm
Glass type	Single/Double glazed, toughened	Single/Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm	19 mm / 19 mm
Roof area/gradient	13,4 m² / 3,0°	13,4 m² / 3,0°

Floor plan**Additional info**

Can be built in reverse.
Sliding doors included.

Sliding doors included.

Treatments available**UNTREATED WOOD****DIPPED**

Brown




Grey



Clear white

**PAINTED**

White



Light Grey



Dark Grey



Anthracite



PALMAKO CABIN GRACE



SLIDE PLUS
Double glazed

SCAN FOR MORE INFO



MODEL:




GRACE 11,2 m²

GRACE 11,2+8,2 m²

GRACE 14,1 m²

Wall thickness	56 mm	56 mm	56 mm
Wall measurements	400x300 cm	400+302x300 cm	500x300 cm
Gross ground area	12,0 m ²	20,4 m ²	15,0 m ²
Total/Wall height	274 cm / 231 cm	274 cm / 231 cm	274 cm / 231 cm
Glass type	Double glazed, toughened	Double glazed, toughened	Double glazed, toughened
Roof/Floor boards	19 mm / 28 mm	19 mm / 28 mm	19 mm / 28 mm
Roof area/gradient	17,8 m ² / 5,0°	29,3 m ² / 5,0°	25,4 m ² / 5,0°

Floor plan



Additional info

Glue laminated wall logs.
Sliding doors included.
Strong purlins from laminated wood.

Glue laminated wall logs.
Sliding doors included.
Strong purlins from laminated wood.

Glue laminated wall logs.
Sliding doors included.
Strong purlins from laminated wood.

Treatments available **UNTREATED WOOD**



PALMAKO CABIN CECILIA



ALUMINIUM DOOR
Double glazed



ALUMINIUM WINDOW
Double glazed



SLIDE PLUS
Double glazed



SCAN FOR MORE INFO



MODEL:

CECILIA 14,2 m²



CECILIA 21,8 m²

Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

70 mm
520x334 cm
15,7 m²
279 cm / 239 cm
Double glazed, toughened
19 mm / 28 mm
29,3 m² / 3,0°

70 mm
780x334 cm
23,9 m²
278 cm / 239 cm
Double glazed, toughened
19 mm / 28 mm
46,7 m² / 3,0°

Floor plan



Additional info

Aluminium doors and windows.
Sliding doors included.

Aluminium doors and windows.
Sliding doors included.

Treatments available

UNTREATED WOOD



PALMAKO CABIN CECILIA



ALUMINIUM DOOR
Double glazed



ALUMINIUM WINDOW
Double glazed



SLIDE PLUS
Double glazed

CABINS WITH
SLIDING DOORS

18-35

SCAN FOR MORE INFO



MODEL:



CECILIA 27,2 m²

CECILIA 30,0 m²

Wall thickness	70 mm
Log measurements	560x560 cm
Gross ground area	29,2 m ²
Total/Wall height	290 cm / 240 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 28 mm
Roof area/gradient	48,5 m ² / 3,0°

Wall thickness	70 mm
Log measurements	560x690 cm
Gross ground area	32,4 m ²
Total/Wall height	295 cm / 240 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 28 mm
Roof area/gradient	55,4 m ² / 3,0°

Floor plan



Additional info

Aluminium doors and windows.
Sliding doors included.

Aluminium doors and windows.
Sliding doors included.

Treatments available **UNTREATED WOOD**



PALMAKO CABIN CECILIA



ALUMINIUM DOOR
Double glazed



ALUMINIUM WINDOW
Double glazed



SLIDE PLUS
Double glazed





SCAN FOR MORE INFO

**MODEL:****CECILIA 27,3 m²****CECILIA 39,9 m²**

Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

70 mm
790x440 cm
29,7 m²
285 cm / 239 cm
Double glazed, toughened
19 mm / 28 mm
52,3 m² / 3,0°

70 mm
674x674 cm
42,8 m²
297 cm / 240 cm
Double glazed, toughened
19 mm / 28 mm
64,2 m² / 3,0°

Floor plan**Additional info**

Aluminium doors and windows.
Sliding doors included.

Aluminium doors and windows.
Sliding doors included.

Treatments available **UNTREATED WOOD**



PALMAKO CABIN CECILIA



ALUMINIUM DOOR
Double glazed



ALUMINIUM WINDOW
Double glazed



SLIDE PLUS
Double glazed

CABINS WITH
SLIDING DOORS

18-35


SCAN FOR MORE INFO



MODEL: **CECILIA 32,0 m²**

Wall thickness	70 mm
Log measurements	910x440 cm
Gross ground area	34,6 m ²
Total/Wall height	290 cm / 237 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 28 mm
Roof area/gradient	52,3 m ² / 3,0°

Floor plan



Additional info

Aluminium doors and windows.
Sliding doors included.

Treatments available **UNTREATED WOOD**





Rebekka 19,4 m²



TINY HOUSES

TINY HOUSES



NEW

PALMAKO TINY HOUSE
JOHANNA 13,6 m²



NEW

PALMAKO TINY HOUSE
JOHANNA 19,4 m²



NEW

PALMAKO TINY HOUSE
JOHANNA 22,4 m²



NEW

PALMAKO TINY HOUSE
JOHANNA 31,8 m²



NEW

PALMAKO TINY HOUSE
REBEKA 13,6 m²



NEW

PALMAKO TINY HOUSE
REBEKA 19,4 m²



NEW

PALMAKO TINY HOUSE
REBEKA 22,4 m²



NEW

PALMAKO TINY HOUSE
REBEKA 31,8 m²



PALMAKO TINY HOUSE
ETTA 13,6 m²



PALMAKO TINY HOUSE
HEDWIG 13,6 m²




PALMAKO TINY HOUSE
LY 13,6 m²

PALMAKO TINY HOUSES WITH 160 MM WALL THICKNESS

These beautifully designed modular tiny houses with terrace have ready-made wall elements covered with wind-protection plastic inside, making these houses extremely weatherproof, especially rain and wind-resistant. Ready-made elements and simple construction allow for fast and easy assembly.

Total element thickness of Johanna and Rebekka houses is 160 mm. The structure is insulation-ready up to 95 mm, allowing for year-round comfort in colder climates. You can insulate walls, floors and ceilings. For better house ventilation we have added ventilation battens under the cladding. The element is covered with 18 mm fine sawn cladding.

A cross section of a wall element of Johanna and Rebekka houses:



PALMAKO TINY HOUSES JOHANNA

NEW!



ALUMINIUM DOOR
Double glazed



SLIDE PLUS
Double glazed





SCAN FOR MORE INFO

**MODEL:****JOHANNA 13,6 m²****JOHANNA 19,4 m²**

Element thickness
Wall measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

18+47+95 mm
562x339 cm
19,0 m²
296 cm / 276 cm
Double glazed, toughened
19 mm / 19 mm
19,0 m² / 3,0°

18+47+95 mm
562x448 cm
25,2 m²
296 cm / 270 cm
Double glazed, toughened
19 mm / 19 mm
24,0 m² / 3,0°

Floor plan**Additional info**

Ready-made wall elements with wind protection plastic.
Fine-sawn cladding.
Sliding doors included.
Aluminium doors.
Good snow load capacity.

Ready-made wall elements with wind protection plastic.
Fine-sawn cladding.
Sliding doors included.
Aluminium doors.
Good snow load capacity.

Treatments available**UNTREATED WOOD**

NEW!

PALMAKO TINY HOUSES JOHANNA



ALUMINIUM DOOR
Double glazed





SLIDE PLUS
Double glazed

SCAN FOR MORE INFO

**MODEL:****JOHANNA 22,4 m²****JOHANNA 31,8 m²**

Element thickness	18+47+95 mm
Wall measurements	901x339 cm
Gross ground area	30,6 m ²
Total/Wall height	296 cm / 276 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	31,0 m ² / 3,0°

Element thickness	18+47+95 mm
Wall measurements	901x448 cm
Gross ground area	41,0 m ²
Total/Wall height	296 cm / 270 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	39,0 m ² / 3,0°

Floor plan**Additional info**

Ready-made wall elements with wind protection plastic.
Fine-sawn cladding.
Sliding doors included.
Aluminium doors.
Good snow load capacity.

Ready-made wall elements with wind protection plastic.
Fine-sawn cladding.
Sliding doors included.
Aluminium doors.
Good snow load capacity.

Treatments available UNTREATED WOOD

PALMAKO TINY HOUSES REBEKKA

NEW!



ALUMINIUM DOOR
Double glazed



SLIDE PLUS
Double glazed





SCAN FOR MORE INFO

**MODEL:****REBEKKA 13,6 m²****REBEKKA 19,4 m²**

Element thickness
Wall measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

18+47+95 mm
562x339 cm
19,0 m²
328 cm / 256 cm
Double glazed, toughened
19 mm / 19 mm
21,0 m² / 20,0°

18+47+95 mm
562x448 cm
25,2 m²
348 cm / 257 cm
Double glazed, toughened
19 mm / 19 mm
26,9 m² / 20,0°

Floor plan**Additional info**

Ready-made wall elements with wind protection plastic.
Fine-sawn cladding.
Sliding doors included.
Aluminium doors.
Good snow load capacity.

Ready-made wall elements with wind protection plastic.
Fine-sawn cladding.
Sliding doors included.
Aluminium doors.
Good snow load capacity.

Treatments available**UNTREATED WOOD**

NEW!

PALMAKO TINY HOUSES REBEKKA



ALUMINIUM DOOR
Double glazed





SLIDE PLUS
Double glazed

SCAN FOR MORE INFO

**MODEL:****REBEKKA 22,4 m²****REBEKKA 31,8 m²**

Element thickness	18+47+95 mm
Wall measurements	901x339 cm
Gross ground area	30,6 m ²
Total/Wall height	328 cm / 256 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	33,6 m ² / 20,0°

Element thickness	18+47+95 mm
Wall measurements	901x448 cm
Gross ground area	40,4 m ²
Total/Wall height	348 cm / 257 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	44,0 m ² / 20,0°

Floor plan**Additional info**

Ready-made wall elements with wind protection plastic.
Fine-sawn cladding.
Sliding doors included.
Aluminium doors.
Good snow load capacity.

Ready-made wall elements with wind protection plastic.
Fine-sawn cladding.
Sliding doors included.
Aluminium doors.
Good snow load capacity.

Treatments available UNTREATED WOOD

PALMAKO TINY HOUSES WITH 88 MM WALL THICKNESS

Etta, Hedwig and Ly houses have ready-made wall elements covered with wind-protection plastic inside, making the houses extremely weatherproof, especially rain and wind resistant. Ready-made elements and simple construction allow for fast and easy assembly.

The total element thickness is 88 mm. The structure is insulation-ready up to 70 mm. You can insulate walls, floors and ceilings. The element is covered with 18 mm fine sawn cladding.




PALMAKO TINY HOUSE LY 13,6 m²



ONE SET – MANY HOUSES!

A model contains a set of wall and window-door elements, which can be rearranged in several ways. This results in multiple appearance options for the house.



PALMAKO TINY HOUSES ETTA / HEDWIG / LY



SCAN FOR MORE INFO






MODEL:

ETTA 13,6 m²HEDWIG 13,6 m²LY 13,6 m²

Element thickness	18+70 mm	18+70 mm	18+70 mm
Wall measurements	452x330 cm	330x452 cm	330x452 cm
Gross ground area	14,9 m ²	14,9 m ²	14,9 m ²
Total/Wall height	294 cm / 203 cm	297 cm / 203 cm	297 cm / 203 cm
Glass type	Double glazed, toughened	Double glazed	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm	19 mm / 19 mm	19 mm / 19 mm
Roof area/gradient	19,7 m ² / 9,0°	19,5 m ² / 20,0°	19,5 m ² / 20,0°

Floor plan



Additional info

Can be built in reverse.

Ready-made wall elements with wind protection plastic.

The position of the wall elements can be changed.

Fine-sawn cladding.

Can be built in reverse.

Ready-made wall elements with wind protection plastic.

The position of the wall elements can be changed.

Fine-sawn cladding.

Can be built in reverse.

Ready-made wall elements with wind protection plastic.

The position of the wall elements can be changed.

Fine-sawn cladding.

Treatments available UNTREATED WOOD





Lea 19,4 m²



Traditional CABINS

with flat roof



PALMAKO CABIN
LISA 11,5 m²



PALMAKO CABIN
LISA 14,2 m²



PALMAKO CABIN
LISA 19,4 m²



PALMAKO CABIN
LEA 14,2 m²



PALMAKO CABIN
LEA 19,4 m²



PALMAKO CABIN
INES 11,1 m²



PALMAKO CABIN
INES 13,7 m²



PALMAKO CABIN
HEIDI 11,7 m²



PALMAKO CABIN
HEIDI 19,7 m²



PALMAKO CABIN
HEIDI 22,8 m²



PALMAKO CABIN
GRACE 8,1+4,1 m²



PALMAKO CABIN
GRACE 8,1+8,1 m²



PALMAKO CABIN
GRACE 12,4+4,1 m²



PALMAKO CABIN
GRACE 14,5 m²

under
2,5m




PALMAKO CABIN LISA



SCAN FOR MORE INFO

**MODEL:****LISA 11,5 m²****LISA 14,2 m²****LISA 19,4 m²**

Wall thickness	34 mm	44 mm	44 mm
Log measurements	420x320 cm	470x350 cm	550x400 cm
Gross ground area	12,0 m ²	14,9 m ²	20,1 m ²
Total/Wall height	234 cm / 211 cm	244 cm / 211 cm	234 cm / 200 cm
Glass type	Single glazed, toughened	Double glazed, toughened	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm	19 mm / 19 mm	19 mm / 19 mm
Roof area/gradient	16,1 m ² / 4,4°	19,2 m ² / 4,0°	25,4 m ² / 5,2°

Floor plan**Treatments available****UNTREATED WOOD****DIPPED**

Brown



Grey



Clear white

**PAINTED**

Walls

Accent

Light Grey + Anthracite



Light Grey + White



Dark Grey + Anthracite



Dark Grey + White



PALMAKO CABIN LEA

under
2,5m

SCAN FOR MORE INFO



MODEL:



LEA 14,2 m²LEA 19,4 m²

Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

44 mm
 470x350 cm
 14,9 m²
 244 cm / 211 cm
 Double glazed, toughened
 19 mm / 19 mm
 19,2 m² / 4,0°

44 mm
 550x400 cm
 20,1 m²
 249 cm / 200 cm
 Double glazed, toughened
 19 mm / 19 mm
 25,8 m² / 5,2°

Floor plan



Additional info

Bifold doors.

Bifold doors.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

Walls

Accent

Light Grey + Anthracite



Light Grey + White



Dark Grey + Anthracite



Dark Grey + White



under
2,5m

PALMAKO CABIN INES



SCAN FOR MORE INFO





MODEL:

INES 11,1 m²INES 13,7 m²

Wall thickness	44 mm
Log measurements	410x320 cm
Gross ground area	11,7 m ²
Total/Wall height	249 cm / 211 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	16,3 m ² / 8,0°

Wall thickness	44 mm
Log measurements	500x320 cm
Gross ground area	14,4 m ²
Total/Wall height	249 cm / 211 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	19,7 m ² / 8,0°

Floor plan



Additional info

Bifold doors.

Bifold doors.
Strong purlins from laminated wood.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

Walls

Accent

Light Grey + Anthracite



Light Grey + White



Dark Grey + Anthracite



Dark Grey + White



PALMAKO CABIN HEIDI





SCAN FOR MORE INFO

under
2,5m**MODEL:****HEIDI 11,7 m²****HEIDI 19,7 m²**

Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

44 mm
 430x320 cm
 12,3 m²
 244 cm / 222 cm
 Double glazed, toughened
 19 mm / 19 mm
 18,6 m² / 2,2°

70 mm
 640x360 cm
 21,1 m²
 302 cm / 229 cm
 Double glazed, toughened
 19 mm / 28 mm
 36,5 m² / 9,2°

Floor plan**Additional info**

Can be built in reverse.
 Multilocking door and window.

Can be built in reverse.
 Multilocking door and window.

Treatments available **UNTREATED WOOD**




PALMAKO CABIN HEIDI



SCAN FOR MORE INFO

**MODEL:****HEIDI 22,8 m²**

Wall thickness	70 mm
Log measurements	840x320 cm
Gross ground area	24,6 m ²
Total/Wall height	270 cm / 236 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 28 mm
Roof area/gradient	34,6 m ² / 9,0°

Floor plan**Additional info**

Can be built in reverse.
Multilocking door and window.

Treatments available UNTREATED WOOD

PALMAKO CABIN GRACE





SCAN FOR MORE INFO

**MODEL:****GRACE 8,1+4,1 m²****GRACE 8,1+8,1 m²**

Wall thickness
Wall measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

56 mm
 290+137x300 cm
 8,7+4,1 m²
 258 cm / 215 cm
 Double glazed, toughened
 19 mm / 28 mm
 17,5 m² / 5,0°

56 mm
 290+292x300 cm
 8,7+8,1 m²
 258 cm / 215 cm
 Double glazed, toughened
 19 mm / 28 mm
 23,7 m² / 5,0°

Floor plan**Additional info**

Glue laminated wall logs.
 Strong purlins from laminated wood.

Glue laminated wall logs.
 Strong purlins from laminated wood.

Treatments available **UNTREATED WOOD**



PALMAKO CABIN GRACE





SCAN FOR MORE INFO

**MODEL:****GRACE 12,4+4,1 m²****GRACE 14,5 m²**

Wall thickness	56 mm
Wall measurements	445+137x300 cm
Gross ground area	13,4 m ²
Total/Wall height	258 cm / 215 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 28 mm
Roof area/gradient	23,7 m ² / 5,0°

Wall thickness	56 mm
Wall measurements	440x350 cm
Gross ground area	15,4 m ²
Total/Wall height	279 cm / 227 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 28 mm
Roof area/gradient	24,0 m ² / 5,0°

Floor plan**Additional info**

Glue laminated wall logs.
Strong purlins from laminated wood.

Glue laminated wall logs.
Strong purlins from laminated wood.

Treatments available **UNTREATED WOOD**



Claudia 19,4 m²



Traditional **CABINS** with gable roof

TRADITIONAL
CABINS

56-73



PALMAKO CABIN
VIVIAN 3,8 m²



PALMAKO CABIN
VIVIAN 6,9 m²



PALMAKO CABIN
EMMA 4,6 m²



PALMAKO CABIN
EMMA 10,4 m²



PALMAKO CABIN
EMMA 10,4+4,2 m²



PALMAKO CABIN
EMMA 14,2 m²



PALMAKO CABIN
SALLY 10,2 m²



PALMAKO CABIN
SALLY 12,3 m²



PALMAKO CABIN
SALLY 19,1 m²



PALMAKO CABIN
HELENA 15,1 m²



PALMAKO CABIN
HELENA 18,6 m²



PALMAKO CABIN
HELENA 24,6 m²



PALMAKO CABIN
IRENE 19,0 m²



PALMAKO CABIN
IRENE 23,9 m²



PALMAKO CABIN
IRENE 27,7 m²



PALMAKO CABIN
IRENE 21,9+5,2 m²



PALMAKO CABIN
IRENE 19,0+16,2 m²



PALMAKO CABIN
IRENE 19,0+33,2 m²



PALMAKO CABIN
IRIS 9,6 m²



PALMAKO CABIN
IRIS 11,1 m²



PALMAKO CABIN
IRIS 19,1 m²



PALMAKO CABIN
SUSANNA 12,4 m²



PALMAKO CABIN
SUSANNA 16,4 m²



PALMAKO CABIN
CLAUDIA 14,2 m²



PALMAKO CABIN
CLAUDIA 19,4 m²



PALMAKO CABIN
CLAUDIA PENT 11,5 m²



PALMAKO CABIN
CLAUDIA PENT 19,4 m²



PALMAKO CABIN
KENDRA 18,4 m²



PALMAKO CABIN
EMILY 39,2 m²



PALMAKO CABIN
EMILY 40,1+5,2 m²



PALMAKO CABIN
SANDRA 21,5+3,7 m²



PALMAKO CABIN
SANDRA 25,6+11,1 m²



PALMAKO CABIN
SANDRA 29,9 m²



PALMAKO CABIN
ANNA 26,8 m²



PALMAKO CABIN
ANNA 26,8+1,9 m²

PALMAKO CABIN VIVIAN / EMMA

under
2,5m

SCAN FOR MORE INFO

**VIVIAN 3,8 m²****VIVIAN 6,9 m²****EMMA 4,6 m²****MODEL:**

Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

28 mm

220x220 cm

4,0 m²

229 cm / 194 cm

Single glazed

19 mm / 19 mm

6,2 m² / 16,3°

28 mm

320x260 cm

7,2 m²

249 cm / 194 cm

Single glazed

19 mm / 19 mm

11,0 m² / 19,2°

28 mm




260x220 cm

4,8 m²

231 cm / 194 cm

Single glazed

19 mm / 19 mm

7,4 m² / 13,7°**Floor plan****Additional info**

Can be built in reverse.

Treatments available**UNTREATED WOOD****DIPPED**


Brown



Grey



Clear white

**PAINTED**

Walls

Accent

Light Grey + Anthracite



Light Grey + White



Dark Grey + Anthracite



Dark Grey + White



PALMAKO CABIN EMMA



SCAN FOR MORE INFO




**MODEL:****EMMA 10,4 m²****EMMA 10,4+4,2 m²****EMMA 14,2 m²**

Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

34 mm
 380x320 cm
 10,8 m²
 265 cm / 205 cm
 Single glazed
 19 mm / 19 mm
 16,8 m² / 16,1°

34 mm
 350x350 cm
 15,2 m²
 257 cm / 205 cm
 Single glazed
 19 mm / 19 mm
 20,0 m² / 17,6°

34 mm
 470x350 cm
 14,9 m²
 277 cm / 205 cm
 Single glazed
 19 mm / 19 mm
 22,3 m² / 14,7°

Floor plan**Additional info**

Can be built in reverse.

Can be built in reverse.

Can be built in reverse.

Treatments available**UNTREATED WOOD****DIPPED**

Brown



Grey



Clear white



PALMAKO CABIN SALLY



SCAN FOR MORE INFO

**MODEL:****SALLY 10,2 m²****SALLY 12,3 m²****SALLY 19,1 m²**

Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

44 mm

320x380 cm

10,8 m²

263 cm / 205 cm

Double glazed

19 mm / 19 mm

16,7 m² / 19,2°

44 mm

380x380 cm

13,0 m²

256 cm / 205 cm

Double glazed

19 mm / 19 mm

23,3 m² / 16,1°

44 mm


530x410 cm

19,9 m²


278 cm / 205 cm

Double glazed


19 mm / 19 mm

35,3 m² / 13,9°**Floor plan**

Can be built in reverse.



Can be built in reverse.



Can be built in reverse.

Additional info**Treatments available****UNTREATED WOOD****DIPPED**

Brown



Grey



Clear white

**PAINTED**

Walls

Accent

Light Grey + Anthracite



Light Grey + White



Dark Grey + Anthracite



Dark Grey + White



PALMAKO CABIN HELENA



SCAN FOR MORE INFO




**MODEL:****HELENA 15,1 m²****HELENA 18,6 m²****HELENA 24,6 m²**

Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

70 mm
 470x380 cm
 16,2 m²
 285 cm / 216 cm
 Double glazed
 19 mm / 19 mm
 27,6 m² / 15,4°

70 mm
 530x410 cm
 19,9 m²
 298 cm / 216 cm
 Double glazed
 19 mm / 19 mm
 34,7 m² / 16,6°

70 mm
 530x530 cm
 26,0 m²
 298 cm / 216 cm
 Double glazed
 19 mm / 19 mm
 42,2 m² / 16,7°

Floor plan**Additional info**

Can be built in reverse.
 Multilocking door and window.

Can be built in reverse.
 Multilocking door and window.

Can be built in reverse.
 Multilocking door and window.
 Strong purlins from laminated wood.

Treatments available**UNTREATED WOOD****DIPPED**

Brown



Grey



Clear white

**PAINTED**

Walls

Accent

Light Grey + Anthracite



Light Grey + White



Dark Grey + Anthracite



Dark Grey + White



PALMAKO CABIN IRENE



SCAN FOR MORE INFO




**MODEL:****IRENE 19,0 m²****IRENE 23,9 m²****IRENE 21,9+5,2 m²**

Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

44 mm
 380x570 cm
 19,8 m²
 276 cm / 217 cm
 Double glazed, toughened
 19 mm / 19 mm
 26,3 m² / 16,3°

44 mm
 470x570 cm
 24,8 m²
 287 cm / 217 cm
 Double glazed, toughened
 19 mm / 19 mm
 31,7 m² / 15,9°

44 mm
 530x570 cm
 28,1 m²
 321 cm / 228 cm
 Double glazed, toughened
 19 mm / 19 mm
 35,4 m² / 18,7°

Floor plan**Additional info**

Can be built in reverse.
 Strong purlins from laminated wood.

Can be built in reverse.
 Strong purlins from laminated wood.

Can be built in reverse.
 Strong purlins from laminated wood.

Treatments available**UNTREATED WOOD****DIPPED**

Brown



Grey



Clear white

**PAINTED**

Walls

Accent

Light Grey + Anthracite



Light Grey + White



Dark Grey + Anthracite



Dark Grey + White



PALMAKO CABIN IRENE



SCAN FOR MORE INFO




**MODEL:****IRENE 27,7 m²****IRENE 19,0+16,2 m²****IRENE 19,0+33,2 m²**

Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

70 mm
 560x560 cm
 29,2 m²
 312 cm / 230 cm
 Double glazed, toughened
 19 mm / 19 mm
 37,8 m² / 15,7°

44 mm
 673x570 cm
 36,5 m²
 316 cm / 222 cm
 Double glazed, toughened
 19 mm / 19 mm
 45,0 m² / 17,4°

44 mm
 976x570 cm
 53,1 m²
 316 cm / 222 cm
 Double glazed, toughened
 19 mm / 19 mm
 64,0 m² / 17,4°

Floor plan**Additional info**

Can be built in reverse.
 Multilocking door and window.
 Strong purlins from laminated wood.

Can be built in reverse.
 Strong purlins from laminated wood.

Can be built in reverse.
 Strong purlins from laminated wood.

Treatments available**UNTREATED WOOD****DIPPED**

Brown



Grey



Clear white

**PAINTED**

Walls

Accent

Light Grey + Anthracite



Light Grey + White



Dark Grey + Anthracite



Dark Grey + White



PALMAKO CABIN IRIS



SCAN FOR MORE INFO

**MODEL:****IRIS 9,6 m²****IRIS 11,1 m²****IRIS 19,1 m²****Wall thickness**

28 mm

44 mm

44 mm

Log measurements

380x296 cm

410x320 cm

530x410 cm

Gross ground area

9,9 m²

11,7 m²

19,9 m²

Total/Wall height

260 cm / 211 cm

251 cm / 211 cm

262 cm / 211 cm

Glass type

Single glazed, toughened

Double glazed, toughened

Double glazed, toughened

Roof/Floor boards

16 mm / 19 mm

19 mm / 19 mm




19 mm / 19 mm

Roof area/gradient

14,0 m² / 16,2°

15,1 m² / 13,2°

26,2 m² / 15,1°

Floor plan**Additional info**

Can be built in reverse.
Strong purlins from laminated wood.

Can be built in reverse.
Strong purlins from laminated wood.

Can be built in reverse.
Strong purlins from laminated wood.

Treatments available**UNTREATED WOOD****DIPPED**

Brown



Grey



Clear white

**PAINTED**

Walls

Accent

Light Grey + Anthracite



Light Grey + White



Dark Grey + Anthracite



Dark Grey + White



PALMAKO CABIN SUSANNA





SCAN FOR MORE INFO

**MODEL:****SUSANNA 12,4 m²****SUSANNA 16,4 m²**

Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

44 mm
 530x320 cm
 15,3 m²
 263 cm / 205 cm
 Double glazed
 19 mm / 19 mm
 21,4 m² / 18,4°

44 mm
 530x400 cm
 19,4 m²
 278 cm / 205 cm
 Double glazed
 19 mm / 19 mm
 26,1 m² / 18,5°

Floor plan**Additional info***Can be built in reverse.**Can be built in reverse.***Treatments available****UNTREATED WOOD****DIPPED****Brown****Grey****Clear white**



PALMAKO CABIN CLAUDIA



SCAN FOR MORE INFO

**MODEL:****CLAUDIA 14,2 m²****CLAUDIA 19,4 m²**

Wall thickness	44 mm	44 mm
Log measurements	470x350 cm	550x400 cm
Gross ground area	14,9 m ²	20,1 m ²
Total/Wall height	337 cm / 219 cm	363 cm / 222 cm
Glass type	Double glazed, toughened	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm	19 mm / 19 mm
Roof area/gradient	23,4 m ² / 35,2°	29,6 m ² / 35,2°

Floor plan**Treatments available****UNTREATED WOOD****DIPPED**

Brown



Grey



Clear white

**PAINTED**

Walls

Accent

Light Grey + Anthracite



Light Grey + White



Dark Grey + Anthracite



Dark Grey + White



under
2,5m

PALMAKO CABIN CLAUDIA PENT



SCAN FOR MORE INFO



MODEL:



CLAUDIA PENT 11,5 m²

CLAUDIA PENT 19,4 m²

Wall thickness	34 mm
Log measurements	420x320 cm
Gross ground area	12,0 m²
Total/Wall height	249 cm / 210 cm
Glass type	Double glazed
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	15,9 m² / 10,4°

Wall thickness	44 mm
Log measurements	550x400 cm
Gross ground area	20,1 m²
Total/Wall height	249 cm / 211 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	25,2 m² / 7,9°

Floor plan



TRADITIONAL
CABINS

56-73

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

Walls

Accent

Light Grey + Anthracite



Light Grey + White



Dark Grey + Anthracite



Dark Grey + White



PALMAKO CABIN KENDRA




SCAN FOR MORE INFO



MODEL: **KENDRA 18,4 m²**

Wall thickness	70 mm
Log measurements	419x519 cm
Gross ground area	19,9 m ²
Total/Wall height	432 cm / 283 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	33,2 m ² / 36,4°

Floor plan



Additional info

Can be built in reverse
Multilocking door and window.
Strong purlins from laminated wood.

Treatments available **UNTREATED WOOD**



PALMAKO CABIN EMILY





SCAN FOR MORE INFO

**MODEL:****EMILY 39,2 m²****EMILY 40,1+5,2 m²**

Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

70 mm
 660x780 cm
 42,0 m²
 310 cm / 230 cm
 Double glazed
 19 mm / 28 mm
 53,9 m² / 15,8°

70 mm
 590x570 cm
 31,4 m²
 395 cm / 256 cm
 Double glazed
 19 mm / 28 mm
 41,9 m² / 24,8°

Floor plan**Additional info**

Can be built in reverse
 Multilocking door and window.
 Strong purlins from laminated wood.

Can be built in reverse
 Multilocking door and window.
 Strong purlins from laminated wood.

Treatments available **UNTREATED WOOD**



PALMAKO CABIN SANDRA



SCAN FOR MORE INFO




**MODEL:****SANDRA 21,5+3,7 m²****SANDRA 25,6+11,1 m²****SANDRA 29,9 m²**

Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

70 mm
 620x470 cm
 27,0 m²
 320 cm / 230 cm
 Double glazed
 19 mm / 28 mm
 36,0 m² / 20,4°

44 mm
 791x370 cm
 38,6 m²
 335 cm / 239 cm
 Double glazed
 19 mm / 19 mm
 48,5 m² / 19,2°

44 mm
 605x410 cm
 22,8 m²
 370 cm / 239 cm
 Double glazed
 19 mm / 19 mm
 37,7 m² / 32,1°

Floor plan**Additional info**

Can be built in reverse.
 Multilocking door and window.
 Strong purlins from laminated wood.

Multilocking door and window.

Can be built in reverse.
 Multilocking door and window.

Treatments available**UNTREATED WOOD**

PALMAKO CABIN ANNA





SCAN FOR MORE INFO

**MODEL:****ANNA 26,8 m²****ANNA 26,8+1,9 m²**

Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

70 mm
 820x520 cm
 29,2 m²
 332 cm / 257 cm
 Double glazed, toughened
 19 mm / 28 mm
 46,7 m² / 25,3°

70 mm
 790x420 cm
 30,8 m²
 297 cm / 229 cm
 Double glazed, toughened
 19 mm / 28 mm
 39,7 m² / 17,5°

Floor plan**Additional info**

*Can be built in reverse.
 Multilocking door and window.*

*Can be built in reverse.
 Multilocking door and window.*

Treatments available **UNTREATED WOOD**





Isabella 14,7 m²



GLASS HOUSES



PALMAKO GLASS HOUSE
ISABELLA 10,9 m²



PALMAKO GLASS HOUSE
ISABELLA 14,7 m²



PALMAKO GLASS HOUSE
ISABELLA 22,2 m²

NEW

NEW

NEW

NEW



PALMAKO GLASS HOUSE
LUMI 11,6 m²
SLIDE / SLIDE PLUS



PALMAKO GLASS HOUSE
LUMI 16,2 m²
SLIDE / SLIDE PLUS



PALMAKO GLASS HOUSE
LUMI 16,6 m²
SLIDE / SLIDE PLUS



PALMAKO GLASS HOUSE
LUMI 23,3 m²
SLIDE / SLIDE PLUS

NEW

NEW

NEW

NEW



PALMAKO GLASS HOUSE
SAGA 11,6 m²
SLIDE / SLIDE PLUS



PALMAKO GLASS HOUSE
SAGA 16,2 m²
SLIDE / SLIDE PLUS



PALMAKO GLASS HOUSE
SAGA 16,6 m²
SLIDE / SLIDE PLUS



PALMAKO GLASS HOUSE
SAGA 23,3 m²
SLIDE / SLIDE PLUS

NEW

NEW

NEW



PALMAKO GLASSHOUSE
EMILIA 5,4 m²



PALMAKO GLASSHOUSE
EMILIA 8,2 m²



PALMAKO EMILIA
SHED 4,0 m²

NEW

NEW



PALMAKO GLASSHOUSE
EMILIA 5,4+4,0 m²



PALMAKO GLASSHOUSE
EMILIA 8,2+4,0 m²

NEW

NEW



PALMAKO GLASSHOUSE
EMILIA 13,8 m²



PALMAKO GLASSHOUSE
EMILIA 19,1 m²

PALMAKO GLASS HOUSE ISABELLA



SCAN FOR MORE INFO

**MODEL:****ISABELLA 10,9 m²****ISABELLA 14,7 m²****ISABELLA 22,2 m²****Post thickness**

90x90 mm

90x90 mm

90x90 mm

Wall measurements

303x401 cm

401x401 cm

401x597 cm

Gross ground area12,2 m²16,1 m²23,9 m²**Total/Wall height**

297 cm / 221 cm

315 cm / 221 cm

315 cm / 221 cm

Glass type

Single glazed, toughened

Single glazed, toughened




Single glazed, toughened

Roof/Floor boards

16 mm / –

16 mm / –

16 mm / –

Roof area/gradient18,1 m² / 20,0°22,9 m² / 20,0°32,6 m² / 20,0°**Floor plan****Additional info**

Aluminium doors and windows.

Aluminium doors and windows.

Aluminium doors and windows.

Treatments available**UNTREATED WOOD****DIPPED**

Brown




Grey



Clear white

**PAINTED**

White



PALMAKO GLASS HOUSE LUMI



NEW!



SLIDE
Single glazed





SLIDE PLUS
Double glazed



SCAN FOR MORE INFO

**MODEL:****LUMI 11,6 m²****LUMI 16,2 m²**

Post thickness	120x120 mm	120x120 mm
Wall measurements	420x297 cm	582x297 cm
Gross ground area	12,5 m²	17,3 m²
Total/Wall height	273 cm / 226 cm	273 cm / 226 cm
Glass type	Single/Double glazed, toughened	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –	19 mm / –
Roof area/gradient	14,0 m² / 8,6°	18,6 m² / 8,6°

Floor plan**Additional info**

Sliding doors included.
Back wall is not included in the product set.

Sliding doors included.
Back wall is not included in the product set.

Treatments available**UNTREATED WOOD****DIPPED**

Brown



Grey



Clear white

**PAINTED**

Light Grey



Dark Grey



White





PALMAKO GLASS HOUSE LUMI



ALUMINIUM DOOR
Double glazed



SLIDE
Single glazed



SLIDE PLUS
Double glazed

SCAN FOR MORE INFO



MODEL:



LUMI 16,6 m²

LUMI 23,3 m²

Post thickness	120x120 mm
Wall measurements	420x420 cm
Gross ground area	17,6 m ²
Total/Wall height	276 cm / 230 cm
Glass type	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –
Roof area/gradient	18,7 m ² / 6,0°

Post thickness	120x120 mm
Wall measurements	582x420 cm
Gross ground area	24,5 m ²
Total/Wall height	276 cm / 230 cm
Glass type	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –
Roof area/gradient	25,9 m ² / 6,0°

Floor plan



Additional info

Sliding doors included.
Back wall is not included in the product set.

Can be built in reverse.
Sliding doors included.
Back wall is not included in the product set.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

Light Grey



Dark Grey



White



PALMAKO GLASS HOUSE SAGA



NEW!



SLIDE
Single glazed





SLIDE PLUS
Double glazed



SCAN FOR MORE INFO

**MODEL:****SAGA 11,6 m²****SAGA 16,2 m²**

Post thickness	120x120 mm	120x120 mm
Wall measurements	420x297 cm	582x297 cm
Gross ground area	12,5 m²	17,3 m²
Total/Wall height	273 cm / 226 cm	273 cm / 226 cm
Glass type	Single/Double glazed, toughened	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –	19 mm / –
Roof area/gradient	14,0 m² / 8,6°	18,6 m² / 8,6°

Floor plan**Additional info**

Sliding doors included.

Sliding doors included.

Treatments available**UNTREATED WOOD****DIPPED**

Brown



Grey



Clear white

**PAINTED**

Light Grey



Dark Grey



White





PALMAKO GLASS HOUSE SAGA



ALUMINIUM DOOR
Double glazed



SLIDE
Single glazed



SLIDE PLUS
Double glazed

SCAN FOR MORE INFO





MODEL:

SAGA 16,6 m²

SAGA 23,3 m²

Post thickness	120x120 mm	120x120 mm
Wall measurements	420x420 cm	582x420 cm
Gross ground area	17,6 m²	24,5 m²
Total/Wall height	276 cm / 230 cm	276 cm / 230 cm
Glass type	Single/Double glazed, toughened	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –	19 mm / –
Roof area/gradient	18,7 m² / 6,0°	25,9 m² / 6,0°

Floor plan



Additional info

Sliding doors included.

Can be built in reverse.
Sliding doors included.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

Light Grey



Dark Grey



White



PALMAKO GLASSHOUSE EMILIA



NEW!





SCAN FOR MORE INFO

**MODEL:****EMILIA 5,4 m²****EMILIA 8,2 m²**

Post thickness 45x95 mm
Wall measurements 240x244 cm
Gross ground area 5,8 m²
Total/Wall height 286 cm / 162 cm
Glass type Single glazed, toughened
Roof area/gradient 8,4 m² / 45,0°

Post thickness 45x95 mm
Wall measurements 240x363 cm
Gross ground area 8,7 m²
Total/Wall height 286 cm / 162 cm
Glass type Single glazed, toughened
Roof area/gradient 12,5 m² / 45,0°

Floor plan**Additional info**

Automatically opening roof window.

Automatically opening roof window.

Treatments available**PRESSURE-TREATED**

Grey

**PAINTED**

Dark Grey





PALMAKO GLASSHOUSE EMILIA



SCAN FOR MORE INFO



MODEL:

EMILIA 5,4+4,0 m²

EMILIA 8,2+4,0 m²

EMILIA SHED 4,0 m²

Post/Wall thickness

45x95 mm

45x95 mm

18 mm

Wall measurements

240x431 cm

240x550 cm

240x187 cm

Gross ground area

10,2 m²

13,1 m²

4,4 m²

Total/Wall height

286 cm / 162 cm

286 cm / 162 cm

286 cm / 161 cm

Glass type

Single glazed, toughened

Single glazed, toughened

Single glazed, toughened

Roof/Floor boards

19 mm / –

19 mm / –

19 mm / –




Roof area/gradient

14,9 m² / 45,0°

19,0 m² / 45,0°

6,5 m² / 45,0°

Floor plan



Additional info

Automatically opening roof window.

Automatically opening roof window.

Treatments available

PRESSURE-TREATED

Grey



PAINTED

Dark Grey



PALMAKO GLASSHOUSE EMILIA




NEW!



SCAN FOR MORE INFO

**MODEL:****EMILIA 13,8 m²**

Post thickness	45x95 mm
Wall measurements	300x483 cm
Gross ground area	14,5 m ²
Total/Wall height	288 cm / 162 cm
Glass type	Single glazed, toughened
Roof area/gradient	19,1 m ² / 39,0°

Floor plan**Additional info***Automatically opening roof window.***Treatments available****PRESSURE-TREATED**

Grey

**PAINTED**

Dark Grey





PALMAKO GLASSHOUSE EMILIA




SCAN FOR MORE INFO



MODEL: **EMILIA 19,1 m²**

Post thickness	45x95 mm
Wall measurements	421x543 cm
Gross ground area	19,9 m ²
Total/Wall height	288 cm / 159 cm
Glass type	Single glazed, toughened
Roof area/gradient	26,9 m ² / 39,0°

Floor plan



Additional info

Automatically opening roof window.

Treatments available

PRESSURE-TREATED

Grey



PAINTED

Dark Grey





Lenna 33,2 m² Set 720 Slide Plus



GLASS PAVILIONS

with sliding doors



PALMAKO GLASS PAVILION
LENNA 8,3 m²
SET 401 SLIDE / SET 701 SLIDE PLUS



PALMAKO GLASS PAVILION
LENNA 16,6 m²
SET 402 SLIDE / SET 702 SLIDE PLUS



PALMAKO GLASS PAVILION
LENNA 16,6 m²
SET 403 SLIDE / SET 703 SLIDE PLUS



PALMAKO GLASS PAVILION
LENNA 16,6 m²
SET 404 SLIDE / SET 704 SLIDE PLUS



PALMAKO GLASS PAVILION
LENNA 16,6 m²
SET 405 SLIDE / SET 705 SLIDE PLUS



PALMAKO GLASS PAVILION
LENNA 16,6 m²
SET 406 SLIDE / SET 706 SLIDE PLUS



PALMAKO GLASS PAVILION
LENNA 16,6 m²
SET 407 SLIDE / SET 707 SLIDE PLUS



PALMAKO GLASS PAVILION
LENNA 16,6 m²
SET 408 SLIDE / SET 708 SLIDE PLUS



PALMAKO GLASS PAVILION
LENNA 24,9 m²
SET 409 SLIDE / SET 709 SLIDE PLUS



PALMAKO GLASS PAVILION
LENNA 24,9 m²
SET 410 SLIDE / SET 710 SLIDE PLUS



PALMAKO GLASS PAVILION
LENNA 24,9 m²
SET 412 SLIDE / SET 712 SLIDE PLUS



PALMAKO GLASS PAVILION
LENNA 24,9 m²
SET 422 SLIDE / SET 722 SLIDE PLUS



PALMAKO GLASS PAVILION
LENNA 24,9 m²
SET 423 SLIDE / SET 723 SLIDE PLUS



PALMAKO GLASS PAVILION
LENNA 33,2 m²
SET 420 SLIDE / SET 720 SLIDE PLUS



PALMAKO GLASS PAVILION
LENNA 33,2 m²
SET 421 SLIDE / SET 721 SLIDE PLUS



PALMAKO GLASS PAVILION
LENNA 24,9 m²
SET 411 SLIDE / SET 711 SLIDE PLUS



PALMAKO GLASS PAVILION
LENNA 24,9 m²
SET 413 SLIDE / SET 713 SLIDE PLUS



PALMAKO GLASS PAVILION
LENNA 24,9 m²
SET 414 SLIDE / SET 714 SLIDE PLUS



PALMAKO GLASS PAVILION
LENNA 24,9 m²
SET 415 SLIDE / SET 715 SLIDE PLUS



PALMAKO GLASS PAVILION
LENNA 24,9 m²
SET 416 SLIDE / SET 716 SLIDE PLUS



PALMAKO GLASS PAVILION
LENNA 24,9 m²
SET 419 SLIDE / SET 719 SLIDE PLUS



PALMAKO GLASS PAVILION
LENNA 24,9 m²
SET 417 SLIDE / SET 717 SLIDE PLUS



PALMAKO GLASS PAVILION
LENNA 24,9 m²
SET 418 SLIDE / SET 718 SLIDE PLUS

under
2,5m

PALMAKO GLASS PAVILION LENNA



SLIDE
Single glazed



SLIDE PLUS
Double glazed

SCAN FOR MORE INFO





LENNA 8,3 m²
SET 401 / SET 701



LENNA 16,6 m²
SET 402 / SET 702

Wall thickness	28 mm	28 mm
Wall measurements	300x300 cm	588x300 cm
Gross ground area	9,0 m ²	17,6 m ²
Total/Wall height	245 cm / 210 cm	245 cm / 210 cm
Glass type	Single/Double glazed, toughened	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –	19 mm / –
Roof area/gradient	11,6 m ² / 3,0°	21,4 m ² / 3,0°

Floor plan



Additional info

Sliding doors included.
Laminated post and beam construction.

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey




Clear white



PAINTED

White



PALMAKO GLASS PAVILION LENNA

under
2,5m

SLIDE
Single glazed



SLIDE PLUS
Double glazed



SCAN FOR MORE INFO



LENNA 16,6 m²
SET 403 / SET 703






LENNA 16,6 m²
SET 404 / SET 704



LENNA 16,6 m²
SET 405 / SET 705

MODEL:

Wall thickness	28 mm	28 mm	28 mm
Wall measurements	588x300 cm	588x300 cm	588x300 cm
Gross ground area	17,6 m ²	17,6 m ²	17,6 m ²
Total/Wall height	245 cm / 210 cm	245 cm / 210 cm	245 cm / 210 cm
Glass type	Single/Double glazed, toughened	Single/Double glazed, toughened	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –	19 mm / –	19 mm / –
Roof area/gradient	21,4 m ² / 3,0°	21,4 m ² / 3,0°	21,4 m ² / 3,0°

Floor plan**Additional info**

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Treatments available**UNTREATED WOOD****DIPPED**


Brown




Grey



Clear white

**PAINTED**

White



under
2,5m

PALMAKO GLASS PAVILION LENNA



SLIDE
Single glazed



SLIDE PLUS
Double glazed

SCAN FOR MORE INFO




**MODEL:**

LENNA 16,6 m²
SET 406 / SET 706

LENNA 16,6 m²
SET 407 / SET 707

LENNA 16,6 m²
SET 408 / SET 708

Wall thickness	28 mm	28 mm	28 mm
Wall measurements	588x300 cm	588x300 cm	588x300 cm
Gross ground area	17,6 m ²	17,6 m ²	17,6 m ²
Total/Wall height	245 cm / 210 cm	245 cm / 210 cm	245 cm / 210 cm
Glass type	Single/Double glazed, toughened	Single/Double glazed, toughened	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –	19 mm / –	19 mm / –
Roof area/gradient	21,4 m ² / 3,0°	21,4 m ² / 3,0°	21,4 m ² / 3,0°

Floor plan**Additional info**

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Treatments available**UNTREATED WOOD****DIPPED**


Brown




Grey



Clear white

**PAINTED**

White



PALMAKO GLASS PAVILION LENNA

under
2,5m

SLIDE
Single glazed



SLIDE PLUS
Double glazed



SCAN FOR MORE INFO




**MODEL:**

LENNA 24,9 m²
SET 409 / SET 709

LENNA 24,9 m²
SET 410 / SET 710

LENNA 24,9 m²
SET 412 / SET 712

Wall thickness	28 mm	28 mm	28 mm
Wall measurements	588x588 cm	588x588 cm	588x588 cm
Gross ground area	26,3 m ²	26,3 m ²	26,3 m ²
Total/Wall height	245 cm / 210 cm	245 cm / 210 cm	245 cm / 210 cm
Glass type	Single/Double glazed, toughened	Single/Double glazed, toughened	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –	19 mm / –	19 mm / –
Roof area/gradient	31,5 m ² / 3,0°	31,5 m ² / 3,0°	31,5 m ² / 3,0°

Floor plan**Additional info**

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Treatments available**UNTREATED WOOD****DIPPED**

Brown




Grey



Clear white

**PAINTED**

White



under
2,5m

PALMAKO GLASS PAVILION LENNA



SLIDE
Single glazed



SLIDE PLUS
Double glazed

SCAN FOR MORE INFO



LENNA 24,9 m²
SET 422 / SET 722





LENNA 24,9 m²
SET 423 / SET 723

Wall thickness	28 mm
Wall measurements	588x588 cm
Gross ground area	26,3 m ²
Total/Wall height	245 cm / 210 cm
Glass type	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –
Roof area/gradient	31,5 m ² / 3,0°

Wall thickness	28 mm
Wall measurements	588x588 cm
Gross ground area	26,3 m ²
Total/Wall height	245 cm / 210 cm
Glass type	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –
Roof area/gradient	31,5 m ² / 3,0°

Floor plan



Additional info

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey




Clear white



PAINTED

White



PALMAKO GLASS PAVILION LENNA

under
2,5m

SLIDE
Single glazed



SLIDE PLUS
Double glazed



SCAN FOR MORE INFO



LENNA 24,9 m²
SET 411 / SET 711






LENNA 24,9 m²
SET 413 / SET 713



LENNA 24,9 m²
SET 414 / SET 714

MODEL:

Wall thickness	28 mm	28 mm	28 mm
Wall measurements	588x588 cm	588x588 cm	588x588 cm
Gross ground area	26,3 m ²	26,3 m ²	26,3 m ²
Total/Wall height	245 cm / 210 cm	245 cm / 210 cm	245 cm / 210 cm
Glass type	Single/Double glazed, toughened	Single/Double glazed, toughened	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –	19 mm / –	19 mm / –
Roof area/gradient	31,5 m ² / 3,0°	31,5 m ² / 3,0°	31,5 m ² / 3,0°

Floor plan**Additional info**

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Treatments available**UNTREATED WOOD****DIPPED**

Brown




Grey



Clear white

**PAINTED**

White





PALMAKO GLASS PAVILION LENNA



SLIDE
Single glazed



SLIDE PLUS
Double glazed

SCAN FOR MORE INFO




LENNA 33,2 m²
SET 420 / SET 720



LENNA 33,2 m²
SET 421 / SET 721

Wall thickness	28 mm
Wall measurements	876x588 cm
Gross ground area	34,9 m ²
Total/Wall height	245 cm / 210 cm
Glass type	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –
Roof area/gradient	38,5 m ² / 3,0°


Floor plan



Additional info

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Wall thickness	28 mm
Wall measurements	876x588 cm
Gross ground area	34,9 m ²
Total/Wall height	245 cm / 210 cm
Glass type	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –
Roof area/gradient	38,5 m ² / 3,0°



Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

White



PALMAKO GLASS PAVILION LENNA

under
2,5m

SLIDE
Single glazed



SLIDE PLUS
Double glazed



SCAN FOR MORE INFO



LENNA 24,9 m²
SET 415 / SET 715






LENNA 24,9 m²
SET 416 / SET 716



LENNA 24,9 m²
SET 419 / SET 719

MODEL:

Wall thickness	28 mm	28 mm	28 mm
Wall measurements	876x300 cm	876x300 cm	876x300 cm
Gross ground area	26,3 m ²	26,3 m ²	26,3 m ²
Total/Wall height	245 cm / 210 cm	245 cm / 210 cm	245 cm / 210 cm
Glass type	Single/Double glazed, toughened	Single/Double glazed, toughened	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –	19 mm / –	19 mm / –
Roof area/gradient	31,5 m ² / 3,0°	31,5 m ² / 3,0°	31,5 m ² / 3,0°

Floor plan**Additional info**

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Treatments available**UNTREATED WOOD****DIPPED**

Brown




Grey



Clear white

**PAINTED**

White



under
2,5m

PALMAKO GLASS PAVILION LENNA



SLIDE
Single glazed



SLIDE PLUS
Double glazed

SCAN FOR MORE INFO





LENNA 24,9 m²
SET 417 / SET 717



LENNA 24,9 m²
SET 418 / SET 718

Wall thickness	28 mm	28 mm
Wall measurements	876x300 cm	876x300 cm
Gross ground area	26,3 m²	26,3 m²
Total/Wall height	245 cm / 210 cm	245 cm / 210 cm
Glass type	Single/Double glazed, toughened	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –	19 mm / –
Roof area/gradient	31,5 m² / 3,0°	31,5 m² / 3,0°

Floor plan**Additional info**

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Treatments available**UNTREATED WOOD****DIPPED**

Brown




Grey



Clear white

**PAINTED**

White





PALMAKO GLASS PAVILION
BIANCA 8,3 m²
SET 201 SLIDE / SET 501 SLIDE PLUS



PALMAKO GLASS PAVILION
BIANCA 16,6 m²
SET 202 SLIDE / SET 502 SLIDE PLUS



PALMAKO GLASS PAVILION
BIANCA 16,6 m²
SET 203 SLIDE / SET 503 SLIDE PLUS



PALMAKO GLASS PAVILION
BIANCA 16,6 m²
SET 204 SLIDE / SET 504 SLIDE PLUS



PALMAKO GLASS PAVILION
BIANCA 16,6 m²
SET 205 SLIDE / SET 505 SLIDE PLUS



PALMAKO GLASS PAVILION
BIANCA 16,6 m²
SET 206 SLIDE / SET 506 SLIDE PLUS



PALMAKO GLASS PAVILION
BIANCA 16,6 m²
SET 207 SLIDE / SET 507 SLIDE PLUS



PALMAKO GLASS PAVILION
BIANCA 16,6 m²
SET 208 SLIDE / SET 508 SLIDE PLUS



PALMAKO GLASS PAVILION
BIANCA 24,9 m²
SET 209 SLIDE / SET 509 SLIDE PLUS



PALMAKO GLASS PAVILION
BIANCA 24,9 m²
SET 210 SLIDE / SET 510 SLIDE PLUS



PALMAKO GLASS PAVILION
BIANCA 24,9 m²
SET 212 SLIDE / SET 512 SLIDE PLUS



PALMAKO GLASS PAVILION
BIANCA 24,9 m²
SET 222 SLIDE / SET 522 SLIDE PLUS



PALMAKO GLASS PAVILION
BIANCA 24,9 m²
SET 223 SLIDE / SET 523 SLIDE PLUS



PALMAKO GLASS PAVILION
BIANCA 33,2 m²
SET 220 SLIDE / SET 520 SLIDE PLUS



PALMAKO GLASS PAVILION
BIANCA 33,2 m²
SET 221 SLIDE / SET 521 SLIDE PLUS



PALMAKO GLASS PAVILION
BIANCA 24,9 m²
SET 211 SLIDE / SET 511 SLIDE PLUS



PALMAKO GLASS PAVILION
BIANCA 24,9 m²
SET 213 SLIDE / SET 513 SLIDE PLUS



PALMAKO GLASS PAVILION
BIANCA 24,9 m²
SET 214 SLIDE / SET 514 SLIDE PLUS



PALMAKO GLASS PAVILION
BIANCA 24,9 m²
SET 215 SLIDE / SET 515 SLIDE PLUS



PALMAKO GLASS PAVILION
BIANCA 24,9 m²
SET 216 SLIDE / SET 516 SLIDE PLUS



PALMAKO GLASS PAVILION
BIANCA 24,9 m²
SET 219 SLIDE / SET 519 SLIDE PLUS



PALMAKO GLASS PAVILION
BIANCA 24,9 m²
SET 217 SLIDE / SET 517 SLIDE PLUS



PALMAKO GLASS PAVILION
BIANCA 24,9 m²
SET 218 SLIDE / SET 518 SLIDE PLUS



PALMAKO GLASS PAVILION BIANCA



SLIDE
Single glazed



SLIDE PLUS
Double glazed

SCAN FOR MORE INFO




BIANCA 8,3 m²
SET 201 / SET 501



BIANCA 16,6 m²
SET 202 / SET 502

Wall thickness	28 mm
Wall measurements	300x300 cm
Gross ground area	9,0 m ²
Total/Wall height	319 cm / 210 cm
Glass type	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –
Roof area/gradient	17,6 m ² / 30,0°


Floor plan



Additional info

Sliding doors included.
Laminated post and beam construction.

Wall thickness	28 mm
Wall measurements	588x300 cm
Gross ground area	17,6 m ²
Total/Wall height	319 cm / 210 cm
Glass type	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –
Roof area/gradient	31,5 m ² / 30,0°



Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Treatments available

UNTREATED WOOD



DIPPED


Brown



Grey




Clear white



PAINTED

White



PALMAKO GLASS PAVILION BIANCA



SLIDE
Single glazed



SLIDE PLUS
Double glazed



SCAN FOR MORE INFO



MODEL:




BIANCA 16,6 m²
SET 203 / SET 503

BIANCA 16,6 m²
SET 204 / SET 504

BIANCA 16,6 m²
SET 205 / SET 505

Wall thickness	28 mm	28 mm	28 mm
Wall measurements	588x300 cm	588x300 cm	588x300 cm
Gross ground area	17,6 m ²	17,6 m ²	17,6 m ²
Total/Wall height	319 cm / 210 cm	319 cm / 210 cm	319 cm / 210 cm
Glass type	Single/Double glazed, toughened	Single/Double glazed, toughened	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –	19 mm / –	19 mm / –
Roof area/gradient	31,5 m ² / 30,0°	31,5 m ² / 30,0°	31,5 m ² / 30,0°

Floor plan



Additional info

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Treatments available

UNTREATED WOOD



DIPPED


Brown



Grey




Clear white



PAINTED

White





PALMAKO GLASS PAVILION BIANCA



SLIDE
Single glazed



SLIDE PLUS
Double glazed

SCAN FOR MORE INFO



BIANCA 16,6 m²
SET 206 / SET 506






BIANCA 16,6 m²
SET 207 / SET 507



BIANCA 16,6 m²
SET 208 / SET 508

Wall thickness	28 mm	28 mm	28 mm
Wall measurements	588x300 cm	588x300 cm	588x300 cm
Gross ground area	17,6 m²	17,6 m²	17,6 m²
Total/Wall height	319 cm / 210 cm	319 cm / 210 cm	319 cm / 210 cm
Glass type	Single/Double glazed, toughened	Single/Double glazed, toughened	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –	19 mm / –	19 mm / –
Roof area/gradient	31,5 m² / 30,0°	31,5 m² / 30,0°	31,5 m² / 30,0°

Floor plan



Additional info

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

White



PALMAKO GLASS PAVILION BIANCA



SLIDE
Single glazed



SLIDE PLUS
Double glazed



SCAN FOR MORE INFO



MODEL:




BIANCA 24,9 m²
SET 209 / SET 509

BIANCA 24,9 m²
SET 210 / SET 510

BIANCA 24,9 m²
SET 212 / SET 512

Wall thickness	28 mm	28 mm	28 mm
Wall measurements	588x588 cm	588x588 cm	588x588 cm
Gross ground area	26,3 m ²	26,3 m ²	26,3 m ²
Total/Wall height	319 cm / 210 cm	319 cm / 210 cm	319 cm / 210 cm
Glass type	Single/Double glazed, toughened	Single/Double glazed, toughened	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –	19 mm / –	19 mm / –
Roof area/gradient	48,0 m ² / 30,0°	48,0 m ² / 30,0°	48,0 m ² / 30,0°

Floor plan



Additional info

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Treatments available

UNTREATED WOOD



DIPPED


Brown



Grey




Clear white



PAINTED

White





PALMAKO GLASS PAVILION BIANCA



SLIDE
Single glazed



SLIDE PLUS
Double glazed

SCAN FOR MORE INFO



MODEL:



BIANCA 24,9 m²
SET 222 / SET 522

BIANCA 24,9 m²
SET 223 / SET 523

Wall thickness	28 mm
Wall measurements	588x588 cm
Gross ground area	26,3 m ²
Total/Wall height	319 cm / 210 cm
Glass type	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –
Roof area/gradient	48,0 m ² / 30,0°

Wall thickness	28 mm
Wall measurements	588x588 cm
Gross ground area	26,3 m ²
Total/Wall height	319 cm / 210 cm
Glass type	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –
Roof area/gradient	48,0 m ² / 30,0°

Floor plan



Additional info

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

White



PALMAKO GLASS PAVILION BIANCA



SLIDE
Single glazed



SLIDE PLUS
Double glazed



SCAN FOR MORE INFO



BIANCA 24,9 m²
SET 211 / SET 511






BIANCA 24,9 m²
SET 213 / SET 513



BIANCA 24,9 m²
SET 214 / SET 514

Wall thickness	28 mm	28 mm	28 mm
Wall measurements	588x588 cm	588x588 cm	588x588 cm
Gross ground area	26,3 m ²	26,3 m ²	26,3 m ²
Total/Wall height	319 cm / 210 cm	319 cm / 210 cm	319 cm / 210 cm
Glass type	Single/Double glazed, toughened	Single/Double glazed, toughened	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –	19 mm / –	19 mm / –
Roof area/gradient	48,0 m ² / 30,0°	48,0 m ² / 30,0°	48,0 m ² / 30,0°

Floor plan



Additional info

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Treatments available

UNTREATED WOOD



DIPPED


Brown



Grey




Clear white



PAINTED

White





PALMAKO GLASS PAVILION BIANCA



SLIDE
Single glazed



SLIDE PLUS
Double glazed

SCAN FOR MORE INFO



MODEL:



BIANCA 33,2 m²
SET 220 / SET 520

BIANCA 33,2 m²
SET 221 / SET 521

Wall thickness	28 mm
Wall measurements	876x588 cm
Gross ground area	34,9 m ²
Total/Wall height	319 cm / 210 cm
Glass type	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –
Roof area/gradient	62,1 m ² / 30,0°

Wall thickness	28 mm
Wall measurements	876x588 cm
Gross ground area	34,9 m ²
Total/Wall height	319 cm / 210 cm
Glass type	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –
Roof area/gradient	62,1 m ² / 30,0°

Floor plan



Additional info

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

White



PALMAKO GLASS PAVILION BIANCA



SLIDE
Single glazed



SLIDE PLUS
Double glazed



SCAN FOR MORE INFO



BIANCA 24,9 m²
SET 215 / SET 515



BIANCA 24,9 m²
SET 216 / SET 516






BIANCA 24,9 m²
SET 219 / SET 519

MODEL:

Wall thickness	28 mm	28 mm	28 mm
Wall measurements	876x300 cm	876x300 cm	876x300 cm
Gross ground area	26,3 m ²	26,3 m ²	26,3 m ²
Total/Wall height	319 cm / 210 cm	319 cm / 210 cm	319 cm / 210 cm
Glass type	Single/Double glazed, toughened	Single/Double glazed, toughened	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –	19 mm / –	19 mm / –
Roof area/gradient	48,0 m ² / 30,0°	48,0 m ² / 30,0°	48,0 m ² / 30,0°

Floor plan



Additional info

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey




Clear white



PAINTED

White





PALMAKO GLASS PAVILION BIANCA



SLIDE
Single glazed



SLIDE PLUS
Double glazed

SCAN FOR MORE INFO





BIANCA 24,9 m²
SET 217 / SET 517



BIANCA 24,9 m²
SET 218 / SET 518

Wall thickness	28 mm	28 mm
Wall measurements	876x300 cm	876x300 cm
Gross ground area	26,3 m ²	26,3 m ²
Total/Wall height	319 cm / 210 cm	319 cm / 210 cm
Glass type	Single/Double glazed, toughened	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –	19 mm / –
Roof area/gradient	48,0 m ² / 30,0°	48,0 m ² / 30,0°

Floor plan



Additional info

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Can be built in reverse.
Sliding doors included.
Laminated post and beam construction.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey




Clear white



PAINTED

White





Bianca 16,6 m² Set 108



PERGOLAS



PALMAKO PERGOLA
LENNA SET 301 8,3 m²



PALMAKO PERGOLA
LENNA SET 307 16,6 m²



PALMAKO PERGOLA
BIANCA SET 101 8,3 m²



PALMAKO PERGOLA
BIANCA SET 107 16,6 m²



PALMAKO PERGOLA
LENNA SET 303 8,3 m²



PALMAKO PERGOLA
LENNA SET 302 8,3 m²



PALMAKO PERGOLA
LENNA SET 309 16,6 m²



PALMAKO PERGOLA
BIANCA SET 103 8,3 m²



PALMAKO PERGOLA
BIANCA SET 102 8,3 m²



PALMAKO PERGOLA
BIANCA SET 109 16,6 m²



PALMAKO PERGOLA
LENNA SET 308 16,6 m²



PALMAKO PERGOLA
LENNA SET 310 16,6 m²



PALMAKO PERGOLA
BIANCA SET 108 16,6 m²



PALMAKO PERGOLA
BIANCA SET 110 16,6 m²



PALMAKO PERGOLA
BETTY 9,0 m²



PALMAKO PERGOLA
BETTY 9,9 m²



PALMAKO PERGOLA
BETTY 18,0 m²



PALMAKO PERGOLA
BETTY 25,0 m²



PALMAKO PERGOLA LENNA

under
2,5m



SCAN FOR MORE INFO

**LENNA 8,3 m²**
SET 301**LENNA 16,6 m²**
SET 307

Post thickness
Measurements
Gross ground area
Total/Wall height
Roof/Floor boards
Roof area/gradient

120x120 mm
300x300 cm
9,0 m²
245 cm / 210 cm
19 mm / –
11,6 m² / 3,0°

120x120 mm
588x300 cm
17,6 m²
245 cm / 210 cm
19 mm / –
21,4 m² / 3,0°

Floor plan**Additional info**

Laminated post and beam construction.

Laminated post and beam construction.

Treatments available**UNTREATED WOOD****DIPPED**


Brown




Grey



Clear white

**PAINTED**

White





PALMAKO PERGOLA BIANCA



SCAN FOR MORE INFO



BIANCA 8,3 m²
SET 101





BIANCA 16,6 m²
SET 107

Post thickness
Measurements
Gross ground area
Total/Wall height
Roof/Floor boards
Roof area/gradient

120x120 mm
300x300 cm
9,0 m²
319 cm / 210 cm
19 mm / –
17,6 m² / 30,0°

120x120 mm
588x300 cm
17,6 m²
319 cm / 210 cm
19 mm / –
31,5 m² / 30,0°

Floor plan



Additional info

Laminated post and beam construction.

Laminated post and beam construction.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey




Clear white



PAINTED

White



PALMAKO PERGOLA LENNA

under
2,5m

108-123



SCAN FOR MORE INFO




**MODEL:****LENNA 8,3 m²**
SET 303**LENNA 8,3 m²**
SET 302**LENNA 16,6 m²**
SET 309

Wall thickness
Measurements
Gross ground area
Total/Wall height
Roof/Floor boards
Roof area/gradient

28 mm
 300x300 cm
 9,0 m²
 245 cm / 210 cm
 19 mm / –
 11,6 m² / 3,0°

28 mm
 300x300 cm
 9,0 m²
 245 cm / 210 cm
 19 mm / –
 11,6 m² / 3,0°

28 mm
 588x300 cm
 17,6 m²
 245 cm / 210 cm
 19 mm / –
 21,4 m² / 3,0°

Floor plan**Additional info**

Can be built in reverse.
 Laminated post and beam construction.

Laminated post and beam construction.

Can be built in reverse.
 Laminated post and beam construction.

Treatments available**UNTREATED WOOD****DIPPED**

Brown




Grey



Clear white

**PAINTED**

White





PALMAKO PERGOLA BIANCA



SCAN FOR MORE INFO



MODEL:



BIANCA 8,3 m²
SET 103



BIANCA 8,3 m²
SET 102



BIANCA 16,6 m²
SET 109




Wall thickness
Measurements
Gross ground area
Total/Wall height
Roof/Floor boards
Roof area/gradient

28 mm
300x300 cm
9,0 m²
319 cm / 210 cm
19 mm / –
17,6 m² / 30,0°

28 mm
300x300 cm
9,0 m²
319 cm / 210 cm
19 mm / –
17,6 m² / 30,0°

28 mm
588x300 cm
17,6 m²
319 cm / 210 cm
19 mm / –
31,5 m² / 30,0°

Floor plan



Additional info

Can be built in reverse.
Laminated post and beam construction.

Laminated post and beam construction.

Can be built in reverse.
Laminated post and beam construction.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey




Clear white



PAINTED

White



PALMAKO PERGOLA LENNA

under
2,5m

108-123



SCAN FOR MORE INFO



LENNA 16,6 m²
SET 308





LENNA 16,6 m²
SET 310

MODEL:

Wall thickness
Measurements
Gross ground area
Total/Wall height
Roof/Floor boards
Roof area/gradient

28 mm
588x300 cm
17,6 m²
245 cm / 210 cm
19 mm / –
21,4 m² / 3,0°

28 mm
588x300 cm
17,6 m²
245 cm / 210 cm
19 mm / –
21,4 m² / 3,0°

Floor plan**Additional info**

Laminated post and beam construction.

Can be built in reverse.
Laminated post and beam construction.

Treatments available**UNTREATED WOOD****DIPPED**

Brown




Grey



Clear white

**PAINTED**

White





PALMAKO PERGOLA BIANCA



SCAN FOR MORE INFO



BIANCA 16,6 m²
SET 108



BIANCA 16,6 m²
SET 110



MODEL:

Wall thickness
Measurements
Gross ground area
Total/Wall height
Roof/Floor boards
Roof area/gradient

28 mm
588x300 cm
17,6 m²
319 cm / 210 cm
19 mm / –
31,5 m² / 30,0°

28 mm
588x300 cm
17,6 m²
319 cm / 210 cm
19 mm / –
31,5 m² / 30,0°

Floor plan



Additional info

Laminated post and beam construction.

Can be built in reverse.
Laminated post and beam construction.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey




Clear white



PAINTED

White



PALMAKO PERGOLA BETTY



108-123





SCAN FOR MORE INFO

**BETTY 9,0 m²****BETTY 9,9 m²****MODEL:**

Post thickness	120x120 mm
Measurements/Diameter	300x300 cm
Gross ground area	9,0 m ²
Total/Wall height	315 cm / 226 cm
Roof/Floor boards	19 mm / –
Roof area/gradient	15,4 m ² / 25,0°

120x120 mm
337 cm
9,9 m ²
325 cm / 226 cm
19 mm / –
16,7 m ² / 25,0°

Floor plan**Additional info**

Laminated post and beam construction.

Laminated post and beam construction.

Treatments available**UNTREATED WOOD****DIPPED**

Brown



Grey



Clear white

**PAINTED**

White





PALMAKO PERGOLA BETTY



SCAN FOR MORE INFO



MODEL:

BETTY 18,0 m²



BETTY 25,0 m²

Post thickness
Diameter
Gross ground area
Total/Wall height
Roof/Floor boards
Roof area/gradient

120x120 mm
465 cm
18,0 m²
358 cm / 227 cm
19 mm / –
27,2 m² / 25,0°

120x120 mm
465/615 cm
25,0 m²
357 cm / 226 cm
19 mm / –
36,8 m² / 25,0°

Floor plan



Additional info

Laminated post and beam construction.

Laminated post and beam construction.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

White



PALMAKO LENNA

under
2,5m

108-123



SCAN FOR MORE INFO

**MODEL:****LENNA 8,3 m²****LENNA 16,6 m²****LENNA 24,9 m²****Post thickness**

120x120 mm

120x120 mm

120x120 mm

Measurements

300x300 cm

588x300 cm

588x588 cm

Gross ground area9,0 m²17,6 m²26,3 m²**Total/Wall height**

245 cm / 210 cm

245 cm / 210 cm

245 cm / 210 cm

Glass type




Single/Double glazed, toughened

Roof/Floor boards

19 mm / –

19 mm / –

19 mm / –

Roof area/gradient11,6 m² / 3,0°21,4 m² / 3,0°31,5 m² / 3,0°**Floor plan****Additional info**

Laminated post and beam construction.

Laminated post and beam construction.

Laminated post and beam construction.

Treatments available**UNTREATED WOOD****DIPPED**


Brown




Grey



Clear white

**PAINTED**

White





PALMAKO BIANCA



SCAN FOR MORE INFO



MODEL:




BIANCA 8,3 m²

BIANCA 16,6 m²

BIANCA 24,9 m²

Post thickness	120x120 mm	120x120 mm	120x120 mm
Measurements	300x300 cm	588x300 cm	588x588 cm
Gross ground area	9,0 m ²	17,6 m ²	26,3 m ²
Total/Wall height	319 cm / 210 cm	319 cm / 210 cm	319 cm / 210 cm
Glass type	Single/Double glazed, toughened	Single/Double glazed, toughened	Single/Double glazed, toughened
Roof/Floor boards	19 mm / –	19 mm / –	19 mm / –
Roof area/gradient	17,6 m ² / 30,0°	31,5 m ² / 30,0°	48,0 m ² / 30,0°

Floor plan



Additional info

Laminated post and beam construction.

Laminated post and beam construction.

Laminated post and beam construction.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey




Clear white



PAINTED

White



PALMAKO LENNA / BIANCA



108-123



SCAN FOR MORE INFO



LENNA
EXTRA ROOF WITH
TWO POSTS





BIANCA
EXTRA ROOF WITH
TWO POSTS



BIANCA
APEX WALL

Post/Wall thickness	120x120 mm	120x120 mm	28 mm
Measurements	300x300 cm	300x300 cm	278x94x6 cm
Gross ground area	8,6 m ²	8,6 m ²	
Total/Wall height	245 cm / 210 cm	319 cm / 210 cm	94 cm
Roof/Floor boards	19 mm / –	19 mm / –	
Roof area/gradient	10,9 m ² / 3,0°	26,5 m ² / 30,0°	

Floor plan



Additional info

Laminated post and beam construction.

Laminated post and beam construction.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey




Clear white



PAINTED

White





PALMAKO LENNA / BIANCA

FULL WALL



LOUVRE WALL



WALL WITH HATCH



Wall thickness 28 mm
Measurements 276x210x7 cm

Wall thickness 28 mm
Measurements 276x210x6 cm

Wall thickness 28 mm
Measurements 276x210x7 cm

HALF-WALL CORNER



FENCE



FLOOR (INDOOR) / FLOOR (OUTDOOR)



* Brown pressure-treated only.

Wall thickness 28 mm
Measurements 300x111x166 cm

Measurements 276x80x9 cm

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey




Clear white



PAINTED

White





Hanna 20,3 m²

PAVILIONS



PALMAKO PAVILION
HANNA 14,1 m²



PALMAKO PAVILION
HANNA 20,3 m²



PALMAKO PAVILION
MELANIE 7,0 m²



PALMAKO PAVILION
MELANIE 6,9 m²



PALMAKO PAVILION
MELANIE 9,9 m²



PALMAKO PAVILION
MELANIE 7,0+8,1 m²



PALMAKO PAVILION
VERONICA 2 6,7 m²



PALMAKO PAVILION
VERONICA 4 6,7 m²



PALMAKO PAVILION
VERONICA 4 9,2 m²



PALMAKO PAVILION
VERONICA 7 9,2 m²



PALMAKO GRILL KOTA
EVA 8,7 m²



PALMAKO GRILL KOTA
EVA 11,4 m²

PALMAKO PAVILION HANNA




PAVILIONS

124-133


SCAN FOR MORE INFO

**HANNA 14,1 m²****HANNA 20,3 m²****MODEL:**

Wall thickness	44 mm
Diameter	421 cm
Gross ground area	14,7 m ²
Total/Wall height	371 cm / 222 cm
Glass type	Double glazed, toughened
Roof/Floor boards	16 mm / 19 mm
Roof area/gradient	24,0 m ² / 32,0°

Floor plan

Ready-made roof elements.



Ready-made roof elements.

Additional info**Treatments available****UNTREATED WOOD****DIPPED**

Brown



Grey



Clear white



PALMAKO PAVILION MELANIE





SCAN FOR MORE INFO

**MODEL:****MELANIE 7,0 m²****MELANIE 6,9 m²**

Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

28 mm
 300x300 cm
 7,8 m²
 296 cm / 217 cm
 Single glazed, toughened
 16 mm / 19 mm
 11,9 m² / 25,0°

44 mm
 300x300 cm
 7,8 m²
 308 cm / 228 cm
 Double glazed, toughened
 16 mm / 19 mm
 8,4 m² / 25,0°

Floor plan**Treatments available****UNTREATED WOOD****DIPPED**

Brown



Grey



Clear white



PALMAKO PAVILION MELANIE



PAVILIONS

124-133

SCAN FOR MORE INFO



MODEL:



MELANIE 9,9 m²

MELANIE 7,0+8,1 m²

Wall thickness	44 mm
Log measurements	350x350 cm
Gross ground area	10,9 m ²
Total/Wall height	325 cm / 233 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	17,0 m ² / 24,5°

Wall thickness	28 mm
Log measurements	577x300 cm
Gross ground area	15,6 m ²
Total/Wall height	307 cm / 228 cm
Glass type	Single glazed, toughened
Roof/Floor boards	16 mm / 19 mm
Roof area/gradient	20,8 m ² / 24,7°

Floor plan



Additional info

Can be built in reverse.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PALMAKO PAVILION VERONICA

PAVILIONS

124-133



SCAN FOR MORE INFO



MODEL:

VERONICA 2 6,7 m²



VERONICA 4 6,7 m²

Wall thickness
Diameter
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

28 mm
289 cm
6,9 m²
312 cm / 209 cm
Double glazed, toughened
16 mm / 19 mm
12,6 m² / 32,5°

28 mm
289 cm
6,9 m²
312 cm / 209 cm
Double glazed, toughened
16 mm / 19 mm
12,6 m² / 32,5°

Floor plan



Additional info

Ready-made wall and roof elements.

Ready-made wall and roof elements.

Treatments available **UNTREATED WOOD**



PALMAKO PAVILION VERONICA



PAVILIONS

124-133

SCAN FOR MORE INFO



MODEL:



VERONICA 4 9,2 m²

VERONICA 7 9,2 m²

Wall thickness	34 mm
Diameter	337 cm
Gross ground area	9,4 m ²
Total/Wall height	334 cm / 221 cm
Glass type	Double glazed, toughened
Roof/Floor boards	16 mm / 19 mm
Roof area/gradient	15,3 m ² / 32,0°

Wall thickness	34 mm
Diameter	337 cm
Gross ground area	9,4 m ²
Total/Wall height	334 cm / 221 cm
Glass type	Double glazed, toughened
Roof/Floor boards	16 mm / 19 mm
Roof area/gradient	15,3 m ² / 32,0°

Floor plan



Additional info

Ready-made wall and roof elements.

Ready-made wall and roof elements.

Treatments available UNTREATED WOOD



PALMAKO GRILL KOTA EVA





SCAN FOR MORE INFO

**MODEL:****EVA 8,7 m²****EVA 11,4 m²**

Wall thickness
Diameter
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

44 mm
 326 cm
 9,2 m²
 315 cm / 133 cm
 Double glazed
 19 mm / 19 mm
 18,0 m² / 45,0°

44 mm
 379 cm
 11,9 m²
 340 cm / 133 cm
 Double glazed
 19 mm / 19 mm
 22,0 m² / 45,0°

Floor plan**Additional info**

Ready-made roof elements.
 Grill with chimney is an optional extra.

Ready-made roof elements.
 Grill with chimney is an optional extra.

Treatments available**UNTREATED WOOD****DIPPED**

Brown



Grey



Clear white







Anette 3,0+1,5 m²

GARDEN SPA





PALMAKO SAUNA
ANETTE 3,0+1,5 m²



PALMAKO SAUNA
ANITA 0,9 m²



PALMAKO SAUNA
ANITA 1,3+0,7 m²



PALMAKO SAUNA
ANITA 1,3+0,7 m²
WITH GLASS WALL



PALMAKO SAUNA
ANITA 1,6+0,7 m²



PALMAKO SAUNA
ANITA 1,6+0,7 m²
WITH GLASS WALL



PALMAKO SAUNA
SANNA 4,1 m²



PALMAKO SAUNA
SANNA 4,1+5,9 m²



PALMAKO SAUNA
SANNA 6,8 m²



PALMAKO SAUNA
SANNA 6,8+5,9 m²



PALMAKO SAUNA
SANNA 11,5 m²



PALMAKO SAUNA
SANNA 12,8 m²
SLIDE / SLIDE PLUS



PALMAKO SAUNA
GRACE 5,3 m²



PALMAKO SAUNA
GRACE 8,2 m²



PALMAKO SAUNA
SARAH 3,8+2,1 m²

under
2,5m

PALMAKO SAUNA ANETTE



GARDEN SPA

134-145


SCAN FOR MORE INFO



MODEL: ANETTE 3,0+1,5 m²

Wall thickness	42 mm
Measurements	328x270 cm
Gross ground area	8,9 m ²
Total/Wall height	225 cm / 220 cm
Glass type	Double glazed, toughened
Roof/Floor boards	– / 28 mm
Roof area/gradient	12,1 m ² / –

Floor plan



Additional info

Shingles included.
Steam room benches and backrest from aspen.
Heater is an optional extra.

Treatments available UNTREATED WOOD



PALMAKO SAUNA ANITA

under
2,5m



GARDEN SPA

134-145

SCAN FOR MORE INFO



ANITA 0,9 m²






ANITA 1,3+0,7 m²



**ANITA 1,3+0,7 m²
WITH GLASS WALL**

Wall thickness	42 mm	42 mm	42 mm
Diameter	200 cm	220 cm	220 cm
Measurements	200x160 cm	220x250 cm	220x250 cm
Gross ground area	3,2 m ²	5,5 m ²	5,5 m ²
Total/Wall height	206 cm / 200 cm	225 cm / 220 cm	225 cm / 220 cm
Glass type	Single glazed, toughened	Single glazed, toughened	Single glazed, toughened
Roof/Floor boards	- / 28 mm	- / 28 mm	- / 28 mm
Roof area/gradient	5,0 m ² / -	8,6 m ² / -	8,6 m ² / -

Floor plan



Additional info

Shingles included.	Shingles included.	Shingles included.
Steam room benches from aspen.	Steam room benches and backrest from aspen.	Steam room benches and backrest from aspen.
Heater is an optional extra.	Heater is an optional extra.	Heater is an optional extra.

Treatments available UNTREATED WOOD



under
2,5m

PALMAKO SAUNA ANITA



GARDEN SPA

134-145

SCAN FOR MORE INFO




ANITA 1,6+0,7 m²



**ANITA 1,6+0,7 m²
WITH GLASS WALL**


Wall thickness	42 mm
Diameter	220 cm
Measurements	220x290 cm
Gross ground area	6,4 m²
Total/Wall height	225 cm / 220 cm
Glass type	Single glazed, toughened
Roof/Floor boards	– / 28 mm
Roof area/gradient	10,4 m² / –

Floor plan



Additional info
Shingles included.
Steam room benches and backrest from aspen.
Heater is an optional extra.

Wall thickness	42 mm
Diameter	220 cm
Measurements	220x290 cm
Gross ground area	6,4 m²
Total/Wall height	225 cm / 220 cm
Glass type	Single glazed, toughened
Roof/Floor boards	– / 28 mm
Roof area/gradient	10,4 m² / –



Additional info
Shingles included.
Steam room benches and backrest from aspen.
Heater is an optional extra.

Treatments available **UNTREATED WOOD**



PALMAKO SAUNA SANNA

under
2,5m

GARDEN SPA



134-145

SCAN FOR MORE INFO

**MODEL:****SANNA 4,1 m²****SANNA 4,1+5,9 m²**

Wall thickness	44 mm
Log measurements	230x230 cm
Gross ground area	4,4 m ²
Total/Wall height	249 cm / 217 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 28 mm
Roof area/gradient	8,9 m ² / 6,3°

Wall thickness	44 mm
Log measurements	510x230 cm
Gross ground area	10,3 m ²
Total/Wall height	249 cm / 217 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 28 mm
Roof area/gradient	14,4 m ² / 6,3°

Floor plan**Additional info**

Can be built in reverse.
Ceiling insulation and cladding included.
Steam room benches and backrest from aspen.
Heater is an optional extra.

Can be built in reverse.
Ceiling insulation and cladding included.
Steam room benches and backrest from aspen.
Heater is an optional extra.

Treatments available UNTREATED WOOD**PAINTED**

Walls Accent

Light Grey + Anthracite	—IE	
Light Grey + White	—IE	
Dark Grey + Anthracite	—IE	
Dark Grey + White	—IE	

under
2,5m

PALMAKO SAUNA SANNA



GARDEN SPA

134-145

SCAN FOR MORE INFO



MODEL:

SANNA 6,8 m²



SANNA 6,8+5,9 m²

Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

44 mm
370x230 cm
7,4 m²
249 cm / 217 cm
Double glazed, toughened
19 mm / 28 mm
12,6 m² / 6,3°

44 mm
650x230 cm
13,3 m²
249 cm / 217 cm
Double glazed, toughened
19 mm / 28 mm
18,4 m² / 6,3°

Floor plan



Additional info

Can be built in reverse.
Ceiling insulation and cladding included.
Steam room benches and backrest from aspen.
Heater is an optional extra.

Can be built in reverse.
Ceiling insulation and cladding included.
Steam room benches and backrest from aspen.
Heater is an optional extra.

Treatments available **UNTREATED WOOD**



PALMAKO SAUNA SANNA



SLIDE
Single glazed



SLIDE PLUS
Double glazed



SCAN FOR MORE INFO



under
2,5m

MODEL:

SANNA 11,5 m²



SANNA 12,8 m²

Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

44 mm
500x340 cm
15,4 m²
261 cm / 217 cm
Double glazed, toughened
19 mm / 28 mm
20,3 m² / 6,3°

44 mm
520x290 cm
13,5 m²
239 cm / 211 cm
Single/Double glazed, toughened
19 mm / 28 mm
18,3 m² / 4,9°

Floor plan



Additional info

Can be built in reverse.
Ceiling insulation and cladding included.
Steam room benches from aspen.
Heater is an optional extra.

Can be built in reverse.
Ceiling insulation and cladding included.
Steam room benches and backrest from aspen.
Heater is an optional extra.
Sliding doors included.

Treatments available UNTREATED WOOD



under
2,5m

PALMAKO SAUNA GRACE



ALUMINIUM DOOR
Double glazed



ALUMINIUM WINDOW
Double glazed

GARDEN SPA
134-145

SCAN FOR MORE INFO



MODEL:



GRACE 5,3 m²

GRACE 8,2 m²

Wall thickness	56 mm
Wall measurements	250x230 cm
Gross ground area	5,7 m²
Total/Wall height	249 cm / 245 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 28 mm
Roof area/gradient	5,8 m² / 2,0°

Wall thickness	56 mm
Wall measurements	390x230 cm
Gross ground area	9,0 m²
Total/Wall height	250 cm / 245 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 28 mm
Roof area/gradient	9,0 m² / 2,0°

Floor plan



Additional info

Aluminium doors and windows.
Tinted glass for privacy.
Steam room benches and backrest from aspen.
Heater is an optional extra.

Aluminium doors and windows.
Tinted glass for privacy.
Steam room benches and backrest from aspen.
Heater is an optional extra.

Treatments available

UNTREATED WOOD



PAINTED

Walls

Accent

Light Grey + Anthracite



Dark Grey + Anthracite



PALMAKO SAUNA SARAH




ALUMINIUM WINDOW
Double glazed



SCAN FOR MORE INFO

**MODEL:****SARAH 3,8+2,1 m²**

Post thickness	120x120 mm
Wall measurements	322x222 cm
Gross ground area	7,1 m ²
Total/Wall height	237 cm / 222 cm
Glass type	Double glazed, toughened
Roof/Floor boards	16 mm / 28 mm
Roof area/gradient	6,7 m ² / 1,2°

Floor plan**Additional info**

Aluminium windows.
Ceiling and wall insulation and cladding included.
Tinted glass for privacy.
Steam room benches from aspen.
Heater is an optional extra.

Treatments available **UNTREATED WOOD**

A HEATER IS THE HEART OF YOUR SAUNA

A heater is like the heart of a sauna, without the heater there will be undoubtedly no joy of being in a sauna. Although both wood-burning and electric heaters have their advantages and drawbacks, eventually, the choice of the heater is a matter of personal preference. Our saunas are developed for heating with electric heaters, which we offer as optional products. Electric heaters heat up the sauna fast, allow the users to have control over the temperature and change it easily. Please keep in mind to use a licensed electrician to complete the installation of an electric heater.

**Narvi Minex
electrical heater
3,6 kW**



**Narvi NM
electrical heater
6 kW**



**Narvi NM
electrical heater
9 kW**



**HUUM Drop
electrical heater
6 kW**



Sauna	Art. No.	Narvi Minex sauna heater	Narvi NM 6 kW sauna heater	Narvi NM 9 kW sauna heater	HUUM Drop sauna heater
Anita 0,9 m ²	110343	121441			
Anita 1,3+0,7 m ²	110070		110115		110119
Anita 1,3+0,7 m ² with glass wall	111005		110115		110119
Anita 1,6+0,7 m ²	111003		110115	121526	110119
Anita 1,6+0,7 m ² with glass wall	111004		110115	121526	110119
Anette 3,0+1,5 m ²	110071		110115		110119
Sanna 4,1 m ²	110741		110115	121526	110119
Sanna 4,1+5,9 m ²	110526		110115	121526	110119
Sanna 6,8 m ²	111001		110115	121526	110119
Sanna 6,8+5,9 m ²	111002		110115	121526	110119
Sanna 11,5 m ²	119349		110115	121526	110119
Sanna 12,8 m ² Slide	111000		110115	121526	110119
Sanna 12,8 m ² Slide Plus	111239		110115	121526	110119
Grace Sauna 5,3 m ²	119360		110115	121526	110119
Grace Sauna 8,2 m ²	112125		110115	121526	110119
Sarah 3,8+2,1 m ²	120033		110115	121526	110119



Kalle 16,9 m²



STORAGE



PALMAKO SHED
ELLA 6,9 m²



PALMAKO SHED
ELLA 6,9+8,2 m²



PALMAKO SHED
ELLA 6,9+10,0 m²



PALMAKO SHED
ELLA 8,7 m²



PALMAKO SHED
ELLA 8,7+8,2 m²



PALMAKO SHED
ELLA 8,7+10,0 m²



PALMAKO SHED
ELLA 13,1 m²



PALMAKO SHED
ELLA 13,1+3,9 m²



PALMAKO SHED
BRITTA 17,5 m²



PALMAKO SHED
BRITTA 19,7 m²



PALMAKO SHED
LOTTA 7,3 m²



PALMAKO SHED
LOTTA 13,9 m²



PALMAKO SHED
KLARA 10,4 m²



PALMAKO SHED
KLARA 17,0 m²



PALMAKO SHED
ALICE 4,7 m²



PALMAKO SHED
ALICE 9,0 m²



PALMAKO SHED
VALENTINE 4,7 m²



PALMAKO SHED
VALENTINE 9,0 m²



PALMAKO SHED
LEIF 2,2 m²



PALMAKO SHED
LEIF 3,0 m²



PALMAKO SHED
LEIF 4,5 m²



PALMAKO SHED
LEIF 3,0+2,9 m²



PALMAKO SHED
LEIF 4,5+2,9 m²



PALMAKO SHED
MIA 3,6 m²



PALMAKO SHED
MIA 5,4 m²



PALMAKO SHED
ELIAS 4,9 m²



PALMAKO SHED
ELIAS 7,3 m²



PALMAKO SHED
DAN 4,5 m²



PALMAKO SHED
DAN 7,5 m²



PALMAKO SHED
DAN 9,9 m²



PALMAKO SHED
DAN 14,7 m²



PALMAKO SHED
NILS 5,4 m²



PALMAKO SHED
NILS 8,2 m²



PALMAKO SHED
LUCAS 12,1 m²



PALMAKO SHED
STIG 8,2 m²



PALMAKO SHED
MARTIN 8,4 m²



PALMAKO SHED
MARTIN 13,6 m²



PALMAKO SHED
KALLE 6,6 m²



PALMAKO SHED
KALLE 13,5 m²



PALMAKO SHED
KALLE 16,9 m²



PALMAKO SHED
OLAF 13,5 m²



PALMAKO SHED
OLAF 16,9 m²



PALMAKO SHED
JARI 8,9 m²



PALMAKO SHED
JARI 14,5 m²



PALMAKO CHICKEN COOP
CHICK 6,7 m²



PALMAKO KIOSK
KIRA 7,7 m²



PALMAKO FOLDING KIOSK
MARIAN 6,2 m²



PALMAKO KIOSK
STELLA 5,0 m²



PALMAKO KIOSK
STELLA 8,2 m²



PALMAKO KIOSK
LENNA 8,3 m² SET 304



PALMAKO KIOSK
LENNA 8,3 m² SET 305



PALMAKO KIOSK
LENNA 8,3 m² SET 306



PALMAKO KIOSK
LENNA 16,6 m² SET 311



PALMAKO KIOSK
LENNA 16,6 m² SET 312



PALMAKO KIOSK
BIANCA 8,3 m² SET 104



PALMAKO KIOSK
BIANCA 8,3 m² SET 105



PALMAKO KIOSK
BIANCA 8,3 m² SET 106



PALMAKO KIOSK
BIANCA 16,6 m² SET 111



PALMAKO KIOSK
BIANCA 16,6 m² SET 112

PALMAKO SHED ELLA

under
2,5m

SCAN FOR MORE INFO

**MODEL:****ELLA 6,9 m²****ELLA 6,9+8,2 m²****ELLA 6,9+10,0 m²****Wall thickness**

28 mm

28 mm

28 mm

Log measurements

260x320 cm

550x320 cm

610x320 cm

Gross ground area

7,2 m²

15,9 m²

17,7 m²

Total/Wall height

214 cm / 199 cm

214 cm / 199 cm

214 cm / 199 cm

Glass type

Single glazed, toughened

Single glazed, toughened

Single glazed, toughened

Roof/Floor boards

19 mm / –

19 mm / –




19 mm / –

Roof area/gradient

8,7 m² / 2,2°

18,5 m² / 2,2°

20,5 m² / 2,2°

Floor plan**Additional info**

Floor is an optional product.

Can be built in reverse.
Floor is an optional product.Can be built in reverse.
Floor is an optional product.**Treatments available****UNTREATED WOOD****DIPPED**

Brown



Grey



Clear white

**PAINTED**

Walls

Accent

Light Grey + Anthracite



Light Grey + White



Dark Grey + Anthracite



Dark Grey + White



under
2,5m

PALMAKO SHED ELLA



SCAN FOR MORE INFO



ELLA 8,7 m²






ELLA 8,7+8,2 m²



ELLA 8,7+10,0 m²

MODEL:	ELLA 8,7 m²	ELLA 8,7+8,2 m²	ELLA 8,7+10,0 m²
Wall thickness	28 mm	28 mm	28 mm
Log measurements	320x320 cm	610x320 cm	670x320 cm
Gross ground area	9,0 m²	17,7 m²	19,5 m²
Total/Wall height	214 cm / 199 cm	214 cm / 199 cm	214 cm / 199 cm
Glass type	Single glazed, toughened	Single glazed, toughened	Single glazed, toughened
Roof/Floor boards	19 mm / –	19 mm / –	19 mm / –
Roof area/gradient	10,8 m² / 2,2°	20,5 m² / 2,2°	22,5 m² / 2,2°

Floor plan



Additional info	Floor is an optional product.	Can be built in reverse. Floor is an optional product.	Can be built in reverse. Floor is an optional product.
-----------------	-------------------------------	---	---

Treatments available	UNTREATED WOOD	DIPPED	PAINTED	Walls	Accent
		Brown	Light Grey + Anthracite		
		Grey	Light Grey + White		
		Clear white	Dark Grey + Anthracite		
			Dark Grey + White		

STORAGE
146-175

PALMAKO SHED ELLA

under
2,5m



STORAGE

SCAN FOR MORE INFO



MODEL:

ELLA 13,1 m²



ELLA 13,1+3,9 m²

Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

28 mm
470x320 cm
13,5 m²
214 cm / 199 cm
Single glazed, toughened
19 mm / –
15,8 m² / 2,2°

28 mm
610x320 cm
17,8 m²
214 cm / 199 cm
Single glazed, toughened
19 mm / –
20,9 m² / 2,2°

Floor plan



Additional info

Can be built in reverse.
Floor is an optional product.

Can be built in reverse.
Floor is an optional product.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white





PALMAKO SHED BRITTA



SCAN FOR MORE INFO



MODEL:



BRITTA 17,5 m²

BRITTA 19,7 m²

Wall thickness	40 mm
Log measurements	446x446 cm
Gross ground area	18,1 m ²
Total/Wall height	270 cm / 205 cm
Glass type	Single glazed
Roof/Floor boards	19 mm / –
Roof area/gradient	29,3 m ² / 16,5°

Wall thickness	40 mm
Log measurements	500x445 cm
Gross ground area	20,4 m ²
Total/Wall height	270 cm / 205 cm
Glass type	Single glazed
Roof/Floor boards	19 mm / –
Roof area/gradient	30,5 m ² / 14,7°

Floor plan



Additional info

Can be built in reverse.
Floor is an optional product.

Can be built in reverse.
Floor is an optional product.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

Light Grey + Anthracite

Walls



Accent



Light Grey + White



Dark Grey + Anthracite



Dark Grey + White



PALMAKO SHED LOTTA

under
2,5m

SCAN FOR MORE INFO



MODEL:



LOTTA 7,3 m²LOTTA 13,9 m²

Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

28 mm
 296x296 cm
 7,6 m²
 247 cm / 194 cm
 Single glazed
 16 mm / –
 11,5 m² / 20,6°

34 mm
 400x400 cm
 14,4 m²
 245 cm / 182 cm
 Single glazed
 16 mm / –
 19,1 m² / 18,4°

Floor plan



Additional info

Floor is an optional product.

Floor is an optional product.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

Walls

Accent

Light Grey + Anthracite



Light Grey + White



Dark Grey + Anthracite



Dark Grey + White



under
2,5m

PALMAKO SHED KLARA



SCAN FOR MORE INFO



STORAGE

146-175

MODEL:



KLARA 10,4 m²KLARA 17,0 m²

Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

28 mm
 380x320 cm
 10,8 m²
 247 cm / 194 cm
 Single glazed
 16 mm / –
 15,4 m² / 22,4°

28 mm
 504x380 cm
 17,4 m²
 247 cm / 182 cm
 Single glazed
 16 mm / –
 16,0 m² / 14,6°

Floor plan



Additional info

Can be built in reverse.
 Floor is an optional product.

Floor is an optional product.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

Walls

Accent

Light Grey + Anthracite



Light Grey + White



Dark Grey + Anthracite



Dark Grey + White



PALMAKO SHED ALICE

under
2,5m

STORAGE



SCAN FOR MORE INFO

**MODEL:****ALICE 4,7 m²****ALICE 9,0 m²**

Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

28 mm
 296x200 cm
 5,0 m²
 216 cm / 188 cm
 Single glazed
 16 mm / –
 7,0 m² / 7,3°

28 mm
 358x296 cm
 9,3 m²
 215 cm / 188 cm
 Single glazed
 16 mm / –
 12,0 m² / 5,0°

Floor plan**Additional info**

Floor is an optional product.

Floor is an optional product.

Treatments available**PRESSURE-TREATED**

Brown



under
2,5m



PALMAKO SHED VALENTINE



SCAN FOR MORE INFO



MODEL:

VALENTINE 4,7 m²



VALENTINE 9,0 m²

Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

28 mm
296x200 cm
5,0 m²
236 cm / 194 cm
Single glazed
16 mm / –
7,9 m² / 16,2°

28 mm
358x296 cm
9,3 m²
235 cm / 194 cm
Single glazed
16 mm / –
13,2 m² / 13,3°

Floor plan



Additional info

Floor is an optional product.

Floor is an optional product.

Treatments available

PRESSURE-TREATED

Brown



PALMAKO SHED LEIF

under
2,5m

SCAN FOR MORE INFO

**MODEL:****LEIF 2,2 m²****LEIF 3,0 m²****LEIF 4,5 m²**

Element thickness
Wall measurements
Gross ground area
Total/Wall height
Roof/Floor boards
Roof area/gradient

16+32 mm

234x95 cm

2,3 m²

189 cm / 173 cm

16 mm / 16 mm

2,8 m² / 10,0°

16+32 mm

183x170 cm

3,2 m²

230 cm / 190 cm

16 mm / 16 mm

3,5 m² / 12,0°




16+32 mm

273x170 cm

4,6 m²

230 cm / 190 cm

16 mm / 16 mm

5,2 m² / 12,0°**Floor plan****Additional info**

Ready-made wall elements.
 Back wall is not included in the product set.

Ready-made wall elements.

Ready-made wall elements.

Treatments available**UNTREATED WOOD****DIPPED**

Brown



Grey



Clear white

**PAINTED**

Light Grey



Dark Grey



under
2,5m

PALMAKO SHED LEIF



SCAN FOR MORE INFO



STORAGE

146-175

MODEL:



LEIF 3,0+2,9 m²LEIF 4,5+2,9 m²

Element thickness
Wall measurements
Gross ground area
Total/Wall height
Roof/Floor boards
Roof area/gradient

16+32 mm
 370x170 cm
 6,3 m²
 228 cm / 188 cm
 16 mm / 16 mm
 7,0 m² / 12,0°

16+32 mm
 460x170 cm
 7,8 m²
 228 cm / 188 cm
 16 mm / 16 mm
 8,7 m² / 12,0°

Floor plan



Additional info

Can be built in reverse.
 Ready-made wall elements.

Can be built in reverse.
 Ready-made wall elements.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

Light Grey



Dark Grey



PALMAKO SHED MIA

under
2,5m



SCAN FOR MORE INFO

**MODEL:****MIA 3,6 m²****MIA 5,4 m²**

Element thickness
Wall measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

16+32 mm
 222x165 cm
 3,7 m²
 210 cm / 173 cm
 Acrylglass
 16 mm / 16 mm
 4,4 m² / 12,0°

16+32 mm
 333x165 cm
 5,5 m²
 210 cm / 173 cm
 Acrylglass
 16 mm / 16 mm
 6,3 m² / 12,0°

Floor plan**Additional info**

Can be built in reverse.
 Ready-made wall elements.
 Back wall is not included in the product set.

Can be built in reverse.
 Ready-made wall elements.
 Back wall is not included in the product set.

Treatments available**UNTREATED WOOD****DIPPED**

Brown



Grey



Clear white

**PAINTED**

Light Grey



Dark Grey



NEW!

under
2,5m

PALMAKO SHED ELIAS



SCAN FOR MORE INFO



MODEL:



ELIAS 4,9 m²ELIAS 7,3 m²

Element thickness
Wall measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

16+32 mm
 221x228 cm
 5,0 m²
 220 cm / 191 cm
 Acrylglass
 16 mm / 16 mm
 5,7 m² / 5,0°

16+32 mm
 330x228 cm
 7,5 m²
 220 cm / 190 cm
 Acrylglass
 16 mm / 16 mm
 8,1 m² / 5,0°

Floor plan



Additional info

Ready-made wall elements.

Ready-made wall elements.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

Light Grey



Dark Grey



PALMAKO SHED DAN

under
2,5m



STORAGE

SCAN FOR MORE INFO



DAN 4,5 m²



DAN 7,5 m²



DAN 9,9 m²




Element thickness
Wall measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

16+32 mm
243x190 cm
4,6 m²
220 cm / 190 cm
Acrylglass
16 mm / 16 mm
5,5 m² / 16,0°

16+32 mm
273x280 cm
7,6 m²
220 cm / 190 cm
Acrylglass
16 mm / 16 mm
9,8 m² / 14,0°

16+32 mm
273x370 cm
10,1 m²
220 cm / 190 cm
Acrylglass
16 mm / 16 mm
12,0 m² / 15,0°

Floor plan



Additional info

Can be built in reverse.
Ready-made wall elements.

Ready-made wall elements.

Can be built in reverse.
Ready-made wall elements.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

Light Grey



Dark Grey



PALMAKO SHED DAN / NILS



STORAGE

146-175

SCAN FOR MORE INFO




under
2,5munder
2,5m**MODEL:****DAN 14,7 m²****NILS 5,4 m²****NILS 8,2 m²**

Element thickness
Wall measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

16+32 mm
 273x550 cm
 15,0 m²
 230 cm / 190 cm
 Acrylglass
 16 mm / 16 mm
 17,3 m² / 15,5°

16+32 mm
 233x239 cm
 5,6 m²
 238 cm / 188 cm
 Acrylglass
 16 mm / 16 mm
 8,4 m² / 21,0°

16+32 mm
 348x239 cm
 8,3 m²
 259 cm / 188 cm
 Acrylglass
 16 mm / 16 mm
 11,9 m² / 21,0°

Floor plan**Additional info**

Can be built in reverse.
 Ready-made wall elements.

Can be built in reverse.
 Ready-made wall elements.

Can be built in reverse.
 Ready-made wall elements.

Treatments available**UNTREATED WOOD****DIPPED**

Brown



Grey



Clear white

**PAINTED**

Light Grey



Dark Grey



PALMAKO SHED LUCAS / STIG



STORAGE



SCAN FOR MORE INFO

under
2,5m**MODEL:****LUCAS 12,1 m²****STIG 8,2 m²**

Element thickness
Wall measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

16+32 mm
 348x354 cm
 12,3 m²
 259 cm / 188 cm
 Single glazed
 16 mm / 16 mm
 16,7 m² / 21,0°

16+32 mm
 348x239 cm
 8,4 m²
 250 cm / 205 cm
 Acrylglas
 16 mm / 16 mm
 11,6 m² / 5,0°

Floor plan**Additional info**

Ready-made wall elements.

Can be built in reverse.
 Ready-made wall elements.

Treatments available **UNTREATED WOOD****PAINTED**

Light Grey



Dark Grey



PALMAKO SHED MARTIN



SCAN FOR MORE INFO



MODEL:

MARTIN 8,4 m²



MARTIN 13,6 m²

Element thickness
Wall measurements
Gross ground area
Total/Wall height
Roof/Floor boards
Roof area/gradient

18+70 mm
275x344 cm
9,5 m²
267 cm / 209 cm
19 mm / 19 mm
13,0 m² / 20,0°

18+70 mm
330x452 cm
14,9 m²
296 cm / 203 cm
19 mm / 19 mm
19,5 m² / 20,0°

Floor plan



Additional info

Ready-made wall elements with wind protection plastic.
Fine-sawn cladding.

Ready-made wall elements with wind protection plastic.
Fine-sawn cladding.

Treatments available **UNTREATED WOOD**



STORAGE

146-175

PALMAKO SHED KALLE

under
2,5m

SCAN FOR MORE INFO

**MODEL:****KALLE 6,6 m²****KALLE 13,5 m²****KALLE 16,9 m²****Element thickness**

18+70 mm

18+70 mm

18+70 mm

Wall measurements

344x221 cm

452x330 cm

561x330 cm

Gross ground area7,6 m²14,9 m²18,5 m²**Total/Wall height**

249 cm / 209 cm

259 cm / 209 cm

259 cm / 210 cm

Glass type

Double glazed, toughened

Double glazed, toughened




Double glazed, toughened

Roof/Floor boards

19 mm / 19 mm

19 mm / 19 mm

19 mm / 19 mm

Roof area/gradient11,0 m² / 4,8°19,8 m² / 4,4°23,4 m² / 4,4°**Floor plan****Additional info**

Ready-made wall elements with wind protection plastic.
Fine-sawn cladding.

Ready-made wall elements with wind protection plastic.
Fine-sawn cladding.

Ready-made wall elements with wind protection plastic.
Fine-sawn cladding.

Treatments available**UNTREATED WOOD**

PALMAKO SHED OLAF





SCAN FOR MORE INFO

**MODEL:****OLAF 13,5 m²****OLAF 16,9 m²**

Element thickness	18+70 mm
Wall measurements	452x330 cm
Gross ground area	14,9 m ²
Total/Wall height	261 cm / 209 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	18,8 m ² / 15,0°

Element thickness	18+70 mm
Wall measurements	561x330 cm
Gross ground area	18,5 m ²
Total/Wall height	261 cm / 210 cm
Glass type	Double glazed, toughened
Roof/Floor boards	19 mm / 19 mm
Roof area/gradient	22,6 m ² / 15,0°

Floor plan**Additional info**

Ready-made wall elements with wind protection plastic.
Fine-sawn cladding.

Ready-made wall elements with wind protection plastic.
Fine-sawn cladding.

Treatments available **UNTREATED WOOD**

PALMAKO SHED JARI

under
2,5m



SCAN FOR MORE INFO

**MODEL:****JARI 8,9 m²****JARI 14,5 m²**

Wall thickness
Log measurements
Gross ground area
Total/Wall height
Roof/Floor boards
Roof area/gradient

28 mm
 410x260 cm
 9,4 m²
 249 cm / 211 cm
 19 mm / 19 mm
 13,1 m² / 15,2°

28 mm
 520x320 cm
 15,0 m²
 249 cm / 211 cm
 19 mm / 19 mm
 19,6 m² / 14,9°

Floor plan**Additional info**

Can be built in reverse.
 Ready-made wall elements.

Can be built in reverse.
 Ready-made wall elements.

Treatments available**UNTREATED WOOD****DIPPED**

Brown



Grey



Clear white



PALMAKO CHICKEN COOP CHICK



SCAN FOR MORE INFO




MODEL:

CHICK 6,7 m²

Element thickness	16+32 mm
Wall measurements	213x316 cm
Gross ground area	6,7 m ²
Total/Wall height	283 cm / 206 cm
Glass type	Acrylglass
Roof area/gradient	10,0 m ² / 34,0°

Floor plan



Additional info

Metal roof included.

Treatments available **UNTREATED WOOD**



STORAGE
146-175

PALMAKO KIOSK KIRA / FOLDING KIOSK MARIAN



STORAGE

SCAN FOR MORE INFO

under
2,5m

MODEL:



KIRA 7,7 m²MARIAN 6,2 m²

Element thickness
Wall measurements
Gross ground area
Total/Wall height
Roof/Floor boards
Roof area/gradient

16+32 mm
355x233 cm
8,2 m²
264 cm / 209 cm
19 mm / 19 mm
10,4 m² / 7,0°

16+32 mm
298x228 cm
6,8 m²
245 cm / 207 cm
16 mm / 19 mm
10,0 m² / 10,0°

Floor plan



Additional info

Ready-made wall elements.

Can be built in reverse.
Pop up and down folding system.
Fold up and down in 20 minutes.
Waterproof PVC canvas as roof covering material included.

Treatments available

UNTREATED WOOD



PAINTED

White



under
2,5m

PALMAKO KIOSK STELLA



SCAN FOR MORE INFO



MODEL:

STELLA 5,0 m²



STELLA 8,2 m²

Element thickness
Wall measurements
Gross ground area
Total/Wall height
Roof/Floor boards
Roof area/gradient

16+32 mm
273x190 cm
5,2 m²
229 cm / 189 cm
16 mm / –
8,5 m² / 14,6°

16+32 mm
323x259 cm
8,4 m²
239 cm / 189 cm
16 mm / –
12,0 m² / 15,0°

Floor plan



Additional info

Ready-made wall elements.

Ready-made wall elements.

Treatments available UNTREATED WOOD



PAINTED

White



STORAGE

146-175

PALMAKO KIOSK LENNA



STORAGE

SCAN FOR MORE INFO



MODEL:



LENNA 8,3 m²
SET 304



LENNA 8,3 m²
SET 305



LENNA 8,3 m²
SET 306




Wall thickness
Wall measurements
Gross ground area
Total/Wall height
Roof/Floor boards
Roof area/gradient

28 mm
300x300 cm
9,0 m²
245 cm / 210 cm
19 mm / –
11,6 m² / 3,0°

28 mm
300x300 cm
9,0 m²
245 cm / 210 cm
19 mm / –
11,6 m² / 3,0°

28 mm
300x300 cm
9,0 m²
245 cm / 210 cm
19 mm / –
11,6 m² / 3,0°

Floor plan



Additional info

Laminated post and beam construction.

Laminated post and beam construction.

Laminated post and beam construction.

Treatments available **UNTREATED WOOD****PAINTED**

White





PALMAKO KIOSK LENNA



SCAN FOR MORE INFO



MODEL:



LENNA 16,6 m²
SET 311

LENNA 16,6 m²
SET 312

Wall thickness	28 mm
Wall measurements	588x300 cm
Gross ground area	17,6 m ²
Total/Wall height	245 cm / 210 cm
Roof/Floor boards	19 mm / –
Roof area/gradient	21,4 m ² / 3,0°

Wall thickness	28 mm
Wall measurements	588x300 cm
Gross ground area	17,6 m ²
Total/Wall height	245 cm / 210 cm
Roof/Floor boards	19 mm / –
Roof area/gradient	21,4 m ² / 3,0°

Floor plan



Additional info

Laminated post and beam construction.

Laminated post and beam construction.

Treatments available **UNTREATED WOOD**



PAINTED

White



PALMAKO KIOSK BIANCA



STORAGE

SCAN FOR MORE INFO



MODEL:



BIANCA 8,3 m²
SET 104



BIANCA 8,3 m²
SET 105



BIANCA 8,3 m²
SET 106




Wall thickness
Wall measurements
Gross ground area
Total/Wall height
Roof/Floor boards
Roof area/gradient

28 mm
300x300 cm
9,0 m²
319 cm / 210 cm
19 mm / –
17,6 m² / 30,0°

28 mm
300x300 cm
9,0 m²
319 cm / 210 cm
19 mm / –
17,6 m² / 30,0°

28 mm
300x300 cm
9,0 m²
319 cm / 210 cm
19 mm / –
17,6 m² / 30,0°

Floor plan



Additional info

Laminated post and beam construction.

Laminated post and beam construction.

Laminated post and beam construction.

Treatments available **UNTREATED WOOD****PAINTED**

White





PALMAKO KIOSK BIANCA



SCAN FOR MORE INFO



MODEL:



BIANCA 16,6 m²
SET 111





BIANCA 16,6 m²
SET 112

Wall thickness
Wall measurements
Gross ground area
Total/Wall height
Roof/Floor boards
Roof area/gradient

28 mm
588x300 cm
17,6 m²
319 cm / 210 cm
19 mm / –
31,5 m² / 30,0°

28 mm
588x300 cm
17,6 m²
319 cm / 210 cm
19 mm / –
31,5 m² / 30,0°

Floor plan



Additional info

Laminated post and beam construction.

Laminated post and beam construction.

Treatments available

UNTREATED WOOD



PAINTED

White



STORAGE

146-175



Roger 19,0+33,2 m² with sectional door



CARPORTS & GARAGES



PALMAKO CARPORT
KARL 11,7 m²



PALMAKO CARPORT
KARL 23,1 m²



PALMAKO CARPORT
KARL 20,6 m²



PALMAKO CARPORT
KARL 40,6 m²



PALMAKO CARPORT
KARL 23,1 m²
WITH SHED



PALMAKO CARPORT
KARL 40,6 m²
WITH SHED



PALMAKO CARPORT
ROBERT 11,7 m²



PALMAKO CARPORT
ROBERT 23,1 m²



PALMAKO CARPORT
ROBERT 20,6 m²



PALMAKO CARPORT
ROBERT 40,6 m²



PALMAKO CARPORT
ROBERT 23,1 m²
WITH SHED



PALMAKO CARPORT
ROBERT 40,6 m²
WITH SHED



PALMAKO GARAGE
RASMUS 19,0 m²
KIT WITHOUT DOOR



PALMAKO GARAGE
RASMUS 19,0 m²
WITH WOODEN GATE



PALMAKO GARAGE
RASMUS 19,0 m²
WITH SECTIONAL DOOR



PALMAKO GARAGE
ROGER 21,9+5,2 m²
KIT WITHOUT DOOR



PALMAKO GARAGE
ROGER 21,9+5,2 m²
WITH WOODEN GATE



PALMAKO GARAGE
ROGER 21,9+5,2 m²
WITH SECTIONAL DOOR



PALMAKO GARAGE
ROGER 19,0 m²
KIT WITHOUT DOOR



PALMAKO GARAGE
ROGER 19,0 m²
WITH WOODEN GATE



PALMAKO GARAGE
ROGER 19,0 m²
WITH SECTIONAL DOOR



PALMAKO GARAGE
ROGER 23,9 m²
KIT WITHOUT DOOR



PALMAKO GARAGE
ROGER 23,9 m²
WITH WOODEN GATE



PALMAKO GARAGE
ROGER 23,9 m²
WITH SECTIONAL DOOR



PALMAKO GARAGE
ROGER 27,7 m²
KIT WITHOUT DOOR



PALMAKO GARAGE
ROGER 27,7 m²
WITH WOODEN GATE



PALMAKO GARAGE
ROGER 27,7 m²
WITH SECTIONAL DOOR



PALMAKO GARAGE
ROGER 28,4 m²
KIT WITHOUT DOOR



PALMAKO GARAGE
ROGER 28,4 m²
WITH WOODEN GATE



PALMAKO GARAGE
ROGER 28,4 m²
WITH SECTIONAL DOOR



PALMAKO GARAGE
ROGER 19,0+16,2 m²
KIT WITHOUT DOOR



PALMAKO GARAGE
ROGER 19,0+16,2 m²
WITH WOODEN GATE



PALMAKO GARAGE
ROGER 19,0+16,2 m²
WITH SECTIONAL DOOR



PALMAKO GARAGE
ROGER 19,0+33,2 m²
KIT WITHOUT DOOR



PALMAKO GARAGE
ROGER 19,0+33,2 m²
WITH WOODEN GATE



PALMAKO GARAGE
ROGER 19,0+33,2 m²
WITH SECTIONAL DOOR



PALMAKO GARAGE
ANDRE 28,5 m²
KIT WITHOUT DOOR



PALMAKO GARAGE
ANDRE 28,5 m²
WITH SECTIONAL DOOR



PALMAKO GARAGE
ANDRE 44,7 m²
KIT WITHOUT DOOR



PALMAKO GARAGE
ANDRE 44,7 m²
WITH SECTIONAL DOOR

PALMAKO CARPORT KARL

under
2,5m

SCAN FOR MORE INFO




**KARL 11,7 m²****KARL 23,1 m²****KARL 23,1 m²
WITH SHED****MODEL:**

Post thickness
Measurements
Gross ground area
Total/Wall height
Roof/Floor boards
Roof area/gradient

120x120 mm
315x372 cm
11,7 m²
230 cm / 212 cm
19 mm / –
18,0 m² / 1,1°

120x120 mm
315x372 cm
23,1 m²
235 cm / 213 cm
19 mm / –
27,4 m² / 1,1°

120x120 mm
315x372 cm
23,1 m²
235 cm / 213 cm
19 mm / –
27,4 m² / 1,1°

Floor plan**Additional info**

Laminated post and beam construction.
Good snow load capacity.

Laminated post and beam construction.
Good snow load capacity.

Laminated post and beam construction.
Good snow load capacity.

Treatments available**UNTREATED WOOD****DIPPED**

Brown



Grey



Clear white

**PAINTED**

Dark Grey



White





PALMAKO CARPORT KARL



SCAN FOR MORE INFO



under
2,5m



MODEL:

KARL 20,6 m²

KARL 40,6 m²

**KARL 40,6 m²
WITH SHED**




Post thickness
Measurements
Gross ground area
Total/Wall height
Roof/Floor boards
Roof area/gradient

120x120 mm
555x372 cm
20,6 m²
244 cm / 216 cm
19 mm / –
30,7 m² / 1,1°

120x120 mm
555x732 cm
40,6 m²
254 cm / 226 cm
19 mm / –
46,6 m² / 1,1°

120x120 mm
555x732 cm
40,6 m²
254 cm / 226 cm
19 mm / –
46,6 m² / 1,1°

Floor plan



Additional info

Laminated post and beam construction.
Good snow load capacity.

Laminated post and beam construction.
Good snow load capacity.

Laminated post and beam construction.
Good snow load capacity.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

Dark Grey



White



PALMAKO CARPORT ROBERT



SCAN FOR MORE INFO




**ROBERT 11,7 m²****ROBERT 23,1 m²****ROBERT 23,1 m²
WITH SHED****MODEL:**

Post thickness
Measurements
Gross ground area
Total/Wall height
Roof/Floor boards
Roof area/gradient

120x120 mm
 315x372 cm
 11,7 m²
 301 cm / 215 cm
 19 mm / –
 20,1 m² / 25,0°

120x120 mm
 315x732 cm
 23,1 m²
 301 cm / 215 cm
 19 mm / –
 29,8 m² / 25,0°

120x120 mm
 315x732 cm
 23,1 m²
 301 cm / 215 cm
 19 mm / –
 29,8 m² / 25,0°

Floor plan**Additional info**

Laminated post and beam construction.
 Good snow load capacity.

Laminated post and beam construction.
 Good snow load capacity.

Laminated post and beam construction.
 Good snow load capacity.

Treatments available**UNTREATED WOOD****DIPPED**

Brown



Grey



Clear white

**PAINTED**

Dark Grey



White





PALMAKO CARPORT ROBERT



SCAN FOR MORE INFO



ROBERT 20,6 m²



ROBERT 40,6 m²



**ROBERT 40,6 m²
WITH SHED**




Post thickness
Measurements
Gross ground area
Total/Wall height
Roof/Floor boards
Roof area/gradient

120x120 mm
555x372 cm
20,6 m²
363 cm / 221 cm
19 mm / –
35,8 m² / 25,0°

120x120 mm
555x732 cm
40,6 m²
363 cm / 218 cm
19 mm / –
53,2 m² / 25,0°

120x120 mm
555x732 cm
40,6 m²
363 cm / 218 cm
19 mm / –
53,2 m² / 25,0°

Floor plan



Additional info

Laminated post and beam construction.
Good snow load capacity.

Laminated post and beam construction.
Good snow load capacity.

Laminated post and beam construction.
Good snow load capacity.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

Dark Grey



White



PALMAKO GARAGE RASMUS



SCAN FOR MORE INFO




**MODEL:****RASMUS 19,0 m²**
KIT WITHOUT DOOR**RASMUS 19,0 m²**
WITH WOODEN GATE**RASMUS 19,0 m²**
WITH SECTIONAL DOOR

Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

44 mm
 380x570 cm
 19,8 m²
 254 cm / 228 cm
 Single glazed
 19 mm / –
 24,5 m² / 1,8°

44 mm
 380x570 cm
 19,8 m²
 254 cm / 228 cm
 Single glazed
 19 mm / –
 24,5 m² / 1,8°

44 mm
 380x570 cm
 19,8 m²
 254 cm / 228 cm
 Single glazed
 19 mm / –
 24,5 m² / 1,8°

Floor plan**Additional info**

Can be built in reverse.
 Strong purlins from laminated wood.
 Good snow load capacity.

Can be built in reverse.
 Strong purlins from laminated wood.
 Good snow load capacity.

Can be built in reverse.
 Strong purlins from laminated wood.
 Good snow load capacity.

Treatments available**UNTREATED WOOD****PAINTED**


Light Grey + White

Walls




Accent

Dark Grey + White



White





PALMAKO GARAGE ROGER



SCAN FOR MORE INFO



MODEL:

ROGER 21,9+5,2 m²
KIT WITHOUT DOOR

ROGER 21,9+5,2 m²
WITH WOODEN GATE

ROGER 21,9+5,2 m²
WITH SECTIONAL DOOR




Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

44 mm
530x570 cm
28,1 m²
321 cm / 228 cm
Double glazed
19 mm / –
35,4 m² / 18,7°

44 mm
530x570 cm
28,1 m²
321 cm / 228 cm
Double glazed
19 mm / –
35,4 m² / 18,7°

44 mm
530x570 cm
28,1 m²
321 cm / 228 cm
Double glazed
19 mm / –
35,4 m² / 18,7°

Floor plan



Additional info

Can be built in reverse.
Strong purlins from laminated wood.
Good snow load capacity.

Can be built in reverse.
Strong purlins from laminated wood.
Good snow load capacity.

Can be built in reverse.
Strong purlins from laminated wood.
Engine set for garage sectional door as an optional extra.
Good snow load capacity.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PALMAKO GARAGE ROGER



SCAN FOR MORE INFO


ROGER 19,0 m²
KIT WITHOUT DOOR

ROGER 19,0 m²
WITH WOODEN GATE




ROGER 19,0 m²
WITH SECTIONAL DOOR
MODEL:

Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

44 mm
 380x570 cm
 19,8 m²
 276 cm / 217 cm
 Double glazed
 19 mm / –
 26,3 m² / 16,3°

44 mm
 380x570 cm
 19,8 m²
 276 cm / 217 cm
 Double glazed
 19 mm / –
 26,3 m² / 16,3°

44 mm
 380x570 cm
 19,8 m²
 276 cm / 217 cm
 Double glazed
 19 mm / –
 26,3 m² / 16,3°

Floor plan**Additional info**

Can be built in reverse.
 Strong purlins from laminated wood.
 Good snow load capacity.

Can be built in reverse.
 Strong purlins from laminated wood.
 Good snow load capacity.

Can be built in reverse.
 Strong purlins from laminated wood.
 Engine set for garage sectional door as an optional extra.
 Good snow load capacity.

Treatments available**UNTREATED WOOD****DIPPED**

Brown



Grey



Clear white

**PAINTED**

Light Grey + White

Walls



Accent

Dark Grey + White



White





PALMAKO GARAGE ROGER



SCAN FOR MORE INFO



MODEL:

ROGER 23,9 m²
KIT WITHOUT DOOR

ROGER 23,9 m²
WITH WOODEN GATE

ROGER 23,9 m²
WITH SECTIONAL DOOR




Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

44 mm
470x570 cm
24,8 m²
287 cm / 217 cm
Double glazed
19 mm / –
31,7 m² / 15,9°

44 mm
470x570 cm
24,8 m²
287 cm / 217 cm
Double glazed
19 mm / –
31,7 m² / 15,9°

44 mm
470x570 cm
24,8 m²
287 cm / 217 cm
Double glazed
19 mm / –
31,7 m² / 15,9°

Floor plan



Additional info

Can be built in reverse.
Strong purlins from laminated wood.
Good snow load capacity.

Can be built in reverse.
Strong purlins from laminated wood.
Good snow load capacity.

Can be built in reverse.
Strong purlins from laminated wood.
Engine set for garage sectional door as an optional extra.
Good snow load capacity.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

Walls

Accent


Light Grey + White



Dark Grey + White



White



PALMAKO GARAGE ROGER



SCAN FOR MORE INFO

**MODEL:**
ROGER 27,7 m²
KIT WITHOUT DOOR

ROGER 27,7 m²
WITH WOODEN GATE




ROGER 27,7 m²
WITH SECTIONAL DOOR

Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

70 mm
 560x560 cm
 29,2 m²
 312 cm / 230 cm
 Double glazed
 19 mm / –
 37,8 m² / 15,7°

70 mm
 560x560 cm
 29,2 m²
 312 cm / 230 cm
 Double glazed
 19 mm / –
 37,8 m² / 15,7°

70 mm
 560x560 cm
 29,2 m²
 312 cm / 230 cm
 Double glazed
 19 mm / –
 37,8 m² / 15,7°

Floor plan**Additional info**

Multilocking door and window.
 Can be built in reverse.
 Strong purlins from laminated wood.
 Good snow load capacity.

Multilocking door and window.
 Can be built in reverse.
 Strong purlins from laminated wood.
 Good snow load capacity.

Multilocking door and window.
 Can be built in reverse.
 Strong purlins from laminated wood.
 Engine set for garage sectional door as an optional extra.
 Good snow load capacity.

Treatments available**UNTREATED WOOD****DIPPED**

Brown



Grey



Clear white

**PAINTED**

Light Grey + White

Walls



Dark Grey + White



White



Accent



PALMAKO GARAGE ROGER



SCAN FOR MORE INFO



ROGER 28,4 m²
KIT WITHOUT DOOR



ROGER 28,4 m²
WITH WOODEN GATE



ROGER 28,4 m²
WITH SECTIONAL DOOR




Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

44 mm
595x530 cm
29,3 m²
310 cm / 217 cm
Double glazed
19 mm / –
36,8 m² / 16,8°

44 mm
595x530 cm
29,3 m²
310 cm / 217 cm
Double glazed
19 mm / –
36,8 m² / 16,8°

44 mm
595x530 cm
29,3 m²
310 cm / 217 cm
Double glazed
19 mm / –
36,8 m² / 16,8°

Floor plan



Additional info

Can be built in reverse.
Strong purlins from laminated wood.
Good snow load capacity.

Can be built in reverse.
Strong purlins from laminated wood.
Good snow load capacity.

Can be built in reverse.
Strong purlins from laminated wood.
Engine set for garage sectional door as an optional extra.
Good snow load capacity.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PALMAKO GARAGE ROGER



SCAN FOR MORE INFO




**MODEL:****ROGER 19,0+16,2 m²**
KIT WITHOUT DOOR**ROGER 19,0+16,2 m²**
WITH WOODEN GATE**ROGER 19,0+16,2 m²**
WITH SECTIONAL DOOR

Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

44 mm
 673x570 cm
 36,5 m²
 316 cm / 222 cm
 Double glazed
 19 mm / –
 45,0 m² / 17,4°

44 mm
 673x570 cm
 36,5 m²
 316 cm / 222 cm
 Double glazed
 19 mm / –
 45,0 m² / 17,4°

44 mm
 673x570 cm
 36,5 m²
 316 cm / 222 cm
 Double glazed
 19 mm / –
 45,0 m² / 17,4°

Floor plan**Additional info**

Can be built in reverse.
 Strong purlins from laminated wood.
 Good snow load capacity.

Can be built in reverse.
 Strong purlins from laminated wood.
 Good snow load capacity.

Can be built in reverse.
 Strong purlins from laminated wood.
 Engine set for garage sectional door as an optional extra.
 Good snow load capacity.

Treatments available**UNTREATED WOOD****DIPPED**

Brown



Grey



Clear white

**PAINTED**

Light Grey + White

Walls



Accent

Dark Grey + White



White





PALMAKO GARAGE ROGER



SCAN FOR MORE INFO



MODEL:

ROGER 19,0+33,2m²
KIT WITHOUT DOOR

ROGER 19,0+33,2 m²
WITH WOODEN GATE

ROGER 19,0+33,2 m²
WITH SECTIONAL DOOR




Wall thickness
Log measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

44 mm
976x570 cm
53,1 m²
316 cm / 222 cm
Double glazed
19 mm / –
64,0 m² / 17,4°

44 mm
976x570 cm
53,1 m²
316 cm / 222 cm
Double glazed
19 mm / –
64,0 m² / 17,4°

44 mm
976x570 cm
53,1 m²
316 cm / 222 cm
Double glazed
19 mm / –
64,0 m² / 17,4°

Floor plan



Additional info

Can be built in reverse.
Strong purlins from laminated wood.
Good snow load capacity.

Can be built in reverse.
Strong purlins from laminated wood.
Good snow load capacity.

Can be built in reverse.
Strong purlins from laminated wood.
Engine set for garage sectional door as an optional extra.
Good snow load capacity.

Treatments available

UNTREATED WOOD



DIPPED

Brown



Grey



Clear white



PAINTED

Walls

Accent

Light Grey + White



Dark Grey + White



White



PALMAKO GARAGE ANDRE





SCAN FOR MORE INFO

**MODEL:****ANDRE 28,5 m²**
KIT WITHOUT DOOR**ANDRE 28,5 m²**
WITH SECTIONAL DOOR

Element thickness
Wall measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

18+47+95 mm
557x576 cm
32,1 m²
334 cm / 216 cm
Double glazed
19 mm / –
39,8 m² / 20,0°

18+47+95 mm
557x576 cm
32,1 m²
337 cm / 216 cm
Double glazed
19 mm / –
39,8 m² / 20,0°

Floor plan**Additional info**

Can be built in reverse.
Ready-made wall elements with wind protection plastic.
Fine-sawn cladding.
Good snow load capacity.

Can be built in reverse.
Ready-made wall elements with wind protection plastic.
Fine-sawn cladding.
Engine set for garage sectional door as an optional extra.
Good snow load capacity.

Treatments available **UNTREATED WOOD**



PALMAKO GARAGE ANDRE



SCAN FOR MORE INFO



MODEL:

ANDRE 44,7 m²
KIT WITHOUT DOOR



ANDRE 44,7 m²
WITH SECTIONAL DOOR

Element thickness
Wall measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

18+47+95 mm
665x739 cm
49,1 m²
357 cm / 216 cm
Double glazed
19 mm / –
60,0 m² / 20,0°

18+47+95 mm
665x739 cm
49,1 m²
357 cm / 216 cm
Double glazed
19 mm / –
60,0 m² / 20,0°

Floor plan



Additional info

Can be built in reverse.
Ready-made wall elements with wind protection plastic.
Fine-sawn cladding.
Good snow load capacity.

Can be built in reverse.
Ready-made wall elements with wind protection plastic.
Fine-sawn cladding.
Engine set for garage sectional door as an optional extra.
Good snow load capacity.

Treatments available **UNTREATED WOOD**





Toby Set



FOR KIDS

FOR KIDS

194-211



PALMAKO FOR KIDS
TOBY 2,1 m²



PALMAKO FOR KIDS
TOBY SWING BEAM



PALMAKO FOR KIDS
TOBY SET



PALMAKO FOR KIDS
FELIX 1,9 m²



PALMAKO FOR KIDS
TOM 3,8 m²



PALMAKO FOR KIDS
OTTO 3,6 m²



PALMAKO FOR KIDS
JENNIE 3,6 m²



PALMAKO FOR KIDS
MARIE 5,4 m²



PALMAKO FOR KIDS
GRETE 3,7 m²



PALMAKO FOR KIDS
STINA 3,1 m²



PALMAKO FOR KIDS
HUCK 3,3 m²

CE PALMAKO KIDS TOBY / SWING BEAM / TOBY SET



SCAN FOR MORE INFO



**TOBY 2,1 m²****TOBY SWING BEAM****TOBY SET**

Element thickness
Wall measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

16+28 mm
 180x122(190) cm
 2,2 m²
 169/287 cm / 117 cm
 Acrylglass
 16 mm / 16 mm
 4,6 m² / 26,0°

For product information
 see page 207.

16+28 mm
 422x278 cm
 2,2 m²
 169/287 cm / 117 cm
 Acrylglass
 16 mm / 16 mm
 4,6 m² / 26,0°

Floor plan**Additional info**

Ready-made wall elements.

Ground anchors are an additional extra.

Ready-made wall elements.
 Slide is an optional extra.

**Treatments available** **UNTREATED WOOD**

PALMAKO KIDS FELIX / TOM / OTTO



SCAN FOR MORE INFO




**FELIX** 1,9 m²**TOM** 3,7 m²**OTTO** 3,6 m²

Element thickness
Wall measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

16+28 mm
 180x112 cm
 2,0 m²
 168 cm / 117 cm
 Acrylglass
 16 mm / 16 mm
 4,6 m² / 26,0°

16+32 mm
 220x180 cm
 4,0 m²
 224 cm / 116 cm
 Acrylglass
 16 mm / 16 mm
 7,0 m² / 37,0°, 31,0°

16+32 mm
 233x157 cm
 3,7 m²
 220 cm / 146 cm
 Acrylglass
 16 mm / 16 mm
 7,1 m² / 40,0°

Floor plan**Additional info**


Ready-made wall elements.

Ready-made wall elements.

Ready-made wall elements.

**Treatments available****UNTREATED WOOD****PAINTED**

White



CE PALMAKO KIDS JENNIE / MARIE / GRETE



SCAN FOR MORE INFO




**JENNIE** 3,6 m²**MARIE** 5,4 m²**GRETE** 3,8 m²

Element thickness
Wall measurements
Gross ground area
Total/Wall height
Glass type
Roof/Floor boards
Roof area/gradient

16+32 mm
 233x157 cm
 3,7 m²
 220 cm / 146 cm
 Acrylglass
 16 mm / 16 mm
 8,6 m² / 40,0°

16+32 mm
 286x193 cm
 5,5 m²
 234 cm / 147 cm
 Acrylglass
 16 mm / 16 mm
 10,0 m² / 40,0°

16+32 mm
 233x175 cm
 4,1 m²
 225 cm / 169 cm
 Acrylglass
 16 mm / 16 mm
 7,1 m² / 30,0°

Floor plan**Additional info**

Ready-made wall elements.

Ready-made wall elements.

Ready-made wall elements.

**Treatments available** **UNTREATED WOOD**


PALMAKO KIDS STINA



SCAN FOR MORE INFO

**MODEL:****STINA 3,1 m²**

Wall/Element thickness	19 mm
Log measurements	196x196 cm
Gross ground area	3,2 m ²
Total/Wall height	192 cm / 148 cm
Glass type	Acrylglass
Roof/Floor boards	16 mm / 16 mm
Roof area/gradient	6,2 m ² / 23,5°


Floor plan**Additional info****Treatments available** **UNTREATED WOOD**

A white wooden playhouse with a porch and a window, situated in a garden with flowering bushes and trees. The playhouse has a white wooden frame, a white door with a window, and a white window with shutters. It is elevated on a white wooden base. A yellow chair is on the porch. The playhouse is surrounded by green foliage and flowering bushes.



HUCK 3,3 m²

Floor plan



Ready-made wall elements.



194-211



PALMAKO KIDS
MATHIAS



PALMAKO KIDS
MAGNUS



PALMAKO KIDS
HOLGER



PALMAKO KIDS
HENRY



PALMAKO KIDS
BRENDA



PALMAKO KIDS
BOSSE



PALMAKO KIDS
KALEV



PALMAKO KIDS
KASPER



PALMAKO KIDS
MERIT



PALMAKO KIDS
JONAS



PALMAKO KIDS
TOBY SWING BEAM



PALMAKO KIDS
JESPER TOWER WITH ROOF



PALMAKO KIDS
JESPER SWING BEAM



PALMAKO KIDS
JESPER CLIMBING WALL



PALMAKO KIDS
JESPER BRIDGE



PALMAKO KIDS
JESPER SET 1



PALMAKO KIDS
JESPER SET 2



PALMAKO KIDS
JESPER SET 3



PALMAKO KIDS
SANDY 14



PALMAKO KIDS
SANDY 16



PALMAKO KIDS
LISBET



PALMAKO KIDS MATHIAS / MAGNUS



SCAN FOR MORE INFO



MATHIAS



MAGNUS

MODEL:

Length	310 cm	380 cm
Width	194 cm	194 cm
Height	230 cm	230 cm
Safety area	730x750 cm	790x800 cm
Diameter of swing beam	100 mm	100 mm
Diameter of swing legs	80 mm	80 mm
Age/Weight limit	3-14 years, max 50 kg	3-14 years, max 50 kg
Wood profile	Roundwood	Roundwood

Additional info

Ground anchors are an additional extra.

Ground anchors are an additional extra.

Treatments available

PRESSURE-TREATED

Green



PRESSURE-TREATED

Green



PALMAKO KIDS HOLGER / HENRY



SCAN FOR MORE INFO



MODEL:

HOLGER

HENRY

Length	360 cm	440 cm
Width	195 cm	200 cm
Height	230 cm	230 cm
Safety area	770x880 cm	850x880 cm
Diameter of swing beam	100 mm	100 mm
Measurements of swing legs	80/64 mm	100/80 mm
Platform height for slide	146 cm	146 cm
Age/Weight limit	3-14 years, max 50 kg	3-14 years, max 50 kg
Wood profile	Minisleeper	Minisleeper

Additional info

Slide is an optional extra.
Ground anchors are an additional extra.

Slide is an optional extra.
Ground anchors are an additional extra.

Treatments available

PRESSURE-TREATED

Green



PRESSURE-TREATED

Green





PALMAKO KIDS BRENDA / BOSSE



SCAN FOR MORE INFO



MODEL:

BRENDA

BOSSE

Length	510 cm
Width	195 cm
Height	230 cm
Safety area	920x880 cm
Diameter of swing beam	100 mm
Measurements of swing legs	80/64 mm
Platform height for slide	146 cm
Age/Weight limit	3-14 years, max 50 kg
Wood profile	Minisleeper

Length	445 cm
Width	200 cm
Height	230 cm
Safety area	850x880 cm
Diameter of swing beam	100 mm
Measurements of swing legs	100/80 mm
Platform height for slide	146 cm
Age/Weight limit	3-14 years, max 50 kg
Wood profile	Minisleeper

Additional info

Slide is an optional extra.
Ground anchors are an additional extra.

Slide is an optional extra.
Ground anchors are an additional extra.

Treatments available

PRESSURE-TREATED

Green



PRESSURE-TREATED

Brown



PALMAKO KIDS KALEV / KASPER



SCAN FOR MORE INFO



MODEL:

KALEV

KASPER

Length	470 cm
Width	200 cm
Height	230 cm
Safety area	870x880 cm
Diameter of swing beam	100 mm
Measurements of swing legs	100/80 mm
Platform height for slide	146 cm
Age/Weight limit	3-14 years, max 50 kg
Wood profile	Minisleeper

Length	366 cm
Width	200 cm
Height	230 cm
Safety area	880x770 cm
Diameter of swing beam	100 mm
Measurements of swing legs	100/80 mm
Platform height for slide	146 cm
Age/Weight limit	3-14 years, max 50 kg
Wood profile	Minisleeper

Additional info

Slide is an optional extra.
Ground anchors are an additional extra.

Slide is an optional extra.
Ground anchors are an additional extra.

Treatments available

PRESSURE-TREATED

Green



PRESSURE-TREATED

Green





PALMAKO KIDS MERIT / JONAS / TOBY SWING BEAM



SCAN FOR MORE INFO

**MERIT****JONAS****TOBY SWING BEAM**

Length	352 cm	306 cm	241 cm
Width	204 cm	210 cm	208 cm
Height	220 cm	219 cm	215 cm
Safety area	852x894 cm	706x700 cm	445x700 cm
Diameter of swing beam	100 mm		
Measurements of swing beam		90x90 mm, glued laminated wood	90x90 mm, glued laminated wood
Diameter of swing legs	100 mm		
Measurements of swing legs		70x70 mm	70x70 mm
Platform height for slide		120 cm	
Age/Weight limit	3-14 years, max 50 kg	3-14 years, max 50 kg	3-14 years, max 50 kg
Wood profile	Roundwood	Square wood	Square wood

Additional info

Ground anchors are an additional extra.

Slide is an optional extra.
Ground anchors are an additional extra.

Ground anchors are an additional extra.

**Treatments available****PRESSURE-TREATED**

Green

**PRESSURE-TREATED**

Brown

**UNTREATED WOOD**

PALMAKO KIDS JESPER TOWER WITH ROOF / SWING BEAM / CLIMBING WALL / BRIDGE



SCAN FOR MORE INFO


**JESPER TOWER
WITH ROOF**

**JESPER SWING
BEAM**

**JESPER
CLIMBING WALL**

JESPER BRIDGE
MODEL:

Length	120 cm	241 cm	102 cm	235 cm
Width	120 cm	208 cm	11 cm	116 cm
Height	314 cm	214 cm	138 cm	89 cm
Safety area	520x605 cm	445x700 cm		
Measurements of swing beam		90x90 mm, glued laminated wood 70x70 mm		
Measurements of swing legs				
Measurements of legs	70x70 mm			
Platform height for slide	120 cm			
Age/Weight limit	3-14 years, max 50 kg	3-14 years, max 50 kg	3-14 years, max 50 kg	3-14 years, max 50 kg
Wood profile	Square wood	Square wood	Square wood	Square wood

FOR KIDS

Additional info

Slide is an optional extra.
Ground anchors are an additional extra.

Ground anchors are an additional extra.

**Treatments available****PRESSURE-TREATED**

Brown





PALMAKO KIDS JESPER SET 1 / SET 2 / SET 3



SCAN FOR MORE INFO



JESPER SET 1



JESPER SET 2



JESPER SET 3

MODEL:	JESPER SET 1	JESPER SET 2	JESPER SET 3
Length	600 cm	366 cm	361 cm
Width	464 cm	305 cm	304 cm
Height	314 cm	314 cm	314 cm
Safety area	1000x865 cm	766x866 cm	761x704 cm
Measurements of swing beam	90x90 mm, glued laminated wood	90x90 mm, glued laminated wood	90x90 mm, glued laminated wood
Measurements of swing legs	70x70 mm	70x70 mm	70x70 mm
Platform height for slide	120 cm	120 cm	120 cm
Age/Weight limit	3-14 years, max 50 kg	3-14 years, max 50 kg	3-14 years, max 50 kg
Wood profile	Square wood	Square wood	Square wood

Additional info

Slide is an optional extra.
Ground anchors are an additional extra.

Slide is an optional extra.
Ground anchors are an additional extra.

Slide is an optional extra.
Ground anchors are an additional extra.



Treatments available

PRESSURE-TREATED

Brown



SANDY 14 / SANDY 16 / LISBET



SCAN FOR MORE INFO



SANDY 14



SANDY 16



LISBET

Length	137 cm	157 cm	90 cm
Width	137 cm	157 cm	89 cm
Height	21 cm	21 cm	50 cm
Age/Weight limit	3-14 years, max 50 kg	3-14 years, max 50 kg	3-14 years, max 50 kg
Wood profile	Boards	Boards	Boards

Additional info

With foldable cover.

With foldable cover.

Treatments available

PRESSURE-TREATED

Green



PRESSURE-TREATED

Green



PAINTED

White



OPTIONAL PRODUCTS



SWING SEAT
441 x 170 x 85 mm
Art. No.: 101000



BABY SEAT
320 x 300 x 260 mm
Art. No.: 100999



SLIDE
for 120 cm platform
495 x 2300 mm
Art. No.: 101004, 107382



SLIDE
for 150 cm platform
495 x 2900 mm
Art. No.: 101006, 101005, 101007



NEST SWING SWIBEE
ø 980 mm
Art. No.: 100245, 100246



MONKEY SWING
ø 280 mm
Art. No.: 107393



SWING CLAMP
ø 100 mm
Art. No.: 101001



SWING CLAMP
(THROUGH WOOD)
ø 120 mm
Art. No.: 108274



F-ANCHOR
50 x 500 mm
Art. No.: 100997



SWING CLAMP
90 x 90 mm
Art. No.: 108275



**UNDERLAYER
FOR SANDBOX**
Art. No.: 107502



CLIMBING STONES
5 pcs/pack
Art. No.: 107398



ROPE LADDER
Art. No.: 107397





FENCE, FURNITURE & GARDENING



PALMAKO FENCE
PANEL LINE 12X17

PALMAKO FENCE
PANEL LINE 12X10



PALMAKO FENCE
PANEL NINA 1

PALMAKO FENCE
PANEL NINA 2

PALMAKO FENCE
PANEL NINA 3

PALMAKO FENCE
PANEL NINA 4

PALMAKO FENCE
PANEL NINA 6



PALMAKO FENCE
PANEL REENA 1

PALMAKO FENCE
PANEL REENA 2


PALMAKO FENCE
PANEL REENA 3

PALMAKO FENCE
PANEL REENA 4

PALMAKO FENCE
PANEL REENA 6

PALMAKO FENCE
PANEL REENA 7

PALMAKO FENCE
PANEL REENA 8



PALMAKO FENCE
PANEL ELKE 1

PALMAKO FENCE
PANEL ELKE 2

PALMAKO FENCE
PANEL ELKE 3

PALMAKO FENCE
PANEL ELKE 4



PALMAKO FENCE
PANEL HELIS 1



PALMAKO FENCE
PANEL HELIS 2



PALMAKO FENCE
PANEL HELIS 3



PALMAKO FENCE
PANEL HELIS 4



PALMAKO FENCE
PANEL HELIS 6



PALMAKO FENCE
PANEL HELIS 7



PALMAKO FENCE
PANEL HELIS 8



PALMAKO FENCE
PANEL MARIT 1



PALMAKO FENCE
PANEL MARIT 2



PALMAKO FENCE
PANEL MARIT 3



PALMAKO FENCE
PANEL MARIT 4



PALMAKO FENCE
PANEL MARIT 6



PALMAKO FENCE
PANEL MARIT 7



PALMAKO FENCE
PANEL MARIT 8



PALMAKO FENCE
PANEL KARINA 1



PALMAKO FENCE
PANEL KARINA 2



PALMAKO FENCE
PANEL KARINA 3



PALMAKO FENCE
PANEL KARINA 4



PALMAKO FENCE
PANEL KARINA 6




PALMAKO FENCE
PANEL JANET 1



PALMAKO FENCE
PANEL JANET 2



PALMAKO FENCE
PANEL BIRGIT 2





PALMAKO SOLID
WOOD POSTS

PALMAKO FENCE PANELS LINE

SPECIES: SPRUCE



SCAN FOR MORE INFO



Panel name	Line 12x17	Line 12x10
Article number	● 109559 ● 109558	● 109555 ● 109554
Measurements, W x H	1180x1735 mm	1180x955 mm
Frame profile	32x40 mm	32x40 mm
Board profile	28x45 mm	28x45 mm



All the posts are chamfered on one end.

OPTIONAL

Post legs and fence panel fixing assembly kits.

SOLID WOOD POSTS

Article number	● 100854 ● 100856	● 100860 ● 100862	● 100866 ● 100868	● 100872 ● 100874
Profile	70x70 mm	70x70 mm	70x70 mm	70x70 mm
Length	1000 mm	1300 mm	1600 mm	1900 mm

GLUED LAMINATED POSTS

Article number	● 100902 ● 100903	● 100890 ● 100892	● 100896 ● 100898	● 100917 ● 100918
Profile	90x90 mm	90x90 mm	90x90 mm	90x90 mm
Length	1000 mm	1300 mm	1600 mm	1900 mm

TREATMENT OPTIONS



GYVPI

grey pressure-treated



WTPNT1+2





primer + white painted 2 layers (RAL 9016)

PALMAKO FENCE PANELS NINA

SPECIES: SPRUCE



SCAN FOR MORE INFO



Panel name	Nina 1	Nina 2	Nina 3	Nina 4	Nina 6
Article number	109533 109534 109535 120527	109472 109473 109474 120529	109468 109469 109470 121521	109464 109465 109466 120528	109461 109462
Measurements, W x H	1800x1800 mm	900x1800 mm	900x1800/900 mm	1800x900 mm	1800x1500 mm
Frame profile	33x57 mm	33x57 mm	33x57 mm	33x57 mm	33x57 mm
Board profile	12x57 mm	12x57 mm	12x57 mm	12x57 mm	12x57 mm



All the posts are chamfered on one end.

OPTIONAL

Post legs and fence panel fixing assembly kits.

SOLID WOOD POSTS

Article number	100854 100856 108644 121522	100860 100862	100866 100868	100872 100874 108645 121523
Profile	70x70 mm	70x70 mm	70x70 mm	70x70 mm
Length	1000 mm	1300 mm	1600 mm	1900 mm

TREATMENT OPTIONS



GYVPI

grey pressure-treated



WTPNT1+2

primer + white painted 2 layers
(RAL 9016)



GYPNT1+2

primer + grey painted 2 layers
(RAL7016)



BLPNT0+1

black stain 1 layer

GLUED LAMINATED POSTS







Article number	100902 100903 108655 120530	100890 100892	100896 100898	100917 100918 108656 120533
Profile	90x90 mm	90x90 mm	90x90 mm	90x90 mm
Length	1000 mm	1300 mm	1600 mm	1900 mm

PALMAKO FENCE PANELS REENA

SPECIES: SPRUCE



SCAN FOR MORE INFO



Panel name	Reena 1	Reena 2	Reena 3	Reena 4	Reena 6	Reena 7	Reena 8
Article number	100523 100525 100522 108961	100396 100398 100395 108962	100402 100404 100401 108963	100439 100441 100438 108964	100483	100356	100350
Measurements, W x H	1800x1800 mm	900x1800 mm	900x1800/900 mm	1800x900 mm	1800x1500 mm	900x1500 mm	900x1500/900 mm
Frame profile	33x57 mm	33x57 mm	33x57 mm	33x57 mm	33x57 mm	33x57 mm	33x57 mm
Board profile	12x95 mm	12x95 mm	12x95 mm	12x95 mm	12x95 mm	12x95 mm	12x95 mm
Trellis profile	12x45 mm	12x45 mm	12x45 mm	12x45 mm	12x45 mm	12x45 mm	12x45 mm



All the posts are chamfered on one end.

OPTIONAL

Post legs and fence panel fixing assembly kits.

SOLID WOOD POSTS

Article number	100854 100856 108644	100860 100862	100866 100868	100872 100874 108645
Profile	70x70 mm	70x70 mm	70x70 mm	70x70 mm
Length	1000 mm	1300 mm	1600 mm	1900 mm

GLUED LAMINATED POSTS


Article number	100902 100903 108655	100890 100892	100896 100898	100917 100918 108656
Profile	90x90 mm	90x90 mm	90x90 mm	90x90 mm
Length	1000 mm	1300 mm	1600 mm	1900 mm

TREATMENT OPTIONS**GYPVI**

grey pressure-treated

**GNVPI**

green pressure-treated





**WTPNT1+2**primer + white painted 2 layers
(RAL 9016)**GYPNT1+2**primer + grey painted 2 layers
(RAL7016)

PALMAKO FENCE PANELS ELKE

SPECIES: SPRUCE



SCAN FOR MORE INFO



Panel name	Elke 1	Elke 2	Elke 3	Elke 4
Article number	● 100513 ● 108625	● 100386 ● 108626	● 100368 ● 108627	● 107231 ● 108628
Measurements, W x H	1800x1800 mm	900x1800 mm	900x1800/900 mm	1800x900 mm
Frame profile	33x57 mm	33x57 mm	33x57 mm	33x57 mm
Board profile	12x95 mm	12x95 mm	12x95 mm	12x95 mm
Trellis profile	12x45 mm	12x45 mm	12x45 mm	12x45 mm



All the posts are chamfered on one end.

OPTIONAL

Post legs and fence panel fixing assembly kits.


SOLID WOOD POSTS

Article number	● 100856 ● 108644	● 100862	● 100868	● 100874 ● 108645
Profile	70x70 mm	70x70 mm	70x70 mm	70x70 mm
Length	1000 mm	1300 mm	1600 mm	1900 mm

GLUED LAMINATED POSTS

Article number	● 100903 ● 108655	● 100892	● 100898	● 100918 ● 108656
Profile	90x90 mm	90x90 mm	90x90 mm	90x90 mm
Length	1000 mm	1300 mm	1600 mm	1900 mm

TREATMENT OPTIONS



WTPNT1+2

primer + white painted 2 layers (RAL 9016)



GYPNT1+2





primer + grey painted 2 layers (RAL7016)

PALMAKO FENCE PANELS HELIS

SPECIES: SPRUCE



SCAN FOR MORE INFO



Panel name	Helis 1	Helis 2	Helis 3	Helis 4	Helis 6	Helis 7	Helis 8
Article number	100493 100495 100492 108965	100372 100374 100371 108966	100378 100380 100377 108967	100414 100416 100413 108968	100445 100447 100444	100318 100320 100317	100312 100314 100311
Measurements, W x H	1800x1800 mm	900x1800 mm	900x1800/900 mm	1800x900 mm	1800x1500 mm	900x1500 mm	900x1500/900 mm
Frame profile	33x57 mm	33x57 mm	33x57 mm	33x57 mm	33x57 mm	33x57 mm	33x57 mm
Board profile	12x95 mm	12x95 mm	12x95 mm	12x95 mm	12x95 mm	12x95 mm	12x95 mm
Trellis profile	12x45 mm	12x45 mm	12x45 mm	12x45 mm	12x45 mm	12x45 mm	12x45 mm



All the posts are chamfered on one end.

OPTIONAL

Post legs and fence panel fixing assembly kits.

SOLID WOOD POSTS

Article number	100854 100856 100853 108644	100860 100862 100859	100866 100868 100865	100872 100874 100871 108645
Profile	70x70 mm	70x70 mm	70x70 mm	70x70 mm
Length	1000 mm	1300 mm	1600 mm	1900 mm

GLUED LAMINATED POSTS

Article number	100902 100903 100901 108655	100890 100892 100889	100896 100898 100895	100917 100918 100916 108656
Profile	90x90 mm	90x90 mm	90x90 mm	90x90 mm
Length	1000 mm	1300 mm	1600 mm	1900 mm

TREATMENT OPTIONS




GYVPI

grey pressure-treated



GNVPI

green pressure-treated



WTPNT1+2

primer + white painted 2 layers
(RAL 9016)

GYPNT1+2








primer + grey painted 2 layers
(RAL7016)

PALMAKO FENCE PANELS MARIT

SPECIES: SPRUCE



SCAN FOR MORE INFO



Panel name	Marit 1	Marit 2	Marit 3	Marit 4	Marit 6	Marit 7	Marit 8
Article number	● 100507	● 100374	● 100380	● 100428	● 100465	● 100320	● 100314
Measurements, W x H	1800x1800 mm	900x1800 mm	900x1800/900 mm	1800x900 mm	1800x1500 mm	900x1500 mm	900x1500/900 mm
Frame profile	33x57 mm	33x57 mm	33x57 mm	33x57 mm	33x57 mm	33x57 mm	33x57 mm
Board profile	12x95 mm	12x95 mm	12x95 mm	12x95 mm	12x95 mm	12x95 mm	12x95 mm
Trellis profile	12x45 mm	12x45 mm	12x45 mm	12x45 mm	12x45 mm	12x45 mm	12x45 mm



All the posts are chamfered on one end.

OPTIONAL

Post legs and fence panel fixing assembly kits.


SOLID WOOD POSTS

Article number	● 100856	● 100862	● 100868	● 100874
Profile	70x70 mm	70x70 mm	70x70 mm	70x70 mm
Length	1000 mm	1300 mm	1600 mm	1900 mm

GLUED LAMINATED POSTS

Article number	● 100903	● 100892	● 100898	● 100918
Profile	90x90 mm	90x90 mm	90x90 mm	90x90 mm
Length	1000 mm	1300 mm	1600 mm	1900 mm

TREATMENT OPTIONS



WTPNT1+2






primer + white painted 2 layers (RAL 9016)

PALMAKO FENCE PANELS KARINA

SPECIES: SPRUCE



SCAN FOR MORE INFO



Panel name	Karina 1	Karina 2	Karina 3	Karina 4	Karina 6
Article number	● 100499 ● 100501	● 100362	● 100368	● 100420 ● 100422	● 100457 ● 100459
Measurements, W x H	1800x1800 mm	900x1800 mm	900x1800/900 mm	1800x900 mm	1800x1500 mm
Frame profile	33x57 mm	33x57 mm	33x57 mm	33x57 mm	33x57 mm
Board profile	12x95 mm	12x95 mm	12x95 mm	12x95 mm	12x95 mm
Trellis profile	12x45 mm	12x45 mm	12x45 mm	12x45 mm	12x45 mm



All the posts are chamfered on one end.

OPTIONAL

Post legs and fence panel fixing assembly kits.

SOLID WOOD POSTS

Article number	● 100854 ● 100856	● 100860 ● 100862	● 100866 ● 100868	● 100872 ● 100874
Profile	70x70 mm	70x70 mm	70x70 mm	70x70 mm
Length	1000 mm	1300 mm	1600 mm	1900 mm

GLUED LAMINATED POSTS

Article number	● 100902 ● 100903	● 100890 ● 100892	● 100896 ● 100898	● 100917 ● 100918
Profile	90x90 mm	90x90 mm	90x90 mm	90x90 mm
Length	1000 mm	1300 mm	1600 mm	1900 mm

TREATMENT OPTIONS**GYPVI**

grey pressure-treated

**WTPNT1+2**




primer + white painted 2 layers (RAL 9016)

PALMAKO FENCE PANELS JANET / BIRGIT

SPECIES: SPRUCE



SCAN FOR MORE INFO



JANET 1

JANET 2

BIRGIT 2

Panel name	Janet 1	Janet 2	Birgit 2
Article number	● 107663	● 107669	● 107675
Measurements, W x H	1800x1800 mm	900x1800 mm	900x1800 mm
Frame profile	33x57 mm	33x57 mm	33x57 mm
Board profile	12x85 mm	12x85 mm	

Can be combined with other fence panels series, see p. 216-222.

These fence panels have 6 mm toughened glass.

OPTIONAL

Post legs and fence panel fixing assembly kits.



All the posts are chamfered on one end.


SOLID WOOD POSTS

Article number	● 100856	● 100862	● 100868	● 100874
Profile	70x70 mm	70x70 mm	70x70 mm	70x70 mm
Length	1000 mm	1300 mm	1600 mm	1900 mm

GLUED LAMINATED POSTS

Article number	● 100903	● 100892	● 100898	● 100918
Profile	90x90 mm	90x90 mm	90x90 mm	90x90 mm
Length	1000 mm	1300 mm	1600 mm	1900 mm

TREATMENT OPTIONS



WTPNT1+2

primer + white painted 2 layers (RAL 9016)

CREATE YOUR OWN GARDEN STORY WITH PALMAKO FENCE PANELS


If your garden misses elegant and airy fence panels, be ready to meet our Fence panels selection. Surrounding your city garden or terrace with fence panels is so easy and a refreshing way to give your favourite place to be a unique and modern look.

We have nine different designs within our fence panel collection so you can pick your favourite or why not combine different designs according to your needs. All our fence panels have 33x57 mm or 32x40 mm frame which makes them easily manageable and show that your garden has been nicely taken care of.

Please get familiar with designs as follows:

	Line Horizontal with gaps.		Marit Horizontal with gaps and two vertical rails. Vertical trellis with three crosses.
	Nina Horizontal with gaps.		Karina Vertical with rail in the middle. Vertical trellis with three crosses.
	Reena Vertical with rail in the middle. Horizontal trellis.		Janet Vertical boards with 6 mm bright toughened glass.
	Elke Vertical with rail in the middle. Vertical trellis.		Birgit 6 mm bright toughened glass in a solid wood frame.
	Helis Horizontal with gaps and two vertical rails. Vertical trellis with one cross.		

Depending on model, one can choose between ten dimensions:



And depending on model one can choose between different treatments which suits the best into the garden interior:



grey pressure-treated



green pressure-treated




primer+white painted
2 layers (RAL 9016)



primer+grey painted
2 layers (RAL7016)




black stain 1 layer



1. Frame profile 33x57 mm
2. Board profile 12x95 mm
3. Brad nails
4. Dowel 10x130 mm
5. Water channel
6. Drainage hole to let out any built up moisture or water

All our fence panels can be easily assembled. If you look at the visual of assembling a fence panel below, you will see which products you need and how to assemble them together.

See Optional Products on p. 253 for details.



1. Fence panel
2. Post
3. Post leg
4. Screws
5. L-type fastening brackets
6. Post cap

Fixings to the ground should be done properly according to the foundation. Please get appropriate fixing items from the DIY-store.



Scan this QR-code to see the assembly of Palmako Fence Panels!

All fence panels are made of Nordic spruce which is dense, strong, durable and has small knots.

FENCE



PALMAKO FENCE
ELEMENT LOVISA 10



PALMAKO FENCE
ELEMENT LUISE 10



PALMAKO FENCE
ELEMENT KAMILLA 10



PALMAKO FENCE
ELEMENT KELDA 8



PALMAKO FENCE
ELEMENT KELDA 10



PALMAKO GATE
LOVISA 10



PALMAKO GATE
LUISE 10



PALMAKO GATE
KAMILLA 10



PALMAKO GATE
KELDA 8



PALMAKO GATE
KELDA 10



PALMAKO FENCE FOR
TERRACE SIRI 11




PALMAKO FENCE FOR
STAIRS SIRI 17




PALMAKO FENCE FOR
TERRACE SIRI 11 GLASS



PALMAKO FENCE FOR
TERRACE SIRI 6 GLASS




PALMAKO POSTS FOR
TERRACE FENCE



PALMAKO HANDRAILS
FOR TERRACE FENCE




PALMAKO FENCE PANEL
LAUREEN



PALMAKO GLUED
LAMINATED POSTS

PALMAKO FENCE ELEMENT LOVISA 10




MODEL SPECIFICATIONS

Element measurements,
width x height: 1800x1000 mm

Depth: 38 mm

Palisade profile: 19x70 mm

SCAN FOR MORE INFO





TREATMENT



108639

primer + white painted 2 layers (RAL 9016)

PALMAKO GATE LOVISA 10



TREATMENT



109035

primer + white painted 2 layers (RAL 9016)

OPTIONAL

Fence gate hardware kit.


MODEL SPECIFICATIONS

Element measurements,
width x height: 900x1000 mm

Depth: 38 mm

Palisade profile: 19x70 mm

PALMAKO FENCE ELEMENT LUISE 10



MODEL SPECIFICATIONS

Element measurements,
width x height: 1800x1000 mm
Depth: 35 mm
Palisade profile: 16x57 mm


SCAN FOR MORE INFO




TREATMENT OPTIONS





100546
 green pressure-treated



100549
 primer+white painted 2 layers (RAL 9016)



PALMAKO GATE LUISE 10



TREATMENT OPTIONS



107909
 green pressure-treated



107913
 primer + white painted 2 layers (RAL 9016)


OPTIONAL

Fence gate hardware kit.

MODEL SPECIFICATIONS

Element measurements,
width x height: 900x1000 mm
Depth: 35 mm
Palisade profile: 16x57 mm

PALMAKO FENCE ELEMENT KAMILLA 10



MODEL SPECIFICATIONS

Element measurements,
width x height: 1800x1000 mm
Depth: 35 mm
Palisade profile: 16x57 mm

SCAN FOR MORE INFO



TREATMENT





119374

primer+white painted 2 layers (RAL 9016)



PALMAKO GATE KAMILLA 10



TREATMENT



107913

primer + white painted 2 layers (RAL 9016)


OPTIONAL

Fence gate hardware kit.

MODEL SPECIFICATIONS

Element measurements,
width x height: 900x1000 mm
Depth: 35 mm
Palisade profile: 16x57 mm

PALMAKO FENCE ELEMENT KELDA 8



MODEL SPECIFICATIONS


Element measurements,

width x height: 1800x800 mm

Depth: 35 mm

Palisade profile: 16x95 mm

SCAN FOR MORE INFO




TREATMENT OPTIONS



100534



green pressure-treated



100537

primer + white painted 2 layers (RAL 9016)

PALMAKO GATE KELDA 8



TREATMENT OPTIONS



108333

green pressure-treated



108334

primer + white painted 2 layers (RAL 9016)

OPTIONAL

Fence gate hardware kit.

MODEL SPECIFICATIONS


Element measurements,

width x height: 900x800 mm

Depth: 35 mm

Palisade profile: 16x95 mm

PALMAKO FENCE ELEMENT KELDA 10




MODEL SPECIFICATIONS

Element measurements,
width x height: 1800x1000 mm
Depth: 35 mm
Palisade profile: 16x95 mm

SCAN FOR MORE INFO




TREATMENT





100543

primer + white painted 2 layers (RAL 9016)



PALMAKO GATE KELDA 10



TREATMENT




107907

primer + white painted 2 layers (RAL 9016)

OPTIONAL


Fence gate hardware kit.



MODEL SPECIFICATIONS

Element measurements,
width x height: 900x1000 mm
Depth: 35 mm
Palisade profile: 16x95 mm

PALMAKO FENCE FOR TERRACE SIRI 11




TREATMENT




100555

primer + white painted 2 layers
(RAL 9016)



PALMAKO FENCE FOR STAIRS SIRI 17



TREATMENT



100561

primer + white painted 2 layers (RAL 9016)



POSTS AND HANDRAILS

POSTS FOR TERRACE FENCE

Article number	● 100844
Profile	45x70 mm
Length	1200 mm

TREATMENT



WTPNT1+2

primer + white painted 2 layers
(RAL 9016)


SCAN FOR MORE INFO




HANDRAILS FOR TERRACE FENCE

SPECIES: PINE

Article number	● 100820	● 100832
Profile	34x120 mm	34x145 mm
Length	4200 mm	4200 mm
	curved	curved



PALMAKO FENCE FOR TERRACE, SIRI 11 GLASS



Can be combined with Siri 11 wooden elements.

Rail profile: 45x45 mm

Glass: clear toughened glass, 6 mm

TREATMENT




107693

primer + white painted 2 layers (RAL 9016)



PALMAKO FENCE FOR TERRACE, SIRI 6 GLASS



Can be combined with Siri 11 wooden elements.

Rail profile: 45x45 mm

Glass: clear toughened glass, 6 mm

TREATMENT



107705

primer + white painted 2 layers (RAL 9016)



POSTS AND HANDRAILS

POSTS FOR TERRACE FENCE

Article number	● 100844
Profile	45x70 mm
Length	1200 mm

TREATMENT



WTPNT1+2

primer + white painted 2 layers (RAL 9016)

SCAN FOR MORE INFO



HANDRAILS FOR TERRACE FENCE

SPECIES: PINE

Article number	● 100820	● 100832
Profile	34x120 mm	34x145 mm
Length	4200 mm	4200 mm
	curved	curved



PALMAKO FENCE PANEL LAUREEN

SPECIES: SPRUCE



MODEL SPECIFICATIONS

Panel measurements,
width x height: 1800x1800 mm
Depth: 82 mm

SCAN FOR MORE INFO



TREATMENT OPTIONS



100748
grey pressure-treated



100749
primer + white painted 2 layers (RAL 9016)



108986
primer + grey painted 2 layers (RAL7016)



PALMAKO POLE BASE AND FENCE PANEL FASTENERS



**Post leg with pile
90x90 mm hot dip**
Art. No.: 106617



**Post leg with pile
70x70 mm hot dip**
Art. No.: 107487



**Post leg rectangular plate
90x90 mm hot dip**
Art. No.: 106613



**Post leg side support
70x70 mm hot dip**
Art. No.: 107492



**Post leg side support
70x70 mm white**
Art. No.: 107493



**Post leg side support
90x90 mm hot dip**
Art. No.: 107494




**Post leg side support
90x90 mm white**
Art. No.: 107495




**Post leg corner
hot dip**
Art. No.: 107489



**Post leg corner
white**
Art. No.: 107488



**L-type fastening brackets
(set 4 pcs) hot dip**
Art. No.: 108424



**L-type fastening brackets
(set 4 pcs) white**
Art. No.: 108423



**Wooden screws
(set 8 pcs) hot dip**
Art. No.: 120373




**Wooden screws
(set 8 pcs) white**
Art. No.: 107486



**Fence gate
hardware kit**
Art. No.: 108303



**Post cap
70x70 mm white**
Art. No.: 108300



**Post cap
90x90 mm white**
Art. No.: 108302



PALMAKO HEAT PUMP COVER
EDWIN



PALMAKO TABLE WITH
BENCHES SANNE 18



PALMAKO HANGING
BENCH SIGRID



PALMAKO
PICNIC TABLE RUBY 18



PALMAKO
PICNIC TABLE RUBY 24



PALMAKO TABLE WITH
BENCHES ARTHUR



PALMAKO TABLE WITH
BENCHES OSCAR



PALMAKO GARDEN
FURNITURE SET LEO



PALMAKO GARDEN
FURNITURE SET ARON



PALMAKO POSTSAVER
PROTECTED POSTS



PALMAKO PREMIUM
MACHINE ROUNDED POSTS



PALMAKO PREMIUM
MACHINE ROUNDED POLES

PALMAKO HEAT PUMP COVER EDWIN



SCAN FOR MORE INFO



MODEL SPECIFICATIONS

Measurements,

width x depth: 119x63 cm

Height, front/back: 68/85 cm



Consists of four assembled elements (two sides, front side and roof).

TREATMENT



primer+white painted 2 layers (RAL 9016)

PALMAKO TABLE WITH BENCHES SANNE 18



28 mm

MODEL SPECIFICATIONS

Measurements:

180x74 cm (table), 180x37 cm (benches)

Height:

75 cm (table), 42 cm (benches)

TREATMENT




green pressure-treated

SCAN FOR MORE INFO



PALMAKO HANGING BENCH SIGRID



SCAN FOR MORE INFO



MODEL SPECIFICATIONS

Measurements: 193x161 cm



Height: 198 cm

TREATMENT



green pressure-treated

PALMAKO PICNIC TABLE RUBY 18



44 mm

MODEL SPECIFICATIONS

Measurements: 179x161 cm

Height: 72 cm

TREATMENT





green pressure-treated

SCAN FOR MORE INFO



PALMAKO PICNIC TABLE RUBY 24



44 mm

MODEL SPECIFICATIONS

Measurements: 239x161 cm

Height: 72 cm

TREATMENT





green pressure-treated

SCAN FOR MORE INFO



PALMAKO TABLE WITH BENCHES ARTHUR



44 mm

MODEL SPECIFICATIONS

Measurements: 274x274 cm

Height: 73 cm

TREATMENT





green pressure-treated

SCAN FOR MORE INFO



PALMAKO TABLE WITH BENCHES OSCAR



44 mm

MODEL SPECIFICATIONS

Measurements: 231x231 cm

Height: 73 cm

TREATMENT




green pressure-treated

SCAN FOR MORE INFO



PALMAKO GARDEN FURNITURE SET LEO




SCAN FOR MORE INFO




Set consists of: table with roof, bench and three stools.

TREATMENT



brown pressure-treated


MODEL SPECIFICATIONS

Measurements: 198x200 cm**Height:** 242 cm

28 mm



PALMAKO GARDEN FURNITURE SET ARON




SCAN FOR MORE INFO




Set consists of table and four stools.

TREATMENT



brown pressure-treated

MODEL SPECIFICATIONS

Measurements: 99x99 cm (table),
37x37 cm (stools)**Height:** 107 cm (table),
74 cm (stools)

28 mm



PALMAKO POSTSAVER PROTECTED POSTS



	Art. No.	Diameter, mm	Length, mm	Treatment	Processing	Species	Split yes/no	Pieces/pack	FSC
Post Postsaver 75 1800	106599	75	1800	GNVPIH4 green pressure-treated HC4	PC	spruce	No	168	FSC Mix Credit
Post Postsaver 75 2400	108284	75	2400	GNVPIH4 green pressure-treated HC4	PC	spruce	No	168	FSC Mix Credit
Post Postsaver 85 1800	106601	85	1800	GNVPIH4 green pressure-treated HC4	PC	spruce	No	132	FSC Mix Credit
Post Postsaver 85 2400	108285	85	2400	GNVPIH4 green pressure-treated HC4	PC	spruce	No	132	FSC Mix Credit
Post Postsaver 100 1800	106602	100	1800	GNVPIH4 green pressure-treated HC4	PC	spruce	No	90	FSC Mix Credit
Post Postsaver 100 2400	108287	100	2400	GNVPIH4 green pressure-treated HC4	PC	spruce	No	90	FSC Mix Credit
Post Postsaver 140 2400	109561	140	2400	GNVPIH4 green pressure-treated HC4	PC	pine	No	49	FSC Mix Credit

DESCRIPTION

End processing: Pointed & Chamfered (PC)

Surface: Incised

Treatment chemical: Impralit®-KDS; Colour green

Treatment method: Vacuum-pressure-vacuum

Treatment class: HC4; Pre-dried below 35% of moisture content

Treatment standard: EN351-1 (penetration ≥ 6mm)

Postsaver: Double layer sleeve applied to the ground level point

Warranty: 25 years (ask for terms)

PALMAKO PREMIUM MACHINE ROUNDED POSTS



	Art. No.	Diameter, mm	Length, mm	Treatment	Processing	Species	Split yes/no	Pieces/pack	FSC
Post Premium 60 1500	101266	60	1500	GNVPIH4 green pressure-treated HC4	PC	spruce	No	238	FSC Mix Credit
Post Premium 60 1800	108289	60	1800	GNVPIH4 green pressure-treated HC4	PC	spruce	No	238	FSC Mix Credit
Post Premium 75 1650	108290	75	1650	GNVPIH4 green pressure-treated HC4	PC	spruce	No	168	FSC Mix Credit
Post Premium 75 1800	108291	75	1800	GNVPIH4 green pressure-treated HC4	PC	spruce	No	168	FSC Mix Credit
Post Premium 75 2400	108293	75	2400	GNVPIH4 green pressure-treated HC4	PC	spruce	No	168	FSC Mix Credit
Post Premium 85 1650	108294	85	1650	GNVPIH4 green pressure-treated HC4	PC	spruce	No	132	FSC Mix Credit
Post Premium 85 1800	108295	85	1800	GNVPIH4 green pressure-treated HC4	PC	spruce	No	132	FSC Mix Credit
Post Premium 85 2400	108364	85	2400	GNVPIH4 green pressure-treated HC4	PC	spruce	No	132	FSC Mix Credit
Post Premium 100 1800	101280	100	1800	GNVPIH4 green pressure-treated HC4	PC	spruce	No	90	FSC Mix Credit
Post Premium 100 2400	108298	100	2400	GNVPIH4 green pressure-treated HC4	PC	spruce	No	90	FSC Mix Credit
Post Premium 140 2400	109560	140	2400	GNVPIH4 green pressure-treated HC4	PC	pine	No	49	FSC Mix Credit
Post Premium 150 2400	101293	150	2400	GNVPIH4 green pressure-treated HC4	PC	pine	No	42	FSC Mix Credit

DESCRIPTION

End processing: Pointed & Chamfered (PC)

Surface: Spruce surface incised

Treatment chemical: Impralit®-KDS; Colour green

Treatment method: Vacuum-pressure-vacuum

Treatment class: HC4; Pre-dried below 35% (spruce) or 28% (pine) of moisture content

Treatment standard: EN351-1

Warranty: 15 years (ask for terms)

USAGE

Fence and gate posts,
wire or rail fencing,
electric fencing, playground
structures, ground works

PALMAKO PREMIUM MACHINE ROUNDED POLES

	Art. No.	Diameter, mm	Length, mm	Treatment	Processing	Species	Split yes/no	Pieces/pack	FSC
Pole Premium 100 3000	101286	100	3000	GNVPIH4 green pressure-treated HC4	CC	pine	No	90	FSC Mix Credit
Pole Premium 120 4000	108288	120	4000	GNVPIH4 green pressure-treated HC4	CC	pine	No	64	FSC Mix Credit

DESCRIPTION

End processing: Chamfered & Chamfered (CC)

Surface: Spruce surface incised

Treatment chemical: Impralit®-KDS; Colour green

Treatment method: Vacuum-pressure-vacuum

Treatment class: HC4; Pre-dried below 35% (spruce) or 28% (pine) of moisture content

Treatment standard: EN351-1

Warranty: 15 years (ask for terms)

USAGE

Wire or rail fencing,
playground structures,
structural poles



**Palmako Postsaver
Protected posts**



**Palmako Premium Machine
Rounded Posts**



**Palmako Premium Machine
Rounded Poles**



Helena 24,6 m²

A lush garden scene featuring a curved wooden deck with two lounge chairs. The chairs have light-colored cushions and dark frames. A stone retaining wall is behind the chairs, and a white lattice fence runs across the background. The garden is filled with green grass, various plants, and trees. The text "OPTIONAL PRODUCTS" is overlaid in large white letters.

OPTIONAL PRODUCTS

ANCHORS FOR SWINGS AND PLAYGROUNDS



SLIDES FOR PLAYGROUNDS

Art. No.	Platform height	Slide colour
101005	150±5 cm	green
101006	150±5 cm	red
101007	150±5 cm	blue
101004	120±5 cm	red
107382	120±5 cm	blue



SWING SEATS FOR PLAYGROUNDS



EXTENSION 3,1 m²



MODEL SPECIFICATIONS

Log measurements:

163x235 cm

Volume: 5,5 m³

Door/window type: Garden

Door opening



measurements: 73x141 cm

Door sill: low, covered with stainless steel


Roof boards: 19 mm

Roof area: 4,9 m²

Roof gradient: 11,0°




28 mm



A: 160 cm

B: 183 cm




Included


19 mm

OPTIONAL

Roofing felt (underlayer):
1 roll, SBS roofing material:
1 roll, roofing nails, EPDM.




44x95 mm



A: 210 cm

B: 250 cm



-

TREATMENT

Available dipped ☒

CANOPY ROOF 4,3 m²



MODEL SPECIFICATIONS

Log measurements:


144x290 cm

Volume: 10,0 m³

Roof boards: 19 mm

Roof area: 4,3 m²

Roof gradient: 16,0°



OPTIONAL

Roofing felt (underlayer):
1 roll, SBS roofing material:
1 roll, shingles: 2 packs,
roofing nails, EPDM.

HUUM DROP SAUNA HEATER



NARVI NM SAUNA HEATER 6 kW, 9 kW



NARVI MINEX SAUNA HEATER 3,6 kW



GRILL STOVE WITH TABLE FOR EVA



ROOFING MATERIAL

To keep your house well protected from the weather, we offer you different types of roof covering materials - roofing felt (suitable as an underlayer), SBS roofing material, shingles or EPDM. The second one, SBS roofing material can be attached in a single layer, but it would be temporary solution and will not last as long as attached in multiple layers. It can be welded on the preplaced bottom layer of roof cladding with a gas burner. Attention! For wooden houses please follow the safety requirements, and if possible please let it be welded by professional roofers. The last, EPDM, is perfect for flat-roof models. We offer shingles in four different colours as follows - black, red, green or brown. You can buy roof covering material in full rolls/packs/ready-cut pieces.

	Article number
Roofing felt, black, 1 roll = 10 m	107210
SBS roofing material black, 1 roll = 10 m	107214
Shingles, black, 1 pack = 3 m ²	107180
Shingles, red, 1 pack = 3 m ²	107182
Shingles, green, 1 pack = 3 m ²	107183
Shingles, brown, 1 pack = 3 m ²	107181
EPDM, black, 1 roll = 1,5x10 m	111847



Black roofing felt
(underlayer)



SBS roofing material



Black shingles



Black EPDM

ROOFING NAILS, 1 kg



RAIN GUTTERS

Gutter width 130 mm
Downpipe diameter 80 mm

	Art. No.
3 m set for gable roof	106629
4 m set for gable roof	106630
5 m set for gable roof	106631
6 m set for gable roof	106632
7 m (3+4) set for gable roof	106629 + 106630
10 m (6+4) set for gable roof	106632 + 106630
3 m set for flat roof	106626
4 m set for flat roof	106627
5 m set for flat roof	107375
6 m set for flat roof	106628
7 m (3+4) set for flat roof	106626 + 106627
9 m (6+3) set for flat roof	106628 + 106626



Brown rain gutters made from plastic.

ROOF COVERING MATERIAL FOR FLAT ROOF HOUSES

Palmako offers a wide range of flat roof cabins. A question that we have always been asked is what to use as waterproof roof covering material for flat roofs? As you notice in the section of „Optional“ under each flat roof house there is a mention of special rubber roof covering material – EPDM (ethylene propylene diene monomer).



We offer **self-adhesive EPDM** with one fully adhesive side. One roll is 1,5 m wide and 10 m long. The article number and number of rolls suitable for the specific house is given in the table of optional products after every product group and in the Optional Products part at the end of the catalogue.

The outer layer is made of vulcanized EPDM rubber in black colour, suitable for exposure to weather, with 400% elasticity and high impact resistance. The inner layer is fully adhesive due to the addition of a water-based dispersion adhesive, free of solvents and VOCs. This layer is protected by a white release film.


Preparation

- The support must be dry and clean, free of dust.
- There are no sharp elements, such as splinters, nail heads or protruding screws.
- There are no cutting or aggressive edges or joints between boards.

Necessary tools

- White marker
- Scissors (don't use cutter or knives)
- Pressure roller


The installation of EPDM is easy, just follow the installation manual enclosed with the product.



FOUNDATION FRAMES (INCL. LOGFOOT™ BRACKETS)

We offer our garden house customers a Foundation Kit, which includes a cut-to-size foundation frame and adjustable metal feet, known as LogFoot™. The foundation frames are pre-cut to certain fixed sizes. However, to ensure a perfect fit for your specific garden house, some final adjustments are needed to match the frame to the exact dimensions of your cabin.


FOUNDATION FRAME 300X300 CM




TREATMENT



brown dip



300x300 cm



44x120 mm


FOUNDATION FRAME 450X300 CM




TREATMENT



brown dip



450x300 cm



44x120 mm


FOUNDATION FRAME 600X300 CM




TREATMENT



brown dip



600x300 cm



44x120 mm


FOUNDATION FRAME 600X600 CM




TREATMENT



brown dip



600x600 cm



44x120 mm


FOUNDATION FRAME 450X450 CM




TREATMENT



brown dip



450x450 cm



44x120 mm


FOUNDATION FRAME 600X450 CM




TREATMENT



brown dip




600x450 cm



44x120 mm


FOUNDATION FRAME 240X180 CM




TREATMENT



brown dip



240x180 cm



45x70 mm


FOUNDATION FRAME 270X230 CM




TREATMENT



brown dip



270x230 cm



45x70 mm

LogFoot™ brackets – corner bracket and frame bracket



Scan this QR-code to see the assembly of a foundation frame!



FLOORS


To meet specific market demands some of our cabins are sold without a floor. Although in majority cases floor can be purchased as an optional extra. As of 2021 Palmako starts to offer unified floor kits in such cases.

An unified floor kit contains of:

- 19x89x2350 mm double and tenoned needed number of floorboards
- 45x70x3000 mm brown dipped (BNDIP) needed number of foundation beams
- 19x19x2350 mm skirting boards
- 19x19 mm door strip according to the width of the door opening (in two sizes - for a single door and a double door) and the wall thickness.

Unified floor kits can be brown, grey or white dipped.

Due to the different size of cabins and measurements of the floors, please consider below described principle in general in cutting floorboards into the exact measure.



Double end tenoned floor board

House	Art. No.	Floor boards	Additional info
Lotta 7,3 m ²	102971	19 mm	
Lotta 13,9 m ²	103030	19 mm	
Klara 10,4 m ²	103011	19 mm	
Klara 17,0 m ² *	103062	19 mm	FSC
Alice/Valentine 4,7 m ² *	109456	19 mm	FSC, pressure-treated
Alice/Valentine 9,0 m ² *	109518	19 mm	FSC, pressure-treated
Britta 17,5 m ²	103050	19 mm	FSC
Britta 19,7 m ²	103066	19 mm	FSC
Ella 6,9 m ² / Ella 6,9+8,2 m ² / Ella 6,9+10,0 m ²	102967	19 mm	
Ella 8,7 m ² / Ella 8,7+8,2 m ² / Ella 8,7+10,0 m ²	102994	19 mm	
Ella 13,1 m ² / Ella 13,1+3,9 m ²	108279	19 mm	



Brown dipped foundation beams, 45x70 mm

As some of our floors as an optional extra are very specific, cut into angle (Betty pergolas), then product specific floor kits are still available as follows:



House	Art. No.	Floor boards	Additional info
Betty 9,0 m ² / Bianca 8,3 m ²	103090	28 mm	FSC, pressure-treated
Betty 9,9 m ²	103092	28 mm	FSC, pressure-treated
Betty 18,0 m ²	103094	28 mm	FSC, pressure-treated
Betty 25,0 m ²	103096	28 mm	FSC, pressure-treated
Stella 5,0 m ²	102883	16 mm	
Stella 8,2 m ²	102924	16 mm	

*Betty 9,0 m²
 *Betty 9,9 m²
 *Betty 18,0 m²
 *Betty 25,0 m²
 *Britta 17,5 m²
 *Britta 19,7 m²
 *Klara 17,0 m²
 *Alice 4,7 m²
 *Alice 9,0 m²
 *Valentine 4,7 m²
 *Valentine 9,0 m²



PALMAKO POLE BASE AND FENCE PANEL FASTENERS



**Post leg with pile
90x90 mm hot dip**
Art. No.: 106617



**Post leg with pile
70x70 mm hot dip**
Art. No.: 107487



**Post leg rectangular plate
90x90 mm hot dip**
Art. No.: 106613



**Post leg side support
70x90 mm hot dip**
Art. No.: 107492



**Post leg side support
70x70 mm hot white**
Art. No.: 107493



**Post leg side support
90x90 mm hot dip**
Art. No.: 107494




**Post leg side support
90x90 mm white**
Art. No.: 107495




**Post leg corner
hot dip**
Art. No.: 107489



**Post leg corner
white**
Art. No.: 107488



**L-type fastening brackets
(set 4 pcs) hot dip**
Art. No.: 108424



**L-type fastening brackets
(set 4 pcs) white**
Art. No.: 108423




**Wooden screws
(set 8 pcs) hot dip**
Art. No.: 120373




**Wooden screws
(set 8 pcs) white**
Art. No.: 107486



**Fence gate
hardware kit**
Art. No.: 108303




**Post cap
70x70 mm white**
Art. No.: 108300



**Post cap
90x90 mm white**
Art. No.: 108302

CARPORT ARCH



TREATMENT

Available dipped ☒

Available painted ☒

ANCHOR, ADJUSTABLE POST LEG



ENGINE SET FOR GARAGE SECTIONAL DOOR



MODEL SPECIFICATIONS

Motor measures: 600x250x350 mm

Rail measures: 3000x50x100 mm

Weight: 10+5 kg



GARAGE Engine Set

Roger 19,0 m ² with sectional door	108561
Roger 23,9 m ² with sectional door	108561
Roger 27,7 m ² with sectional door	108561
Roger 21,9+5,2 m ² with sectional door	108561
Roger 28,4 m ² with sectional door	108561
Roger 19,0+16,2 m ² with sectional door	108561
Roger 19,0+16,2 m ² with sectional door	108561
Andre 21,5 m ² with sectional door	108561
Andre 28,5 m ² with sectional door	108561
Andre 44,7 m ² with sectional door	108561

Engine set for garage sectional door includes electrical engine, metal installation construction (rails) and 2 remotes.

Depending on the model of the garage, additional accessories may be required for installation.

Electrical connection required!

PLYWOOD DOORS

If you have built a garden house, shed or have in your garden some other ancillary building that needs a good and proper door in front of it then please get familiar with doors on this page. We have added to our windows and doors selection single and double doors made of plywood. With or without glass, just as you like the best.

MODEL SPECIFICATIONS

Jamb: pine	Rubber seals	Art. No.	
Laminated finger jointed frame	Hardwood threshold	108304	Cylinder lock, handle and lock cover for plywood doors are an optional extra!
Red wood plywood 4 mm	Hinges (3x)		
Cladding 12x114 mm			



Art. No.		Door opening measurements, cm	Door opening measurements with jamb, cm
107022	Single door, without glass, left handed	78x191	90x200
107434	Single door, without glass, left handed	78x201	90x210

Art. No.		Door opening measurements, cm	Door opening measurements with jamb, cm
107023	Single door, without glass, right handed	78x191	90x200
107433	Single door, without glass, right handed	78x201	90x210

Art. No.		Door opening measurements, cm	Door opening measurements with jamb, cm
107024	Single door, with glass, left handed	78x191	90x200
108280	Single door, with glass, left handed	78x201	90x210

Art. No.		Door opening measurements, cm	Door opening measurements with jamb, cm
107329	Single door, with glass, right handed	78x191	90x200
108281	Single door, with glass, right handed	78x201	90x210

Art. No.		Door opening measurements, cm	Door opening measurements with jamb, cm
103526	Double door, without glass, right handed	118x191	130x200
103527	Double door, without glass, right handed	138x191	150x200

Art. No.		Door opening measurements, cm	Door opening measurements with jamb, cm
103528	Double door, with glass, right handed	118x191	130x200


Art. No.		Door opening measurements, cm	Door opening measurements with jamb, cm
103529	Double door, with glass, right handed	138x191	150x200



GLAZED SLIDING DOORS

From now on we have many houses with sliding doors in our product range. Sliding doors have many benefits which may encourage you to favor them over the regular doors. They let in more natural light, large glass panels running from the ground up to the top maximizes the natural lighting in the room. Sliding doors are useful if there is a need for ventilating the room without opening any door too wide. They are easy to use when entering and leaving the house. The large glass surfaces of the sliding doors let you enjoy beautiful views to the garden or backyard. And last, but not least, sliding doors look good, they add aesthetics to the building and are valued for functional and practical design. Sliding doors are just beautiful!

Sliding door Slide




- Without thermal insulation
- Door leaf security plugs

Sliding door Slide Plus



A sliding door system with two or three leafs



- Door leaf security plugs



Surface mounted pull handle with cylinder lock

Treatment as additional protection for wooden products

Production lines and machines allow us to flexibly arrange procedures and to produce a very wide product range from square log houses with different log thicknesses to the element, prefabricated and large weekend log houses. In addition to other wooden products in your garden - fence panels, terrace fences, garden furniture, machine rounded posts, flowerboxes, log rolls and many other products.

Unprocessed wood becomes greyish after having been left untouched for a while and can turn blue and become moldy. Treating wood with a preservative effectively protects against wood-destroying fungi and insects, including termites. Therefore we recommend using our product treatment service. Depending on the product type we are able to treat the products in different ways.

DIPPING

As we have our own treatment baths for brown, grey and clear white dip treatment, cabins and other larger sized items can be ordered treated with Axil 3000 P by the Sarpap & Cecil Industries water-soluble treatment liquid, guaranteeing treatment within classes 1–3. Dipped wood must be finished with at least two layers of topcoat. Topcoat should be applied on the dipped product as soon as possible. In case the dipped cabin is left unfinished for over six months, the wood protective properties of the dipping liquid will start decreasing.



Dipping bath for treatment



WTDIP white dip



BNDIP brown dip



GYDIP grey dip



Pressure-treated wooden details in a wood treatment autoclave

PRESSURE-TREATING

Smaller sized items like furniture can be pressure-treated in the vacuum-pressure-vacuum method giving these items a green or brown shade. Depending on model, fence panels can be grey or green pressure-treated or white or grey painted (primer plus two layers of paint). In order to extend the service life of timber we treat our products with Impralit®-KDS wood preservative. This is a water-borne, chromium-free wood preservative for the prevention of insect attacks, soft rot and fungal decay. It also offers temporary protection against blue stain and mould. Impralit®-KDS is only to be used for treating wood according to the

requirements of use classes 1, 2, 3 and 4 as stipulated in EN 335-1. For wood under cover and in the open, above ground and in ground contact, e.g. poles, fencing, playgrounds, pergolas, etc. The preservative penetrates deep into the wood with the help of vacuum and pressure. In this case a vacuum is initially generated in the cell cavities thereby evacuating the air inside them. The cavities are then filled with a preservative solution that is forced into the wood under high pressure. For vacuum pressure impregnation we work with different processes depending on the type of wood, environment and end purpose.



GYVPI grey pressure-treated



GNVPI green pressure-treated




BNVPI brown pressure-treated

PAINTING

We have invested into modern painting technology that enables us to paint smaller sized garden products like fence panels and posts. Today we are able to paint the products white or dark grey, using flowcoating method and spray chamber method. After painting, the products will dry in a 30 meter long drying chamber, where the whole process of drying can be adjusted and observed.



WTPNT1+2 primer + white painted 2 layers (RAL 9016)



WTPNT1+2 primer + white painted 2 layers (RAL 9016)



WTPNT1+2 primer + white painted 2 layers (RAL 9016)



GYPNT1+2 primer + grey painted 2 layers (RAL 7016)



Painted products in drying chamber

Painting the cabins - the highest level of protection for your garden house

We have a new possibility for treating our products – depending on the product we can now paint a wide range of cabins in our product range. We value your time, you don't need to think about or paint the product yourself. After assembling the house all you need to do is furnish the building and enjoy it!

Colours

Let us introduce you to our colour tone system. The combination of colours consist of the main colour and accent colour. Not all the cabins can be painted in all colour combinations, depending on a product every cabin has particular colour combinations to choose from.

An overview of all colour combinations – on the left the main colour, on the right the accent colour:



light grey + anthracite
RAL7042 + RAL7016



dark grey + white
RAL7012 + RAL9016



light grey + light grey
RAL7042 + RAL7042



light grey + white
RAL7042 + RAL9016



white + anthracite
RAL9016 + RAL7016



dark grey + dark grey
RAL7012 + RAL7012



dark grey + anthracite
RAL7012 + RAL7016



white + white
RAL9016 + RAL9016



anthracite + anthracite
RAL7016 + RAL7016



Palmako's brand new painting line

Paint description

We use weatherproof water-based acrylic paint for finishing wood surfaces and details. The paint forms an elastic, water and dirt repellent protective film on the surface.

Natural interior

The interior of the cabin stays natural (interior walls, floor boards and roof boards). You have a choice to cover the interior with a colourless wood impregnation agent and enjoy the beauty of natural wood or use paint, glaze or other wood protection.

No reverse installation

A wide range of our houses can be built in reverse. The wall details of painted cabins are painted only from one side, this is the reason why the painted cabin cannot be installed in reverse.

Pictures are illustrative only

Please note that the visuals of the painted cabins are illustrative only and may differ from the actual finish of the product.

Sales and Warranty Terms and Conditions of painting

Please ask for the sales and warranty terms and conditions of painting from our sales team.



Lea 14,2 m² Slide – main colour RAL7042, accent colour RAL7016

THE DESCRIPTION OF PAINTING THE CABINS

Cabins with modern corner connection

PAINTED

- logs from outside
- doors and windows (painted from outside and inside)
- external slats from all sides



NOT PAINTED

- logs from inside
- floor boards
- roof boards
- rafters, purlins
- all the details seen inside of the house
- foundation beams (brown dipped)



Cabins with chalet-cut logs

PAINTED

- logs from outside
- log ends from outside and inside
- doors and windows (painted from outside and inside)
- external slats from all sides



NOT PAINTED

- logs from inside
- floor boards
- roof boards
- rafters, purlins
- all the details seen inside of the house
- foundation beams (brown dipped)



Canopy roofs

PAINTED

- back wall (painted from both sides)
- external slats from all sides
- posts
- front rafter and back rafter
- Louvre wall



NOT PAINTED

- roof boards
- rafters, purlins in the middle



Post and beam construction, windows and doors

PAINTED

- all the wooden details from all sides



NOT PAINTED

- foundation beams (brown dipped)



Element houses

PAINTED

- elements from outside
- doors and windows (painted from outside and inside)
- external slats from all sides



NOT PAINTED

- elements from inside
- floor boards
- roof boards
- rafters, purlins
- all the details seen inside of the house
- foundation beams (brown dipped)



Painted wall element

You will find available treatment options next to each product under Treatment Options section. Please get familiar with the article number and description of the treatment we offer as follows:


Art. No.	Description	Treatment
NO	Natural, untreated wood	
BNDIP	Brown dip	
GYDIP	Grey dip	
WTDIP	Clear white dip	
GNVPI	Green pressure-treated	
GYVPI	Grey pressure-treated	
BNVPI	Brown pressure-treated	
GNVPIH4	Green pressure-treated HC4	
WTPNT1+2	Primer + white painted 2 layers (RAL 9016)	
GYPNT1+2	Primer + grey painted 2 layers (RAL 7016)	
BLPNT0+1	black stain 1 layer	
PNT7042A*	light grey + anthracite (RAL7042 + RAL7016)	
PNT7012A*	dark grey + anthracite (RAL7012 + RAL7016)	
PNT9016A*	white + anthracite (RAL9016 + RAL7016)	
PNT7042W*	light grey + white (RAL7042 + RAL9016)	
PNT7012W*	dark grey + white (RAL7012 + RAL9016)	
PNT9016W*	white + white (RAL9016 + RAL9016)	
PNT7042H*	light grey + light grey (RAL7042 + RAL7042)	
PNT7012G*	dark grey + dark grey (RAL7012 + RAL7012)	
PNT7016A*	anthracite + anthracite (RAL7016 + RAL7016)	

PALMAKO ANIMATIONS OF PRODUCT CONCEPT AND INSTALLATION


Bosse




Tom 3,8 m²




Sally 15,5 m²



Ly 13,6 m²



Melanie 9,9 m²



Andre 44,7 m²




Karl 40,6 m²




Kalle 13,5 m²



Fence panels



Terrace fence



Palmako

LEMEKS GROUP

Bringing joy to the garden

Palmako AS is the leading manufacturer of garden and log houses, glue-laminated products and wood pellets. Our product range is wide: square log garden houses, garden cabins, garden sheds, pavilions, carports, tool sheds, children's playhouses, weekend and living houses. We also offer a wide choice of timber products in your garden – fence panels, posts and poles, wooden furniture and log rolls.

Catalogue models are kept in stock year-round for quick delivery throughout the world. Our products are well known for their quality because we use the best raw material available: durable and beautiful Nordic spruce. Palmako is FSC certified and products made from FSC timber have been marked accordingly.

28 years of experience in wood industry has made us one of the leading companies in this area in Europe today.



Copyright 2026 Palmako AS
All rights reserved.
Printing errors, colour errors, mistakes
and technical changes reserved.
Pictures are illustrative only.

www.palmako.ee
**Over 700 high-quality wooden products
by Palmako**

CONTACT RESELLER